



Choices

Choosing the $T@B^{\pi}$ that's right for you is as easy as 1-2-3.

1. Choose an exterior material. 2. Choose a floor plan. 3. Choose your options.

1. Choose your exterior






Durable white fiberglass is laminated over block foam insulation and aluminum wall framing to create a stylish long-lasting finish. (Available only with Jolt Grey trim as shown.)

...

- Classic one-piece, anodized, clear-coated aluminum laminated over block foam insulation and aluminum wall framing gives T@B the look of yester-year. Available with Jolt Grey, Orange Krush, Mellow Yellow and Cherry exterior trim.
 - The latest technology, AluFiber*, combines aluminum with fiberglass to create a hi-gloss, impact-resistant finish. Alufiber* is laminated over block foam insulation and aluminum wall framing. Available with Jolt Grey, Orange Krush, Mellow Yellow and Cherry exterior trim.

www.tab-rv.com







Rear kitchen with locking clam shell door.



Rear exterior kitchen with stainless steel sink, gas 2-burner cooktop and 5-day ice chest. Booth dinette converts into 58" x 70" hed.

Full height closet and overhead storage on front wall.


Pass through cabinets to rear kitchen.

Extra bench seat on front wall for additional seating and storage.









L-Shaped floor plan

L-shaped galley includes stainless steel sink, gas 2-burner cooktop and 5-gallon water tank. In addition it creates extra countertop and storage space. Booth dinette folds down into a 58" x 70" bed. Four floor to ceiling storage closets line rear wall.

www.tab-rv.com



3. Choose your options



T@B tent room.

Tent room attaches to the side of T@B™, creating extra living and sleeping space. (N/A on fiberglass or clamshell models.)

Refrigerator.

1.8 cubic feet of storage, runs on LP gas, 110V AC electric or 12V Not available on clamshell models. (High elevation kit available for LP operation in altitudes above 4,000 ft.)



Screen Door.

Add this screen door to your T@B to keep the bugs out.



LP Furnace.

12,000 BTU furnace keeps you warm on those cold nights.

COOL CAT® air conditioner with heat pump. 120V AC/12,000 BTU powered air conditioner includes a heat pump for added comfort on those cool nights.





Aluminum rims with low profile tires. Replaces the standard 16" tires with steel rims. (N/A on fiberglass models.)

Aluminum T@B with

Orange Krush trim.





Standard Features

keeping you cool.

All T@B[™] models feature a lightweight frame with "independent suspension" style torsion axles. A built-in surge brake coupler and brakes mean T@B can be towed without an additional electronic brake control. Premium tinted double pane Poly-Plastic® windows with roller screens & shades are also standard features on T@B. Visit our Web site for detailed specifications and other available options.

www.tab-rv.com

T@**B**[™] - Weights and Dimensions

Original Floorplan	Unloaded Vehicle Weight	GVWR	Net Carrying Capacity	Hitch Weight	Exterior Length	Exterior Width	Exterior Height	Interior Length	Interior Height	Fresh Water Capacity (gal)	LP Capacity (lbs)
Aluminum Fiberglass AluFiber®	1346 1346 1346	1939 1939 1939	593 593 593	136 136 136	15'-6" 15'-6" 15'-6"	6'-7" 6'-7" 6'-7"	7'-9" 7'-9" 7'-9"	10'-3" 10'-3" 10'-3"	5'-9" 5'-9" 5'-9"	5 5 5	20 20 20
L-Shaped Floorplan Aluminum Fiberglass AluFiber	1453 1453 1453	1939 1939 1939	483 483 483	134 134 134	15'-6" 15'-6" 15'-6"	6'-7" 6'-7" 6'-7"	7'-9" 7'-9" 7'-9"	10'-3" 10'-3" 10'-3"	5'-9" 5'-9" 5'-9"	5 5 5	20 20 20
Clam Shell Floorplan Aluminum Fiberglass AluFiber®	1409 1409 1409	1939 1939 1939	530 530 530	130 130 130	15'-6" 15'-6" 15'-6"	6'-7" 6'-7" 6'-7"	7'-9" 7'-9" 7'-9"	10'-3" 10'-3" 10'-3"	5'-9" 5'-9" 5'-9"	5 5 5	20 20 20

Warranty: T@B is covered by Thor's limited warranty program.*

1-vear bumper to hitch limited warranty.

2-vear structural limited warranty.

*See owner's manual for details.

Disclaimer:

Vehicle loading - Every effort has been made to provide the greatest number of options for the recreational vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices that they remain within the manufacturer's specified chassis weight limits. Do not overload the recreational vehicle.

> **Dry weights** based on standard features – Some optional equipment not included. Net carrying capacity (NCC) is determined by subtracting unloaded vehicle weight (UVW) from gross vehicle weight rating (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only.

This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading. weighting and towing instructions.

Product information, specifications, and photography in this brochure were as accurate as possible at time of printing. Photographs may contain some features that are optional on your vehicle. Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features shown are optional and may be different or unavailable in Canada. Vehicles are designed for recreational use only and are not intended for use as a primary residence.

Caution:

Will cause outgoing individuals to exceed their allotted vacation time and use up all available sick days. Enjoy at your own risk.

Your local dealer



2164 Caragana Ct., Goshen, IN 46526 (574) 534-1224