

Features and Specifications

This chapter lists the features and specifications of the Aspire G3600 computer.

NOTE The items listed in this section are for reference only. The exact configuration of your PC depends on the model purchased. Refer to the FRU list chapter on page 81 for a detailed list of models supported by each hardware component.

System Features

Component	Description
Operating system support	<ul style="list-style-type: none"> • Microsoft Windows 7 Home Premium (X64/X86) • Microsoft Windows 7 Home Basic (X64/X86) • Microsoft Windows 7 Starter X86 • Linpus Linux x-Window mode • Free Dos
Processor	<ul style="list-style-type: none"> • LGA-1155 socket • Supports the Intel Core Second Generation Processor Family • Models are listed in the FRU list
Core logic	Intel H67 Chipset (PCH)
Graphics controller	<ul style="list-style-type: none"> • Integrated in the Intel processor • Intel HD Graphics support • DVMT 5.0 technology support • Enhanced 3D and Clear Video technology support • Dual independent display • Digital display (HDMI/DVI/DP/eDP) and VGA ports
Memory	<ul style="list-style-type: none"> • Four DIMM slots • Dual channel support (two slots per channel. color coded slots) <ul style="list-style-type: none"> – Channel A: slots 0, 1 (blue) – Channel B: slots 2, 3 (black) • Supports 1-, 2- and 4-GB DDR III unbuffered non-ECC DIMM • Data rates supported: 800/1066/1333 MT/s • Maximum memory: 16 GB (using four 4 GB modules)
Expansion options	<ul style="list-style-type: none"> • One PCI Express 2.0 x16 slot • Three PCI Express 2.0 x1 slots
Connectivity	<ul style="list-style-type: none"> • Wired LAN: Onboard 10/100/1000 Ethernet (GigaLAN) support • WLAN option: 802.11 b/g/n wireless network adapter
Hard disk drive (HDD)	<ul style="list-style-type: none"> • One two-HDD cage and one hot-swap drive bay • Supports 3.5-inch 25.4 mm hot-plug SATA HDDs • Capacity and models are listed in the FRU list
Optical disc drive (ODD)	<ul style="list-style-type: none"> • Two ODD bays supporting 5.25-inch standard SATA ODD • Models are listed in the FRU list

Component	Description
Card reader (optional)	The following memory cards are supported: <ul style="list-style-type: none"> • xD-Picture Card (xD) • microSD, miniSD, Secure Digital (SD) • MultiMediaCard (MMC) • CompactFlash, Type I/II (CF, Type I and II) • Memory Stick (MS), Memory Stick PRO (MS PRO)
Digital TV tuner (optional)	<ul style="list-style-type: none"> • AVerMedia H753-A TV Tuner Card PCIe Hybrid ATSC card • AVerMedia H753-C TV Tuner Card PCIe Hybrid DMB-TH card • AVerMedia H753-D TV Tuner Card PCIe Hybrid DVB-T card
Power supply	<ul style="list-style-type: none"> • 500 W 100-127 V/220-240 V with active PFC • Lite-On PS-6451-5AE or FSP FSP450-60EP models
Antivirus software	McAfee Internet Security Suite
System BIOS	<ul style="list-style-type: none"> • AMI kernel with Acer skin • Supports ACPI revision 2.0 standard • Supports Plug and Play, STR(S3)/STD(S4), hardware monitor, Multi Boot, and DMI protocols
Power management	<ul style="list-style-type: none"> • ACPI 2.0 or 1.0b (Advanced Configuration Power Interface) standard • S0, S1, S2 and S5 sleep states support • On-board device power management support • On-board device configuration support

Audio

Item	Description
Audio codec	Realtek ALC662 5.1 Channel High Definition Audio Codec
Audio jacks	<ul style="list-style-type: none"> • Top panel: Headphone and microphone jacks • Rear panel: Microphone, line-out, and line-in jacks

I/O Ports and LED Indicators

Component	Description
I/O ports	<ul style="list-style-type: none">• Top panel<ul style="list-style-type: none">– USB ports (four)– Headphone jack– Microphone jack• Rear panel<ul style="list-style-type: none">– PS/2 keyboard and mouse ports– HDMI port– Monitor (VGA) port– USB ports (eight)– GIGabit Ethernet jack (RJ45)– Microphone, line-out, and line-in jacks– Two USB 3.0 ports (optional via USB 3.0 add-in card installation)– Two Dual Link DVI and one Mini HDMI ports (optional via GeForce GTX 470 graphics expansion card installation)
LED indicator	Power status

Physical Specifications

Aspect	Description
Chassis dimension (W × D × H)	180 × 401.8 × 379 mm (7.09 × 15.82 × 14.92 in)
System weight	8.168 kg (18 lb)
Mainboard form factor	microATX (μATX)
Mainboard dimensions (W × H)	244 × 244 mm


Environmental Requirements

Aspect	Description
Operating temperature	5 to 35 °C (41 to 95 °F)
Operating humidity	15% to 80% RH non-condensing

System Tour


The pictures and tables in this section illustrate the physical outlook of the computer.









Front and Top Views



Item	Icon	Component
1		Front USB ports
2		Headphone jack
3		Microphone jack
4		Power button/indicator <ul style="list-style-type: none"> • Blue – System is in power-on mode • Flashing blue – System is in standby mode
5		miniSD / Secure Digital / MultiMediaCard slot
6		Memory Stick PRO card slot
7		microSD card slot
8		CF card slot (Type I and II)
9		xD-Picture Card slot
10		ODD bay 1
11		ODD bay 2
12		Easy-swap HDD bay


Rear View



Item	Icon	Component
1		Computer handle
2		Power supply unit
3		System fan
4		Rear USB ports via add-in card
5		Mini HDMI port (optional)
6		Expansion card bracket lock
7		PCI Express 2.0 x1 slot 1 cover
8		USB 3.0 ports (optional)
9		Dual Link DVI ports (optional)
10		Line-in jack
11		Line-out jack
12		Microphone jack
13, 15		Onboard rear USB ports
14		Ethernet port
16		Monitor (VGA) port
17		HDMI port
18		PS/2 keyboard port
19		PS/2 mouse port
20		AC power jack
<p>NOTE: Items 6-8 are only available with the installation of expansion card options.</p>		

Mainboard Layout





This section shows the major mainboard component






No	Description	No	Description
1	4-pin +12V power connector	12	SATA cable connector (reserved)
2	Processor socket	13	ODD 1 SATA cable connector
3	Heat sink fan cable connector	14	ODD 2 SATA cable connector
4	DDR3 memory slots	15	Rear USB cable connector
5	24-pin ATX power connector	16	Card reader cable connector
6	HDD 2 SATA cable connector	17	Front USB cable connectors
7	HDD 1 SATA cable connector	18	Front audio cable connector
8	Hot-swappable HDD SATA cable connector	19	PCI Express 2.0 x1 slots
9	CMOS clear jumper	20	PCI Express 2.0 x16 slot
10	ME disable jumper	21	System fan cable connector
11	Power button/LED cable connector		

FRU List

System Model: ACER_AG3600_ASERENA

Category	Part Name	Part Number
Boards		
Mainboard		
	MAINBOARD KIT ASERENA FOR G3 INTEL H67 INTEL 82579V ACER LOGO UATX W/O 1394 LF W/O USB3.0	MB.SFC01.004
Front USB/audio board		
	F-IO BOARD	55.SF601.001
	FRONT IO BOARD CENTURY W/AUDIO CABLE*1&USB CABLE*2&4USB CO	55.SFC01.002
Card reader		
	CARD READER BOARD 15-IN-1 CR RI736-1 IT1345, 860MM USB CABLE, FOR G3/P5_30L(GTW)	CR.10400.125
	CARD READER BOARD 15-IN-1 CR RT5181 860MM USB CABLE FOR G3/P5_30L(GTW)	CR.10400.126
Graphics card		
	288-5N118-010AC NV GT320 1GB SDDR3 DVI+HDMI+VGA ATX (SAMSUNG)	VG.PCPT3.203
	288-5N118-210AC NV GT320 1GB DDR3 DVI+HDMI+VGA ATX (HYNIX 1.2NS)	VG.PCPT3.201
	VGA CARD 257-0K116-00NVF GEFORCE GTX470 1280MB GDDR5 (320BITS) DVI HDMI ATX BRACKET	VG.PCPGT.470
	VGA CARD 288-1E160-000AC HD5750 1GB GDDR 5 (128BITS) SAMSUNG DVI HDMI VGA W/ATX BKT ROHS	VG.APC57.503
	VGA CARD 288-1E160-100AC HD5750 1GB GDDR 5 (128BITS) HYNIX DVI HDMI VGA W/ATX BKT ROHS	VG.APC57.502
	VGA CARD 288-1N143-110AC GEFORCE GT340 1GB GDDR5 SAMSUNG (128BITS) VGA DVI HDMI ATX BRACKET ROHS	VG.PCPT3.401
	VGA CARD 288-1N162-001AC GT420 1GB 128BIT DVI-I+HDMI+VGA ATX SAMSUNG	VG.PCPT4.202
	VGA CARD 288-1N162-101AC GT420 1GB 128BIT DVI-I+HDMI+VGA ATX HYNIX	VG.PCPT4.201
	VGA CARD 288-2E142-201AC AMD HD5570 1GB 128BITS SDDR3 DVI+HDMI+VGA ATX (NEW HYNIX -1.2)	VG.APC55.701
	VGA CARD 288-2N166-010AC GEFORCE GTX460 1GB GDDR5 256BITS SAMSUNG DUAL DVI DP HDMI ATX BRACKET	VG.PCPGT.460
	VGA CARD 288-30N58-110AC NV GT330 2GB DDR2 DVI+HDMI+VGA ATX (HYNIX)	VG.PCPT3.301
	VGA CARD HD5570 1GB DDR 3 (128BITS) SAMSUNG DVI HDMI VGA W/ATX BA	VG.APC55.722

Category	Part Name	Part Number
Graphics card (continuation)	VGA CARD PCPARTNER 288-30N58-010AC NVIDIA GT330 2GB SDDR2 DVI+HDMI LP	VG.PCPT3.302
	VGA CARD PCPARTNER 288-3E150-001AC HD5850 1GB GDDR5 SDI DUAL DVI HDMI	VG.APC58.501
	VGACARD PCP NV GT340 1GB DDR5 HYNIX DVI/HDMI/VGA ATX	VG.PCPT3.402
TV tuner card		
	TV TUNER CARD AVERMEDIA H753-A PCIE HYBRID ATSC, S/W ENCODER, ATX BRACKET	TU.10500.072
	TV TUNER CARD AVERMEDIA H753-C PCIE HYBRID DMB-T H S/W ENCODER ATX BRACKET	TU.10500.078
	TV TUNER CARD AVERMEDIA H753-D PCIE HYBRID DVB-T, S/W ENCODER, ATX BRACKET	TU.10500.074
USB 3.0 add-on card		
	USB BOARD 3.0 IOI RA351 KIT NEC PD720200 2 EXTERNAL PORTS 1 PATA 4-PIN POWER CONNECTOR 50MM HEIGHT PCB 700MM POWER Y-CABLE	PA.14000.041
Modem card		
	MODEM CARD D-1156E#/A10A PCI-EX1 CARD LSI UNIVERSAL MODEM (PCI-E) 56K V.92 - CONCORDE (C40)	FX.10100.002
Wireless LAN card		
	WN7601R, RALINK RT3090, 802.11B/G/N 1X1 WLAN PCI-E X1 CARD	NI.10200.037
Processor		
	CPU INTEL CORE I5 2300 2.8G 6M 1333 95W D-2 LGA1155 SANDY BRIDGE QUAD CORE	KC.23001.CI5
	CPU INTEL CORE I5 2400 3.1G 6M 1333 95W K-0 LGA1155 SANDY BRIDGE	KC.24001.CI5
	CPU INTEL CORE I5 2500 3.3G 6M 1333 95W K-0 LGA1155 SANDY BRIDGE	KC.25001.CI5
	CPU INTEL CORE I7 2600 3.4G 8M 1333 95W K-0 LGA-1155 SANDY BRIDGE	KC.26001.CI7
Heat sink fan		
	COOLER INTEL LGA1156 AVC ZGUL00A201 W/I 72MM DUCT 35MM HS W/I FAN 9225 W/I 72MM FAN DUCT	HI.10800.048
System fan		
	SYSTEM FAN	HI.S150F.002

Category	Part Name	Part Number
Memory		
	MEMORY ADATA DDR3 1333MHZ 2G UNB DIMM W/O ECC W/ELPIDA CHIP	KN.2GB0B.029
	MEMORY APACER DDR3 1333MHZ 2G UNBUFFERED DIMM W/O ECC	KN.2GB0H.009
	MEMORY KINGSTON DDR3 1333MHZ 2G UNB ACR256X64D3U1333C9	KN.2GB03.022
	MEMORY NANYA UNB-DIMM DDRIII 1333 2GB NT2GC64B88B0NF-CG LF 256*8 0.055UM	KN.2GB01.025
	MEMORY SAMSUNG DDR3 1333MHZ 2G UNB DIMM W/O ECC W/2G CHIP C DIE(46NM)	KN.2GB07.002
	MEMORY UNIFOSA DDR3 1333MHZ 2G UNB-DIMM GU512303EP0202 LF 128*8 0.065UM	KN.2GB0C.007
	MEMORY A-DATA UNB-DIMM DDRIII 1333 1GB AD6311A0823EU LF 128*8 0.065UM	KN.1GB0H.015
	MEMORY APACER DDR3 1333MHZ 1G UNB-DIMM GU502203EP0201 LF 128*8 0.065UM	KN.1GB0C.010
	MEMORY DDR3 1333MHZ 1G UNBUFFERED DIMM W/O ECC F DIE (46NM)	KN.1GB07.002
	MEMORY KINGSTON DDR3 1333MHZ 1G ACR128X64D3U1333C9	KN.1GB01.031
	MEMORY UNIFOSA DDR3 1333MHZ 1G UNB-DIMM GU502203EP0201 LF 128*8 0.065UM	KN.1GB0B.036
	Hard drive	
	HDD 1.5TB 3.5" 5400RPM SATA II WD WD15EARS-22MVWB0 GP667-3D 64MB LF F/W:50.0AB50	KH.15K08.001
	HDD 1.5TB 3.5" 5400RPM SATA WD GP500 WD15EADS-22P8B0 32MB GP	KH.15K08.003
	HDD 1.5TB 3.5" 7200RPM SATA SEAGATE BRINKS ST31500341AS 32MB CC4H 7	KH.15K01.002
	HDD 1TB 3.5" 5400RPM SATAII WD10EADS-22M4B0 8MB GP	KH.01K08.008
	HDD 1TB 3.5" 5400RPM WD WD10EARS-22Y5B1 GP 5.4K	KH.01K08.005
	HDD 1TB 3.5" 7200RPM SATA II 32MB HGST HDS721010CLA332 JUPITER	KH.01K01.013
	HDD 1TB 7200RPM 3.5" SEAGATE ST31000528AS(PHARAOH BP) SATA II 32MB LF F/W:CC44	KH.01K07.003
	HDD 640GB 3.5" 7200RPM SATA II 32MB HGST HDS721064CLA332 JUPITER	KH.64008.003
	HDD 640GB 3.5" 7200RPM SATA II WD WD6400AAKS-22A7B2 XL320-M	KH.64007.002
	HDD 3.5" 500GB 7200RPM SATA WD XL320M WD5000AAKS-22M9A0	KH.50001.019
	HDD 500G 7200RPM 3.5" SEAGATE ST3500418AS(PHARAOH PB) SATA II 16MB LF F/W:CC44	KH.50007.012
	HDD 500GB 3.5" 7200RPM SATA II 16MB HGST HDS721050CLA362 JUPITER	KH.50008.014

Category	Part Name	Part Number
Optical drive		
	ODD PIONEER BD COMBO SATA HH HF+W7 6X HLDS CH20N W/BEZEL BLACK	KO.0060F.002
	ODD PLDS BD COMBO SATA HH DL 6X DH-6E2S LF W/ BLACK BEZEL FOR WINDOWS7	KO.0060D.005
	ODD PLDS BD ROM HH DL 4X DH-4O3S LF STANDARD BEZEL SATA (FOR WINDOWS7)	KV.0040F.002
	ODD HLDS BD RW HH 6X BH20F BLACK BEZEL SATA (FOR WINDOWS7)	KU.0060D.004
	ODD HLDS BD RW HH 6X BH30N BLACK BEZEL SATA HF (FOR WINDOWS7)	KU.0060D.005
	ODD HLDS DVD-ROM HH 16X TRAY DH20N LF BLACK BEZEL SATA HF+WIN 7	KV.0160F.002
	ODD PLDS DVD-ROM HH DL 16X TRAY DH-16D5SH LF BLACK BEZEL SATA HF+WIN 7	KV.0160D.016
	ODD PLDS Super-Multi DRIVE HH DL 16X DH-16ABSH LF Black Bezel (HF+Win7) SATA	KU.0160D.052
	ODD SUPER-MULTI DRIVE HH DL 16X GH60N LF+HF BLK BZL SATA HF+	KU.0160F.011
Case cover/bracket/assembly		
Main chassis		
	ASSY_MAIN_CHASSIS_G3 WITH HDD CAGE&LEFT SIDE COVER	60.SFC01.002
	MAIN CHASSIS	60.SFC01.007
	MAIN CHASSIS W/IO BOARD&CARD READER	60.SFC01.001
Front bezel		
	FRONT BEZEL FOR G350	60.SFC01.004
	FRONT BEZEL FOR G351	60.SFC01.005
Side cover		
	BRACKET-BRKT LEFT SIDE COVER G3	33.SFC01.001
Top bezel		
	TOP BEZEL	60.SFC01.003

Category	Part Name	Part Number
Non-hot-swappable HDD cage		
	HDD CAGE BRACKET	33.SFC01.002
Hot-swappable HDD cage		
	HDD CAGE W/CABLE	60.SFC01.006
HDD carrier		
	HDD CARRIER FOR 2ND HDD	60.SF601.002
Front USB/audio board bracket		
	IO BRACKET	33.SFC01.003
Rear USB board bracket		
	REAR USB BRACKET	33.SF601.002
Graphics card bracket		
	VGA BRACKET	33.SFC01.006
Graphics card holder		
	VGA HOLDER	33.SFC01.005
Graphics card lock bracket		
	VGA LOCK BRACKET	33.SFC01.004
Cables		
SATA cable		
	HDD SATA CABLE	50.SDS01.001
	HDD/ODD SATA CABLE	50.G8101.002
	HDD/ODD SATA CABLE	50.SC101.003
DVI to HDMI connector cable	CONNECTOR ATI DVI TO HDMI ADAPTER	D0.HDAMD.002
DVI to HDMI converter cable	DVI TO HDMI CONVERTER FOR AMD HD3XXX SERIES	D0.HD3XX.001
DVI to VGA dongle connector	DVI TO VGA DONGLE CONNECTOR	D0.VGA26.P01
HDMI adapter cable	HDMI ADAPTER CONNECTOR FOR NVIDIA PRODUCTS	D0.HDMNV.001

Category	Part Name	Part Number
Power supply unit		
	POWER SUPPLY 500W 100-127/220-240V LITE-ON PS-6451-5AE ACTIVE PFC	PY.50008.005
	POWER SUPPLY 500W 100-127V/220-240V FSP FSP450-60EP 500W ACTIVE PFC A01003	PY.5000B.003
AC power cord		
	POWER CORD 110V 3PIN UL USA	27.01518.011
	POWER CORD 125V 7A 3G JAPAN	27.01518.181
	POWER CORD 1800MM 250V EURO	27.01518.0J1
	POWER CORD 250V 3PIN 1800MM UK	27.03118.031
	POWER CORD AUSTRALIA WITH TESTED TAG	27.01518.0N1
Keyboard		
PS/2 keyboard	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK ARABIC/ ENGLISH	KB.PS20B.119
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK CZECH	KB.PS20B.144
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK GREEK	KB.PS20B.142
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK HEBREW	KB.PS20B.136
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK KAZAKH	KB.PS20B.149
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK RUSSIAN	KB.PS20B.140
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK SIMPLIFIED CHINESE	KB.PS20B.117
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK THAILAND	KB.PS20B.120
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK TRADITIONAL CHINESE	KB.PS20B.116
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK TURKMEN	KB.PS20B.150
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK US	KB.PS20B.115
	KEYBOARD 104KEY PS/2 LITE-ON SK-9611 BLACK US INTERNAL	KB.PS20B.118
	KEYBOARD 104KEY PS/2 PRIMAX KB36111 BLACK ARABIC/ ENGLISH	KB.PS20P.077
	KEYBOARD 104KEY PS/2 PRIMAX KB36111 BLACK CZECH	KB.PS20P.102
	KEYBOARD 104KEY PS/2 PRIMAX KB36111 BLACK GREEK	KB.PS20P.100
	KEYBOARD 104KEY PS/2 PRIMAX KB36111 BLACK HEBREW	KB.PS20P.094
	KEYBOARD 104KEY PS/2 PRIMAX KB36111 BLACK KAZAKH	KB.PS20P.107
	KEYBOARD 104KEY PS/2 PRIMAX KB36111 BLACK RUSSIAN	KB.PS20P.098
	KEYBOARD 104KEY PS/2 PRIMAX KB36111 BLACK SIMPLIFIED CHINESE	KB.PS20P.075
	KEYBOARD 104KEY PS/2 PRIMAX KB36111 BLACK THAILAND	KB.PS20P.078
KEYBOARD 104KEY PS/2 PRIMAX KB36111 BLACK TRADITIONAL CHINESE	KB.PS20P.074	

Category	Part Name	Part Number
Wireless keyboard/ mouse kit (<i>continuation</i>)	KEYBOARD KIT 105KEY RF2.4 PRIMAX KBRF36211 BLACK SWISS/G WITH MOUSE	KB.RF40P.018
	KEYBOARD KIT 105KEY RF2.4 PRIMAX KBRF36211 BLACK UK WITH MOUSE	KB.RF40P.016
	KEYBOARD KIT 105KEY RF2.4 PRIMAX KBRF36211 RF2.4 105KS BLACK TURKISH-Q WITH MOUSE	KB.RF40P.033
	KEYBOARD KIT 106KEY RF2.4 LITE-ON SK-9660B BLACK KOREAN WITH MOUSE	KB.RF40B.082
	KEYBOARD KIT 106KEY RF2.4 PRIMAX KBRF36211 BLACK KOREAN WITH MOUSE	KB.RF40P.041
	KEYBOARD KIT 107KEY RF2.4 LITE-ON SK-9660B BLACK BRAZILIAN PORTUGUESE WITH MOUSE	KB.RF40B.051
	KEYBOARD KIT 107KEY RF2.4 PRIMAX KBRF36211 BLACK BRAZILIAN PORTUGUESE WITH MOUSE	KB.RF40P.010
	KEYBOARD KIT 109KEY RF2.4 LITE-ON SK-9660B BLACK JAPANESE WITH MOUSE	KB.RF40B.052
	KEYBOARD KIT 109KEY RF2.4 PRIMAX KBRF36211 BLACK JAPANESE WITH MOUSE	KB.RF40P.011
	KEYBOARD KIT P104KEY RF2.4 RIMAX KBRF36211 BLACK RUSSIAN WITH MOUSE	KB.RF40P.026
	KEYBOARD KIT P105KEY RF2.4 RIMAX KBRF36211 BLACK CZECH/SLOVAK WITH MOUSE	KB.RF40P.039
	KEYBOARD KIT P105KEY RF2.4 RIMAX KBRF36211 BLACK SPANISH LATIN WITH MOUSE	KB.RF40P.083
	KEYBOARD KIT P105KEY RF2.4 RIMAX KBRF36211 BLACK SWISS/FR WITH MOUSE	KB.RF40P.040
	KEYBOARD KIT P105KEY RF2.4 RIMAX KBRF36211 BLACK TURKISH WITH MOUSE	KB.RF40P.032
	Mouse	
PS/2 mouse	MOUSE PS2 PRIMAX OPTICAL MOFGKO	MS.11200.082
USB mouse	MOUSE USB A1B PRIMAX MOF9UO BLACK COLOR	MS.11200.074
	MOUSE USB LITEON SM9020B OPTICAL NI BLACK	MS.11200.079
Speakers	SPEAKER CHIAMA W 9M-20A200-000 ACER LOGO LF 0810	SP.10600.011
Accessory		
IR receiver	RECEIVER PHILIPS OVU430008 WITH IR BLASTER FOR WINDOWS7	RV.11000.023
	RECEIVER PHILIPS OVU710018 WIN7 PHILIPS CODE FOR EMEA, H57 FIXED FW, PAIR WITH RT.11300.021	RV.11000.025
Remote control	REMOTE CONTROL PHILIPS RC2604302/01B MSFT CODE PAIR WITH OVU430008 US FOR WINDOWS7	RT.11300.022
	REMOTE CONTROL PHILIPS RC2604307/01BG PAIR WITH RV.11000.007 EMEA FOR WINDOWS7	RT.11300.021