


OfficeSuite UC[®] Phone Features

COMPARISON MATRIX



OFFICESUITE UC PHONES










	MITEL 6920	MITEL 6930	MITEL 6940	MITEL M695 MODULE	DECT HEADSET FOR 6930 AND 6940	MITEL 6970 CONFERENCE PHONE	SLIM (5304)
							
Line appearances	Up to 6	Up to 12	Up to 16	N/A	N/A	Up to 16	Up to 2
Speakerphone	Hands-free full duplex	Hands-free full duplex	Hands-free full duplex	N/A	N/A	Hands-free full duplex	One-way speaker
Headset jack	USB and Analog/EHS/DHSG	USB, Bluetooth and Analog (EHS)	USB and Bluetooth	N/A	N/A	N/A	No
Power over Ethernet	802.3af (3.4W typical)	802.3af (7.2W typical)	802.3af (9.0W typical)	Powered by phone	Powered by phone	802.3af (5.6W typical)	IEEE 802.3af
Integrated Ethernet switch	2 Port GigE (10/100/1000)	2 Port GigE (10/100/1000)	2 Port GigE (10/100/1000)	N/A	N/A	1 Port GigE (10/100/1000)	2 x 10/100
Park and paging	Yes	Yes	Yes	Via phone	N/A	Yes	Yes
Screen	3.5" color display	4.3" color display	7" touchscreen color	4.3" color display	N/A	7" touchscreen color	Backlit LCD (2line)
Programmable keys	18	72	96	28 per module (up to 3 modules)	N/A	96	9
Key type	Self labeling	Self labeling	Self labeling	Self labeling	N/A	Self labeling	Printed
Soft keys	4	5	6	N/A	N/A	6	0
Function keys	10 (plus navigation)	10 (plus navigation)	10	N/A	N/A	6	2
Size (inches)	8.9 x 5.9 x 7.5	9.3 x 5.9 x 7.5	9.7 x 5.9 x 7.5	0.8 x 7.9 x 3.1	Range: 300 feet	18.1 x 10.6 x 5.5	10x4x3.5
Weight (lbs)	2.2	2.4	2.6	1.2	Battery: 8-hour talk, 43-hour standby	4.1 lbs	1.35
Power consumption	3.4w	7.2w	9.0w	3.2w (through Phone)	3.0w (through phone)	5.6W	2.88 W
Power requirements	PoE only	PoE only	PoE only	Powered by phone	Powered by phone	PoE only	PoE only

OfficeSuite UC[®] Phone Features

COMPARISON MATRIX



OFFICESUITE UC PHONES

	2-LINE LCD (VVX150)	4-LINE COLOR GIGE (VVX250)	6-LINE COLOR GIGE (VVX350)	12-LINE COLOR GIGE (VVX450)	VVX EM50 EXPANSION MODULE	VERGE 9308-WE	CONFERENCE SET (6000)	ADV. CORDLESS HANDSET & BASE (BVN 8630 & 9430)	ENGENIUS DURAFON SIP	ENGENIUS DURAFON PRO (ANALOG)
										
Line appearances	2	Up to 4	Up to 6	Up to 12	30 keys x 3 pages	Up to 7	1 with 2nd call indicator	2	2	2
Speakerphone	Yes	Yes	Yes	Yes	No	Hands-free full duplex	Yes (only speakerphone)	Yes	Yes	Yes
Headset jack ¹	Analog	Analog, USB	Analog, USB	Analog, USB	N/A	Analog/EHS	No	Yes (3.5mm)	2.5mm	2.5mm
Power over Ethernet	IEEE 802.3af	IEEE 802.3af	IEEE 802.3af	IEEE 802.3af	Powered from VVX 450	802.3af (3.3w typical)	IEEE 802.3af	No	No	No
Integrated Ethernet switch	2 x 10/100	2 x 10/100/1000	2 x 10/100/1000	2 x 10/100/1000	N/A	2 Port GigE (10/100/1000)	No	No	No	No
Park and paging	Yes	Yes	Yes	Yes	Via phone	Yes	No	Park/retrieve (via star codes)	Park/retrieve (via star codes)	Park/retrieve (via star codes)
Screen	2.5" 132 x 64 monochrome backlit	2.8" color LCD	3.5" color LCD	4.3" color LCD	4.3" color LCD	3.5 color display	248x68 white LED display	2" color LCD	4 line LCD	4 line LCD
Programmable keys	2 line keys, 10 soft keys	4 line keys, 10 soft keys	6 line keys, 10 soft keys	12 line keys, 10 soft keys	30 keys x 3 pages	8	None	8 speed dial	50 entry phone book	90 entry phone book
Key type	Self labeling	Self labeling	Self labeling	Self labeling	Self labeling	Self labeling	N/A	N/A	N/A	N/A
Soft keys	4	4	4	4	0	3 (plus more key)	3	3	2	2
Function keys	9 plus navigation	9 plus navigation	9 plus navigation	9 plus navigation	3	10 (plus navigation)	10	9	6	6
Size (inches)	9.5 x 10 x 2.2	9.4 x 10 x 2.2	9.2 x 10.3 x 2.5	9.5 x 10 x 2.2	5 x 6.5 x 2.5	8.5 x 8.0 x 1.4	14.5x12.25x2.5	5.6x1.9x1	6.3x2.3x1.2	6.3x2.3x1.2
Weight (lbs)	1.9	1.9	2.2	2.2	1	2	1.75	0.3	base 1.9, handset .4	base 2, handset .4
Power consumption	5W	4.5W	13W	13W	Powered by phone	3.3w	4.1W idle 5.0 W active	Handset 3.3W base 3W	Base 12W Handset 7W	Base 12W Handset 7W
Power requirements	PoE or optional AC adapter	PoE or optional AC adapter	PoE or optional AC adapter	PoE or optional AC adapter	Powered from phone (up to two EM50s)	PoE or optional AC adapter	PoE or optional AC adapter	120VAC (adapters included)	120VAC adapters included	120VAC adapters included
Range								150 feet indoors	12 floors, 250K SF, 3000 acres	12 floors, 250K SF, 3000 acres
Batteries								Lithium Ion 1100mAh (included)	3.7V, 1700 mAh Lithium ion (included)	3.7V, 1700 mAh Lithium ion (included)



Equipment and features

CALL COVERAGE

Direct incoming calls to any phone and change locations anytime online

DIGITAL RECEPTIONIST

Get virtually unlimited auto attendants at no extra cost so that callers can self-select from a menu

ADVANCED VOICEMAIL

Receive notifications and messages from any phone, online or in email

CONTACT CENTER TOOLS

Optimize customer conversations by monitoring, evaluating and recording incoming calls

BUILT-IN INTERCOM

Page co-workers, even across multiple sites

MOBILE READY

Make updates and changes directly from your tablet or smartphone

Account Codes
Amazon Alexa Skills
Auto Attendants (unlimited)
Auto Attendants – Nested
Auto-Generated Key Labels
Broadcast Groups
Business Quality Voice Lines
Call Coverage
Call Coverage – Incoming Call Routing
Call Detail Records
Call Display
Call Forward
Call Groups
Call History Reporting
Call Hold
Call Hunting (circular and linear)
Call Park/Retrieve
Call Permissions Profiles (by user)
Call Transfer
Call Waiting Tone
Caller ID with Name
Caller's List (inbound & outbound)
Click-to-call (and Chrome extension)
Company-wide Chat
Context-driven Soft Keys
Custom On-hold Announcement
Desktop and Mobile Apps
Do Not Disturb
Emergency Forwarding
E911 Compliant
Extension Dialing (3 to 7 digits)

Fixed Function Keys
Geographic Redundancy
Gigabit Ethernet phones
Google Assistant skills
Group Voicemail
Hands-free Speakerphone
Headset Capable
Holiday Routing
Hot-desking/Multi-desking
Hunting
Incoming Call Routing
Integrated Ethernet Switch
Intercom
Join/Leave Call Groups
Join/Merge Calls
Local Phone Numbers (DIDs)
Mobile Apps
Mobile Twinning (select seat types)
Monitor Groups
Multiple Business Hour Profiles
Multiple CLIDs
Multiple Line Appearances
Music on Hold
Mute
Nationwide Phone Numbers (DIDs)
Notifications of 911 dialed
Online Faxing (from any device)
Online Management (from any device)
Online Self-help Documentation
Phone Directory – Employee
Key Profiles (by user type)

Power Over Ethernet Phones (IEEE 802.3af)
Presence and Availability
Private CLIDs
Programmable Keys
Redial
Ring Tones
Selective Call Routing
Self-labeling Keys
Site Page (via speakerphone)
Speakerphone
Speed Dial, One-Touch
Station Busy Lamp Indicator – Silent/Audible
Ten-way Calling
Time-of-day Routing Group Calls
Transfer Direct to Voicemail
Unlimited Calling Nationwide
Video, Audio and Web Conferencing
Visual Voicemail and Speech to Text (select seat types)
Voicemail
Voicemail Auto-forward All to Email
Voicemail Forward to Co-worker Ext.
Voicemail Message Waiting Indicator (MWI)
Voicemail Notification via E-mail/SMS
Voicemail Return Call During Retrieval
Zero Out of Voicemail – Personal Target



Optional equipment and services¹

Additional Phone Numbers Nationwide

Toll-Free Numbers

Analog Extensions (voice only)

Bluetooth Options (select phones)

Contact Center Services (agent)

Call Recording

Conference Phones

Cordless Phones

Door Boxes for controlled entry

Enhanced Dial Tone (analog fax)

Extension Monitoring

Headsets

Mobile Twinning

OfficeSuite UC Connector for Google[®]

OfficeSuite UC Connector for Microsoft Dynamics

OfficeSuite UC Connector for Salesforce[®]

OfficeSuite UC Connector for Slack

OfficeSuite UC Connector for Skype for Business

OfficeSuite UC Connector for Web-Based CRMs

OfficeSuite HD Meeting[®]

+ Video/web/audio collaboration

Online Fax (Outbound/Inbound)

Overhead Paging Interface

PC Console

SMS Text Messaging

Softphones-Mac, Mobile and PC

Video Phones

Voicemail Transcription

Windstream Enterprise SD-WAN Concierge[™]

¹Additional fees and charges may apply

About Windstream Enterprise

Windstream Enterprise collaborates with businesses across the U.S. to drive digital transformation by delivering solutions that solve today's most complex networking and communication challenges.

To learn more about OfficeSuite UC, visit windstreamenterprise.com

WINDSTREAM
ENTERPRISE
CONNECT. TRANSFORM. ELEVATE.