

=== Verbose logging started: 1/28/2020 13:43:32 Build type: SHIP UNICODE  
5.00.10011.00 Calling process:

C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Setup.exe ===

MSI (c) (FC:0C) [13:43:32:560]: Resetting cached policy values

MSI (c) (FC:0C) [13:43:32:560]: Machine policy value 'Debug' is 0

MSI (c) (FC:0C) [13:43:32:560]: \*\*\*\*\* RunEngine:

\*\*\*\*\* Product:

C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Quicken.msi

\*\*\*\*\* Action:

\*\*\*\*\* CommandLine: \*\*\*\*\*

MSI (c) (FC:0C) [13:43:32:560]: Client-side and UI is none or basic: Running entire install on the server.

MSI (c) (FC:0C) [13:43:32:560]: Grabbed execution mutex.

MSI (c) (FC:0C) [13:43:32:614]: Cloaking enabled.

MSI (c) (FC:0C) [13:43:32:615]: Attempting to enable all disabled privileges before calling Install on Server

MSI (c) (FC:0C) [13:43:32:617]: Incrementing counter to disable shutdown. Counter after increment: 0

MSI (s) (34:08) [13:43:32:627]: Running installation inside multi-package transaction  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Quicken.msi

MSI (s) (34:08) [13:43:32:627]: Grabbed execution mutex.

MSI (s) (34:C8) [13:43:32:632]: Resetting cached policy values

MSI (s) (34:C8) [13:43:32:632]: Machine policy value 'Debug' is 0

MSI (s) (34:C8) [13:43:32:632]: \*\*\*\*\* RunEngine:

\*\*\*\*\* Product:

C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Quicken.msi

\*\*\*\*\* Action:

\*\*\*\*\* CommandLine: \*\*\*\*\*

MSI (s) (34:C8) [13:43:32:633]: Machine policy value 'DisableUserInstalls' is 0

MSI (s) (34:C8) [13:43:32:655]: Note: 1: 2203 2:

C:\WINDOWS\Installer\InProgress\installinfo.ipi 3: -2147287038

MSI (s) (34:C8) [13:43:32:658]: SRSetRestorePoint skipped for this transaction.

MSI (s) (34:C8) [13:43:32:659]: Note: 1: 1402 2:

HKEY\_CURRENT\_USER\Software\Microsoft\Windows\CurrentVersion\Policies\Explorer 3: 2

MSI (s) (34:C8) [13:43:32:661]: File will have security applied from OpCode.

MSI (s) (34:C8) [13:43:32:669]: SOFTWARE RESTRICTION POLICY: Verifying package --> 'C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Quicken.msi' against software restriction policy

MSI (s) (34:C8) [13:43:32:671]: SOFTWARE RESTRICTION POLICY:

C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Quicken.msi has a digital signature

MSI (s) (34:C8) [13:43:32:736]: SOFTWARE RESTRICTION POLICY:

C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Quicken.msi is permitted to run at the 'unrestricted' authorization level.

MSI (s) (34:C8) [13:43:32:736]: MSCOREE not loaded loading copy from system32

MSI (s) (34:C8) [13:43:32:749]: End dialog not enabled  
MSI (s) (34:C8) [13:43:32:749]: Original package ==>  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Quicken.msi  
MSI (s) (34:C8) [13:43:32:749]: Package we're running from ==>  
C:\WINDOWS\Installer\ve65e0f.msi  
MSI (s) (34:C8) [13:43:32:752]: APPCOMPAT: Compatibility mode property overrides found.  
MSI (s) (34:C8) [13:43:32:752]: APPCOMPAT: looking for appcompat database entry with ProductCode '{62D93E3E-2F8E-42BD-9343-896F4F0031D3}'.  
MSI (s) (34:C8) [13:43:32:752]: APPCOMPAT: no matching ProductCode found in database.  
MSI (s) (34:C8) [13:43:32:764]: Machine policy value 'TransformsSecure' is 0  
MSI (s) (34:C8) [13:43:32:764]: User policy value 'TransformsAtSource' is 0  
MSI (s) (34:C8) [13:43:32:764]: Machine policy value 'DisablePatch' is 0  
MSI (s) (34:C8) [13:43:32:765]: Machine policy value 'AllowLockdownPatch' is 0  
MSI (s) (34:C8) [13:43:32:765]: Machine policy value 'DisableLUAPatching' is 0  
MSI (s) (34:C8) [13:43:32:765]: Machine policy value 'DisableFlyWeightPatching' is 0  
MSI (s) (34:C8) [13:43:32:765]: APPCOMPAT: looking for appcompat database entry with ProductCode '{62D93E3E-2F8E-42BD-9343-896F4F0031D3}'.  
MSI (s) (34:C8) [13:43:32:765]: APPCOMPAT: no matching ProductCode found in database.  
MSI (s) (34:C8) [13:43:32:765]: Transforms are not secure.  
MSI (s) (34:C8) [13:43:32:766]: PROPERTY CHANGE: Adding MsiLogFileLocation property. Its value is  
'C:\ProgramData\Quicken\Log\installer\20200128\_134323\Install.log'.  
MSI (s) (34:C8) [13:43:32:766]: Command Line: QLOG\_DIR=20200128\_134323  
INSTALLDIR=C:\Program Files (x86)\Quicken ARPINSTALLLOCATION=C:\Program Files (x86)\Quicken ISQNUUE=FALSE ISTRIAL=FALSE QUILEVEL=1  
LAUNCHED\_BY\_SETUP=1  
CURRENTDIRECTORY=C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp  
CLIENTUILEVEL=3 MSICLIENTUSESEXTTERNALUI=1 CLIENTPROCESSID=2812  
MSI (s) (34:C8) [13:43:32:766]: PROPERTY CHANGE: Adding PackageCode property. Its value is '{8584ADB0-A6DB-4E44-A58A-0A5EE7B9C8A7}'.  
MSI (s) (34:C8) [13:43:32:766]: Product Code passed to Engine.Initialize: "  
MSI (s) (34:C8) [13:43:32:766]: Product Code from property table before transforms: '{62D93E3E-2F8E-42BD-9343-896F4F0031D3}'  
MSI (s) (34:C8) [13:43:32:766]: Product Code from property table after transforms: '{62D93E3E-2F8E-42BD-9343-896F4F0031D3}'  
MSI (s) (34:C8) [13:43:32:766]: Product not registered: beginning first-time install  
MSI (s) (34:C8) [13:43:32:766]: Product {62D93E3E-2F8E-42BD-9343-896F4F0031D3} is not managed.  
MSI (s) (34:C8) [13:43:32:766]: MSI\_LUA: Credential prompt not required, user is an admin  
MSI (s) (34:C8) [13:43:32:766]: PROPERTY CHANGE: Adding ProductState property. Its value is '-1'.  
MSI (s) (34:C8) [13:43:32:766]: Entering

CMsiConfigurationManager::SetLastUsedSource.  
MSI (s) (34:C8) [13:43:32:766]: User policy value 'SearchOrder' is 'nmu'  
MSI (s) (34:C8) [13:43:32:766]: Adding new sources is allowed.  
MSI (s) (34:C8) [13:43:32:766]: PROPERTY CHANGE: Adding PackagecodeChanging property. Its value is '1'.  
MSI (s) (34:C8) [13:43:32:767]: Package name extracted from package path: 'Quicken.msi'  
MSI (s) (34:C8) [13:43:32:767]: Package to be registered: 'Quicken.msi'  
MSI (s) (34:C8) [13:43:32:769]: Note: 1: 2262 2: AdminProperties 3: -2147287038  
MSI (s) (34:C8) [13:43:32:769]: Machine policy value 'DisableMsi' is 0  
MSI (s) (34:C8) [13:43:32:769]: Machine policy value 'AlwaysInstallElevated' is 0  
MSI (s) (34:C8) [13:43:32:769]: User policy value 'AlwaysInstallElevated' is 0  
MSI (s) (34:C8) [13:43:32:769]: Product installation will be elevated because user is admin and product is being installed per-machine.  
MSI (s) (34:C8) [13:43:32:769]: Running product '{62D93E3E-2F8E-42BD-9343-896F4F0031D3}' with elevated privileges: Product is assigned.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Modifying QLOG\_DIR property. Its current value is '0'. Its new value: '20200128\_134323'.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Adding INSTALLDIR property. Its value is 'C:\Program Files (x86)\Quicken'.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Adding ARPINSTALLLOCATION property. Its value is 'C:\Program Files (x86)\Quicken'.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Adding ISQNU property. Its value is 'FALSE'.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Adding ISTRIAL property. Its value is 'FALSE'.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Adding QUILEVEL property. Its value is '1'.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Adding LAUNCHED\_BY\_SETUP property. Its value is '1'.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Adding CURRENTDIRECTORY property. Its value is 'C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp'.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Adding CLIENTUILEVEL property. Its value is '3'.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Adding MSIClientUSESEXTERNALUI property. Its value is '1'.  
MSI (s) (34:C8) [13:43:32:769]: PROPERTY CHANGE: Adding CLIENTPROCESSID property. Its value is '2812'.  
MSI (s) (34:C8) [13:43:32:769]: Machine policy value 'DisableAutomaticApplicationShutdown' is 0  
MSI (s) (34:C8) [13:43:32:773]: PROPERTY CHANGE: Adding MsiRestartManagerSessionKey property. Its value is '42792f693a5d8b459ba9e994bce38a3f'.  
MSI (s) (34:C8) [13:43:32:773]: RESTART MANAGER: Session opened.  
MSI (s) (34:C8) [13:43:32:773]: PROPERTY CHANGE: Adding

MsiSystemRebootPending property. Its value is '1'.  
MSI (s) (34:C8) [13:43:32:773]: TRANSFORMS property is now:  
MSI (s) (34:C8) [13:43:32:773]: PROPERTY CHANGE: Adding VersionDatabase property. Its value is '110'.  
MSI (s) (34:C8) [13:43:32:775]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Roaming  
MSI (s) (34:C8) [13:43:32:776]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\Favorites  
MSI (s) (34:C8) [13:43:32:778]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Roaming\Microsoft\Windows\Network Shortcuts  
MSI (s) (34:C8) [13:43:32:779]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\Documents  
MSI (s) (34:C8) [13:43:32:780]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Roaming\Microsoft\Windows\Printer Shortcuts  
MSI (s) (34:C8) [13:43:32:781]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Roaming\Microsoft\Windows\Recent  
MSI (s) (34:C8) [13:43:32:783]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Roaming\Microsoft\Windows\SendTo  
MSI (s) (34:C8) [13:43:32:784]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Roaming\Microsoft\Windows\Templates  
MSI (s) (34:C8) [13:43:32:784]: SHELL32::SHGetFolderPath returned: C:\ProgramData  
MSI (s) (34:C8) [13:43:32:786]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Local  
MSI (s) (34:C8) [13:43:32:787]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\Pictures  
MSI (s) (34:C8) [13:43:32:790]: SHELL32::SHGetFolderPath returned:  
C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Administrative Tools  
MSI (s) (34:C8) [13:43:32:791]: SHELL32::SHGetFolderPath returned:  
C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup  
MSI (s) (34:C8) [13:43:32:792]: SHELL32::SHGetFolderPath returned:  
C:\ProgramData\Microsoft\Windows\Start Menu\Programs  
MSI (s) (34:C8) [13:43:32:794]: SHELL32::SHGetFolderPath returned:  
C:\ProgramData\Microsoft\Windows\Start Menu  
MSI (s) (34:C8) [13:43:32:795]: SHELL32::SHGetFolderPath returned:  
C:\Users\Public\Desktop  
MSI (s) (34:C8) [13:43:32:798]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Roaming\Microsoft\Windows\Start  
Menu\Programs\Administrative Tools  
MSI (s) (34:C8) [13:43:32:799]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup  
MSI (s) (34:C8) [13:43:32:801]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Roaming\Microsoft\Windows\Start Menu\Programs  
MSI (s) (34:C8) [13:43:32:802]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\AppData\Roaming\Microsoft\Windows\Start Menu  
MSI (s) (34:C8) [13:43:32:803]: SHELL32::SHGetFolderPath returned:  
C:\Users\Muse\Desktop

MSI (s) (34:C8) [13:43:32:805]: SHELL32::SHGetFolderPath returned:  
C:\ProgramData\Microsoft\Windows\Templates

MSI (s) (34:C8) [13:43:32:806]: SHELL32::SHGetFolderPath returned:  
C:\WINDOWS\Fonts

MSI (s) (34:C8) [13:43:32:806]: Note: 1: 2898 2: MS Sans Serif 3: MS Sans Serif 4: 0 5:  
16

MSI (s) (34:C8) [13:43:32:817]: MSI\_LUA: Setting MsiRunningElevated property to 1  
because the install is already running elevated.

MSI (s) (34:C8) [13:43:32:817]: PROPERTY CHANGE: Adding MsiRunningElevated  
property. Its value is '1'.

MSI (s) (34:C8) [13:43:32:817]: PROPERTY CHANGE: Adding Privileged property. Its  
value is '1'.

MSI (s) (34:C8) [13:43:32:818]: Note: 1: 1402 2:  
HKEY\_CURRENT\_USER\Software\Microsoft\MS Setup (ACME)\User Info 3: 2

MSI (s) (34:C8) [13:43:32:818]: PROPERTY CHANGE: Adding USERNAME property.  
Its value is 'Muse'.

MSI (s) (34:C8) [13:43:32:818]: Note: 1: 1402 2:  
HKEY\_CURRENT\_USER\Software\Microsoft\MS Setup (ACME)\User Info 3: 2

MSI (s) (34:C8) [13:43:32:818]: PROPERTY CHANGE: Adding COMPANYNAME  
property. Its value is 'HP Inc.'.

MSI (s) (34:C8) [13:43:32:818]: PROPERTY CHANGE: Adding DATABASE property.  
Its value is 'C:\WINDOWS\Installer\65e0f.msi'.

MSI (s) (34:C8) [13:43:32:818]: PROPERTY CHANGE: Adding OriginalDatabase  
property. Its value is  
'C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Quicken.msi'.

MSI (s) (34:C8) [13:43:32:818]: Machine policy value 'MsiDisableEmbeddedUI' is 0

MSI (s) (34:C8) [13:43:32:818]: EEUI - Disabling MsiEmbeddedUI due to existing  
external or embedded UI

MSI (s) (34:C8) [13:43:32:818]: EEUI - Disabling MsiEmbeddedUI for service because  
it's not a quiet/basic install

MSI (s) (34:C8) [13:43:32:818]: Note: 1: 2205 2: 3: PatchPackage

MSI (s) (34:C8) [13:43:32:819]: Machine policy value 'DisableRollback' is 0

MSI (s) (34:C8) [13:43:32:819]: User policy value 'DisableRollback' is 0

MSI (s) (34:C8) [13:43:32:819]: PROPERTY CHANGE: Adding UILevel property. Its  
value is '2'.

=== Logging started: 1/28/2020 13:43:32 ===

MSI (s) (34:C8) [13:43:32:819]: Note: 1: 2203 2:  
C:\WINDOWS\Installer\InProgress\installinfo.ipi 3: -2147287038

MSI (s) (34:C8) [13:43:32:819]: APPCOMPAT: [DetectVersionLaunchCondition] Launch  
condition already passes.

MSI (s) (34:C8) [13:43:32:823]: PROPERTY CHANGE: Adding ACTION property. Its  
value is 'INSTALL'.

MSI (s) (34:C8) [13:43:32:823]: Doing action: INSTALL  
Action start 13:43:32: INSTALL.

MSI (s) (34:C8) [13:43:32:825]: Running ExecuteSequence

MSI (s) (34:C8) [13:43:32:825]: Doing action:

SystemFolder\_x86\_VC.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA  
MSI (s) (34:C8) [13:43:32:825]: PROPERTY CHANGE: Adding  
SystemFolder\_x86\_VC.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA property . Its  
value is 'C:\WINDOWS\SysWOW64'.  
Action start 13:43:32:  
SystemFolder\_x86\_VC.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA.  
MSI (s) (34:C8) [13:43:32:826]: Doing action:  
SystemFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F  
Action ended 13:43:32:  
SystemFolder\_x86\_VC.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA. Return v alue  
1.  
MSI (s) (34:C8) [13:43:32:827]: PROPERTY CHANGE: Adding  
SystemFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F property . Its  
value is 'C:\WINDOWS\SysWOW64'.  
Action start 13:43:32:  
SystemFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F.  
MSI (s) (34:C8) [13:43:32:827]: Doing action:  
WindowsFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F  
Action ended 13:43:32:  
SystemFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F. Return v alue  
1.  
MSI (s) (34:C8) [13:43:32:827]: PROPERTY CHANGE: Adding  
WindowsFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F property . Its  
value is 'C:\WINDOWS'.  
Action start 13:43:32:  
WindowsFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F.  
MSI (s) (34:C8) [13:43:32:828]: Doing action: AppSearch  
Action ended 13:43:32:  
WindowsFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F. Return  
value 1.  
MSI (s) (34:C8) [13:43:32:828]: Note: 1: 2205 2: 3: AppSearch  
MSI (s) (34:C8) [13:43:32:828]: Note: 1: 2228 2: 3: AppSearch 4: SELECT `Property`,  
`Signature\_` FROM `AppSearch`  
Action start 13:43:32: AppSearch.  
MSI (s) (34:C8) [13:43:32:828]: Doing action: LaunchConditions  
Action ended 13:43:32: AppSearch. Return value 0.  
Action start 13:43:32: LaunchConditions.  
MSI (s) (34:C8) [13:43:32:828]: Doing action: FindRelatedProducts  
Action ended 13:43:32: LaunchConditions. Return value 1.  
MSI (s) (34:C8) [13:43:32:828]: Note: 1: 2205 2: 3: Upgrade  
MSI (s) (34:C8) [13:43:32:829]: Note: 1: 2228 2: 3: Upgrade 4: SELECT  
`UpgradeCode`, `VersionMin`, `VersionMax`, `Language`, `Attributes`, `ActionProperty`  
FROM `Upgrade`  
Action start 13:43:32: FindRelatedProducts.  
MSI (s) (34:C8) [13:43:32:829]: Skipping action: CCPSearch (condition is false)  
MSI (s) (34:C8) [13:43:32:829]: Skipping action: RMCCPSearch (condition is false)

MSI (s) (34:C8) [13:43:32:829]: Doing action: ValidateProductID  
Action ended 13:43:32: FindRelatedProducts. Return value 0.  
Action start 13:43:32: ValidateProductID.

MSI (s) (34:C8) [13:43:32:829]: Doing action: setUserProfileNT  
Action ended 13:43:32: ValidateProductID. Return value 1.  
MSI (s) (34:C8) [13:43:32:829]: PROPERTY CHANGE: Adding USERPROFILE  
property. Its value is 'C:\Users\Muse'.  
Action start 13:43:32: setUserProfileNT.

MSI (s) (34:C8) [13:43:32:829]: Skipping action: SetAllUsersProfileNT (condition is  
false)

MSI (s) (34:C8) [13:43:32:829]: Doing action: setAllUsersProfile2K  
Action ended 13:43:32: setUserProfileNT. Return value 1.  
MSI (s) (34:C8) [13:43:32:830]: PROPERTY CHANGE: Adding ALLUSERSPROFILE  
property. Its value is 'C:\ProgramData'.  
Action start 13:43:32: setAllUsersProfile2K.

MSI (s) (34:C8) [13:43:32:830]: Doing action:  
CA\_WindowsFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F  
Action ended 13:43:32: setAllUsersProfile2K. Return value 1.  
Action start 13:43:32:  
CA\_WindowsFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F.

MSI (s) (34:C8) [13:43:32:830]: Doing action:  
CA\_SystemFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F  
Action ended 13:43:32:  
CA\_WindowsFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F. Return  
value 1.  
Action start 13:43:32:  
CA\_SystemFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F.

MSI (s) (34:C8) [13:43:32:831]: Doing action: CostInitialize  
Action ended 13:43:32:  
CA\_SystemFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F. Return  
value 1.

MSI (s) (34:C8) [13:43:32:831]: Machine policy value 'MaxPatchCacheSize' is 10  
MSI (s) (34:C8) [13:43:42:246]: PROPERTY CHANGE: Adding ROOTDRIVE property.  
Its value is 'I:\'.  
Action start 13:43:32: CostInitialize.

MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: ThirdPartyServices  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: html\_templates  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: TaxOptimizer  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Searchbox  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Quicken\_AccountTransactions  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Quicken\_AccountOverview  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Planning\_Budget  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Overview\_UserDefinedView\_1  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Online\_Setup\_2  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Online\_Setup\_1  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Online\_Setup

MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Bills\_Upcoming  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Bills\_ProjectedBalances  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: Bills\_BillPay  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: ProductVideo  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: OnlineBackup  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: FirstTime  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: FDSecurityFix  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: CreditScore  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 1325 2: AccountSetup  
MSI (s) (34:C8) [13:43:42:247]: PROPERTY CHANGE: Adding CostingComplete property. Its value is '0'.  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 2262 2: Patch 3: -2147287038  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 2205 2: 3: PatchPackage  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 2205 2: 3: MsiPatchHeaders  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 2205 2: 3: \_\_MsiPatchFileList  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 2205 2: 3: PatchPackage  
MSI (s) (34:C8) [13:43:42:247]: Note: 1: 2228 2: 3: PatchPackage 4: SELECT `DiskId`, `PatchId`, `LastSequence` FROM `Media`, `PatchPackage` WHERE `Media`.`DiskId`=`PatchPackage`.`Media\_` ORDER BY `DiskId`  
MSI (s) (34:C8) [13:43:42:248]: Doing action: FileCost  
Action ended 13:43:42: CostInitialize. Return value 1.  
MSI (s) (34:C8) [13:43:42:249]: Note: 1: 2205 2: 3: TypeLib  
Action start 13:43:42: FileCost.  
MSI (s) (34:C8) [13:43:42:249]: Doing action: IsolateComponents  
Action ended 13:43:42: FileCost. Return value 1.  
Action start 13:43:42: IsolateComponents.  
MSI (s) (34:C8) [13:43:42:250]: Doing action: CostFinalize  
Action ended 13:43:42: IsolateComponents. Return value 0.  
MSI (s) (34:C8) [13:43:42:251]: PROPERTY CHANGE: Adding OutOfDiskSpace property. Its value is '0'.  
MSI (s) (34:C8) [13:43:42:251]: PROPERTY CHANGE: Adding OutOfNoRbDiskSpace property. Its value is '0'.  
MSI (s) (34:C8) [13:43:42:251]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceAvailable property. Its value is '0'.  
MSI (s) (34:C8) [13:43:42:251]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceRequired property. Its value is '0'.  
MSI (s) (34:C8) [13:43:42:251]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceRemaining property. Its value is '0'.  
MSI (s) (34:C8) [13:43:42:252]: Note: 1: 2205 2: 3: Condition  
MSI (s) (34:C8) [13:43:42:252]: PROPERTY CHANGE: Adding TARGETDIR property. Its value is 'I:\'.  
MSI (s) (34:C8) [13:43:42:252]: PROPERTY CHANGE: Modifying USERPROFILE property. Its current value is 'C:\Users\Muse'. Its new value: 'C:\Users\Muse'.  
MSI (s) (34:C8) [13:43:42:252]: PROPERTY CHANGE: Adding VC\_Configurable\_gdiPlus.3643236F\_FC70\_11D3\_A536\_0090278A1BB8 property. Its value is 'C:\WINDOWS\SysWOW64\'.



MSI (s) (34:C8) [13:43:42:252]: PROPERTY CHANGE: Adding Redist.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE24 property. Its value is 'C:\WINDOWS\SysWOW64\'.  
MSI (s) (34:C8) [13:43:42:252]: PROPERTY CHANGE: Adding MS.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE24 property. Its value is 'C:\WINDOWS\SysWOW64\'.  
MSI (s) (34:C8) [13:43:42:252]: PROPERTY CHANGE: Adding System.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE24 property. Its value is 'C:\WINDOWS\SysWOW64\'.  
MSI (s) (34:C8) [13:43:42:252]: PROPERTY CHANGE: Adding newfolder1 property. Its value is 'C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Quicken\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding QUICKEN3 property. Its value is 'C:\Program Files (x86)\Common Files\Quicken\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding INTERNET\_CLIENT property. Its value is 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding CERTS1 property. Its value is 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\Certs\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding INTUIT2 property. Its value is 'C:\Users\Muse\AppData\Roaming\Intuit\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding QUICKEN2 property. Its value is 'C:\Users\Muse\AppData\Roaming\Intuit\Quicken\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding CONFIG property. Its value is 'C:\Users\Muse\AppData\Roaming\Intuit\Quicken\Config\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding QUICKEN property. Its value is 'C:\Program Files (x86)\Quicken\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Modifying INSTALLDIR property. Its current value is 'C:\Program Files (x86)\Quicken\'. Its new value: 'C:\Program Files (x86)\Quicken\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding SOUNDS1 property. Its value is 'C:\Program Files (x86)\Quicken\Sounds\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding SNAP1 property. Its value is 'C:\Program Files (x86)\Quicken\Snap\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding RPMMIGRATION property. Its value is 'C:\Program Files (x86)\Quicken\RPMMigration\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding QSAPI1 property. Its value is 'C:\Program Files (x86)\Quicken\Qsapi\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding PDFDRV property. Its value is 'C:\Program Files (x86)\Quicken\PDFDrv\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding SCREENSHARE property. Its value is 'C:\Program Files (x86)\Quicken\ScreenShare\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding LOCALES1 property. Its value is 'C:\Program Files (x86)\Quicken\ScreenShare\locales\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding LOCALES property. Its value is 'C:\Program Files (x86)\Quicken\locales\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding INET1 property. Its value is 'C:\Program Files (x86)\Quicken\inet\'.



MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding PNF1 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_AA4B708FBC644514B9C27BAEF5C5CFA7 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Withhold\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_5102BF21698F466089A523821EA3DFC7 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Retire\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_FADB4E0CE36943DCB4D42A4850E6A856 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Reg\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_EFA6452D08784876872645BB264ED6CC property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Rebal\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_42CC58F4C30140DD8D389407F95FF550 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Quicken\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_71E88F7F66C343E5B8749037D75C984E property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Qtax\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_1112EBA6CF43450EB5E4D248AF3C938C property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Plan\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_9B522C864A8C41C8B46EC87B18465958 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Pas\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_27D5B19469564BB7A717185F7A1E045C property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Nolo\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_649E25F1B08843919D0B4500E4CEC558 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Howinv\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_C3B697C6607348D291EEED4888FD004D property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Home\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_C613E25738D5456C9B611F81295E21DF property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Funding\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_3E195B68FCA54AB69706BE7210E4C7B3 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Deduct\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_E6F1F81A706048B784EBEF7B615DFACC property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Pnf\Custcare\'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding \_48BA7428E66F4AA380795EC47BF5C288 property. Its value is

'C:\ProgramData\Quicken\Inet\Common\Pnf\College'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding  
\_1364D7BC58B94D1389B0C12D0BA118ED property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Pnf\Cir'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding  
\_AC8F5750F1854D3DB7A0D45EB8ADEB08 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Pnf\Capgains'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding  
\_60E8C05534564E6EBDABE5134E714268 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Pnf\Blm'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding  
\_CF48F707938F4DE3947DDAC03CC1CCE2 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Pnf\Assume'.  
MSI (s) (34:C8) [13:43:42:253]: PROPERTY CHANGE: Adding  
\_E7C102B96BB14FC09267BC363A76731F property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Pnf\Allocate'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_E05EB1B88C584713AC50E2D67E76826C property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Pnf\Afford'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding ONLNENRL1 property.  
Its value is 'C:\ProgramData\Quicken\Inet\Common\Onlnenrl'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding PATCH1 property. Its  
value is 'C:\ProgramData\Quicken\Inet\Common\patch'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding UPDATE1 property. Its  
value is 'C:\ProgramData\Quicken\Inet\Common\patch\Update'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding NOTIFY1 property. Its  
value is 'C:\ProgramData\Quicken\Inet\Common\patch\Notify'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding LOCALWEB1 property.  
Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_C42906BE495B4D128E3A71155C1BC302 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\XRay'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_6213EE95968D413FB092AC558414BD95 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\XRay\js'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_6FEA0588647A43F0AC2EAC01751E52AE property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\XRay\img'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_2E5314B5AACD473CAE6364B517EBE535 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Webconn'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_2F7A65CF818C428D989CD1323C851C49 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\TTQNUE'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_BC82E1CF40D341F8AAD47E7F8618E036 property. Its value is



MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_F02171C134A84A10AB88E45C303DB345 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Qifinfo\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_3B8C31DADB564D7CBF7182B400F445BA property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_38F25ED3069E476B99FB812F6335368C property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransactio  
ns\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_642E1618C4104BCAABBCE40A38AD16F4 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransactio  
ns\Deck2\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_43CFC3F817C542EAA6B6E1C06C55A2B4 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransactio  
ns\Deck1\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_B4DD66F4EDAE484D8674748CD2AB3B62 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountOverview\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_8836CD42918F478EBF6B876CDE5864D4 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountOverview\  
Deck1\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_B614D1FA39494026A1513EED7A8D317F property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_80E358F7DFA34310A16471F0C1A8B230 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\Deck1\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_375E351B73EA4E16A8D13C033916C32F property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView  
\_1\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_D8A6C1E29C9D465891EF7B17EBC83510 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView  
\_1\Deck1\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_70F8866BC10A4D53A08B8E35B7CB2B19 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_2\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_5C4C4943254F4082895F3B7C2069FA4A property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_2\Deck1\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding

\_18ED635700CE49289D66B2181B362780 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_1\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_7B0F3859C0AC4D7ABD590DFB4BF1F510 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_1\Deck1\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_D2E4EBBB7E674AF59B0E9750A483BBA0 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_B428B5D3ADC94FAE986FC3629D092669 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\Deck1\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_96CB61207C724E2FB52E1194234E1784 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_Upcoming\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_CD1211C401A94E99ABC9E2EB5157E530 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_Upcoming\Deck1\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_044920984FEC49A28570751327A3E2C4 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_ProjectedBalances\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_B7F3869FDB7F4C55BB618AD2EC3BD306 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_ProjectedBalances\De  
ck1\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_FBB300EBDCFD4825A9866B11672BA38B property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_BillPay\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_F9884F5B2EF842FD9440E0D885D2C83A property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_BillPay\Deck1\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_BF26869CD6E84B4F8FFDEF4D94416EEC property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\ProductVideo\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_425AF05F202044888D89DDF21261E309 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\OnlineBackup\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_8D1ECB1B96164F1480627A76F7FDAF49 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Nps\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_D89B4A49DF84421FBE15C284921CF9C8 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Mcp\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_C090E7CFA81B4F178D80D12FF83E1C73 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\lqc\  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding

\_A5E14B67A1B24738BFDE127DAFCDB3C3 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\img\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_D3155B260C3A4DC4BECB33C63AA65BD7 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\lcfp\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_E9DE2C6D68E646A78C6A586B23271252 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\Guidance\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_4FE8F4CEF17D4A4AB211FB955DD33122 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\FirstTime\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_99C4E00A1F9A46AAA64BEC56B3188134 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\FDSSecurityFix\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_8E9F3DC519634CAEA983B2D3C1BCE443 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\css\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_D6E077B3C19B4601B2A7F9A24CB8B338 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\CreditScore\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_D568EED93255469F923070860CE8600E property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\CreditScore\Scripts\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_29180D0479694547A0B9FB9CE6D9E427 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\CMA\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_88DBC1FC36E44979A7417E1B1E52FA47 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\Chart\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_452E5E456E3B406B8C84C3E9D9BBF7B8 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\Cataudit\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_E7F9A706100F419D8ACF3ED9FB0034E2 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\Bullseye\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_88D1E166E9DC434AB3A6ABBC0788EB7F property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\Biz\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_A8E16C466AE14EFD8318953A5CB4E89A property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\BillPay\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_D6E36783454549F6805F50D5ABE86859 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\BillPay\img\'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding \_7D157F2D8AA14C24A90AEDAB82A34824 property. Its value is



'C:\ProgramData\Quicken\Inet\Common\Localweb\Banklist'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_F31577A128254E21B74C0937EFD423E6 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Banklist\2019'.  
MSI (s) (34:C8) [13:43:42:254]: PROPERTY CHANGE: Adding  
\_37D6B8CB71994A6AADEBDD9F1E1ABE24 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Actionw'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding  
\_85C5DA85D51A44E7ACC1C83AD0FB9533 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Action7b'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding  
\_6CB469F5AF5945B69C682BD16EB5E5FF property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Action7a'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding  
\_8B8C4DAFBEC844B19EE9771D140AB389 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Action6f'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding  
\_9A4AF69717BB40A7964A1D9FB20654EA property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Action5'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding  
\_5AF6459B7324431C9ECD3E8E3EEC5415 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Action4'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding  
\_6D7388AE6F044580ACBE00B1B0E5924B property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Action3'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding  
\_043E69BC924B42E699C3BC6F10A67ECC property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\Action2a'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding  
\_3DEAF4B49E524F36AF0304D7847E6711 property. Its value is  
'C:\ProgramData\Quicken\Inet\Common\Localweb\AccountSetup'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding THUMBS property. Its  
value is 'C:\ProgramData\Quicken\Inet\Common\Localweb\Thumbs'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding FSCONF1 property. Its  
value is 'C:\ProgramData\Quicken\Inet\Common\fsconf'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding FSCONF property. Its  
value is 'C:\ProgramData\Quicken\Inet\Common\fsconf'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding FEATURES property.  
Its value is 'C:\ProgramData\Quicken\Inet\Common\Features'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding PWD\_REMOVER  
property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Features\pwd\_remover'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding CONTENT1 property.  
Its value is 'C:\ProgramData\Quicken\Inet\Common\Content'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding ALERTS1 property. Its  
value is 'C:\ProgramData\Quicken\Inet\Common\Alerts'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding

\_70290D57D050487D85C6ABCCAE0FB3E2 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Alerts\Tax\'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding \_DEB63C95C37348918D1B12445D206373 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Alerts\Pop\'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding \_BD84320128A243C5B9E317869BB8D655 property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Alerts\Fn\'.  
MSI (s) (34:C8) [13:43:42:255]: PROPERTY CHANGE: Adding \_3A734F6B025A44699D1A534218DB0E0F property. Its value is 'C:\ProgramData\Quicken\Inet\Common\Alerts\Config\'.  
MSI (s) (34:C8) [13:43:42:255]: Target path resolution complete. Dumping Directory table...  
MSI (s) (34:C8) [13:43:42:255]: Note: target paths subject to change (via custom actions or browsing)  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: TARGETDIR , Object: I:\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: WindowsFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F , Object: C:\WINDOWS\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: SystemFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F , Object: C:\WINDOWS\SysWOW64\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: USERPROFILE , Object: C:\Users\Muse\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: SystemFolder , Object: C:\WINDOWS\SysWOW64\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: VC\_Configurable\_gdiPlus.3643236F\_FC70\_11D3\_A536\_0090278A1BB8 , Object: C:\WINDOWS\SysWOW64\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: SystemFolder\_x86\_VC.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA , Object: C:\WINDOWS\SysWOW64\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: Redist.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE24 , Object: C:\WINDOWS\SysWOW64\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: MS.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE24 , Object: C:\WINDOWS\SysWOW64\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: System.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE24 , Object: C:\WINDOWS\SysWOW64\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: WindowsFolder , Object: C:\WINDOWS\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: ProgramMenuFolder , Object: C:\ProgramData\Microsoft\Windows\Start Menu\Programs\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: newfolder1 , Object:

C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Quicken\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: CommonFilesFolder , Object:  
C:\Program Files (x86)\Common Files\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: QUICKEN3 , Object:  
C:\Program Files (x86)\Common Files\Quicken\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: INTERNET\_CLIENT , Object:  
C:\Program Files (x86)\Common Files\Quicken\Internet Client\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: CERTS1 , Object: C:\Program Files  
(x86)\Common Files\Quicken\Internet Client\Certs\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: AppDataFolder , Object:  
C:\Users\Muse\AppData\Roaming\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: INTUIT2 , Object:  
C:\Users\Muse\AppData\Roaming\Intuit\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: QUICKEN2 , Object:  
C:\Users\Muse\AppData\Roaming\Intuit\Quicken\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: CONFIG , Object:  
C:\Users\Muse\AppData\Roaming\Intuit\Quicken\Config\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: ProgramFilesFolder , Object:  
C:\Program Files (x86)\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: QUICKEN , Object: C:\Program Files  
(x86)\Quicken\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: INSTALLDIR , Object:  
C:\Program Files (x86)\Quicken\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: SOUNDS1 , Object: C:\Program Files  
(x86)\Quicken\Sounds\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: SNAP1 , Object: C:\Program Files  
(x86)\Quicken\Snap\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: RPMMIGRATION , Object:  
C:\Program Files (x86)\Quicken\RPMMigration\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: QSAPI1 , Object: C:\Program Files  
(x86)\Quicken\Qsapi\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: PDFDRV , Object: C:\Program Files  
(x86)\Quicken\PDFDrv\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: SCREENSHARE , Object:  
C:\Program Files (x86)\Quicken\ScreenShare\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: LOCALES1 , Object:  
C:\Program Files (x86)\Quicken\ScreenShare\locales\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: LOCALES , Object: C:\Program Files  
(x86)\Quicken\locales\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: INET1 , Object: C:\Program Files  
(x86)\Quicken\inet\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: COMMON , Object: C:\Program Files  
(x86)\Quicken\inet\common\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: SYSTEM , Object: C:\Program Files  
(x86)\Quicken\inet\common\system\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: CERTS , Object: C:\Program Files

(x86)\Quicken\certs\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: ANSWERWORKS , Object:  
C:\Program Files (x86)\Quicken\AnswerWorks\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: ALLUSERSPROFILE , Object:  
C:\ProgramData\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: CommonAppDataFolder , Object:  
C:\ProgramData\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: QUICKEN1 , Object:  
C:\ProgramData\Quicken\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: SAMPLE , Object:  
C:\ProgramData\Quicken\Sample\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: HPTAX1 , Object:  
C:\ProgramData\Quicken\Hptax\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: HPRPM , Object:  
C:\ProgramData\Quicken\Hprpm\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: HPPLAN1 , Object:  
C:\ProgramData\Quicken\Hpplan\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: HPMISC , Object:  
C:\ProgramData\Quicken\Hpmisc\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: HPINVEST1 , Object:  
C:\ProgramData\Quicken\Hpinvest\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: HPHOME1 , Object:  
C:\ProgramData\Quicken\Hphome\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: HPCAR1 , Object:  
C:\ProgramData\Quicken\Hpcar\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: HPBIZ1 , Object:  
C:\ProgramData\Quicken\Hpbiz\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: HPBANK , Object:  
C:\ProgramData\Quicken\Hpbank\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: HELP , Object:  
C:\ProgramData\Quicken\Help\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: CONFIG1 , Object:  
C:\ProgramData\Quicken\Config\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: INET , Object:  
C:\ProgramData\Quicken\Inet\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: COMMON1 , Object:  
C:\ProgramData\Quicken\Inet\Common\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: SYSTEM1 , Object:  
C:\ProgramData\Quicken\Inet\Common\System\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: QWIPA1 , Object:  
C:\ProgramData\Quicken\Inet\Common\Qwipa\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: QFPDATA1 , Object:  
C:\ProgramData\Quicken\Inet\Common\Qfpdata\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: PNF1 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:

\_AA4B708FBC644514B9C27BAEF5C5CFA7 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Withhold\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_5102BF21698F466089A523821EA3DFC7 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Retire\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_FADB4E0CE36943DCB4D42A4850E6A856 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Reg\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_EFA6452D08784876872645BB264ED6CC , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Rebal\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_42CC58F4C30140DD8D389407F95FF550 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Quicken\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_71E88F7F66C343E5B8749037D75C984E , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Qtax\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_1112EBA6CF43450EB5E4D248AF3C938C , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Plan\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_9B522C864A8C41C8B46EC87B18465958 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Pas\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_27D5B19469564BB7A717185F7A1E045C , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Nolo\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_649E25F1B08843919D0B4500E4CEC558 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Howin\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_C3B697C6607348D291EEED4888FD004D , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Home\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_C613E25738D5456C9B611F81295E21DF , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Funding\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_3E195B68FCA54AB69706BE7210E4C7B3 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Deduct\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_E6F1F81A706048B784EBEF7B615DFACC , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Custcare\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_48BA7428E66F4AA380795EC47BF5C288 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\College\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_1364D7BC58B94D1389B0C12D0BA118ED , Object:

C:\ProgramData\Quicken\Inet\Common\Pnf\Cir\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_AC8F5750F1854D3DB7A0D45EB8ADEB08 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Capgains\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_60E8C05534564E6EBDABE5134E714268 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Blm\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_CF48F707938F4DE3947DDAC03CC1CCE2 , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Assume\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_E7C102B96BB14FC09267BC363A76731F , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Allocate\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_E05EB1B88C584713AC50E2D67E76826C , Object:  
C:\ProgramData\Quicken\Inet\Common\Pnf\Afford\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: ONLNENRL1 , Object:  
C:\ProgramData\Quicken\Inet\Common\Onlnenr\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: PATCH1 , Object:  
C:\ProgramData\Quicken\Inet\Common\patch\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: UPDATE1 , Object:  
C:\ProgramData\Quicken\Inet\Common\patch\Update\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: NOTIFY1 , Object:  
C:\ProgramData\Quicken\Inet\Common\patch\Notify\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: LOCALWEB1 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_C42906BE495B4D128E3A71155C1BC302 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\XRay\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_6213EE95968D413FB092AC558414BD95 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\XRay\js\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_6FEA0588647A43F0AC2EAC01751E52AE , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\XRay\img\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_2E5314B5AACD473CAE6364B517EBE535 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Webconn\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_2F7A65CF818C428D989CD1323C851C49 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\TTQNUE\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_BC82E1CF40D341F8AAD47E7F8618E036 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Thumbs\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_4794B318657E4CD98EE5CD47E2F39EE7 , Object:

C:\ProgramData\Quicken\Inet\Common\Localweb\ThirdPartyServices\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_F14221DE538E466B9CA4537D9FE19263 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\ThirdPartyServices\html\_templates\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_3E2DB52646014690A8F18D13C935A74D , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\ThirdPartyServices\html\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_6177B3A7F09149DA84DEDE6999FD6DEF , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\TaxOptimizer\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_A0DBEAA5C6D64A77BA8E24FF46EF6B04 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\TaxOptimizer\js\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_772DEA7F8FBF4518BCD1197C75BAFCF2 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\TaxOptimizer\img\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_A75A64C26D9B4BAEA1BCFCEBFF23866B , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Tax\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_3148427E21F34CD7875C78D9BCCA8CBC , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Style\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_C2074C5B70F54FE18FDC280D340CA002 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Ss\_mff\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_6943451530BA4FB4B173DAA51009EF81 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Setup\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_C2CF7D1E23A94C58BFBA0820AF4B544D , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Services\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_9BB7944212004DB097CCF6CF909A1DB0 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Searchbox\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_B3A9B9D3E72C459FAE4A0466AC3F37C1 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\RPM\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_E553CF61B4BD4DA6BD728764F6A4723A , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Qsystem\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_EB709EDEEE4742AB881ACFF779B575D7 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Qonlerr\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_F02171C134A84A10AB88E45C303DB345 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Qifinfo\

MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_3B8C31DADB564D7CBF7182B400F445BA , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_38F25ED3069E476B99FB812F6335368C , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransactio  
ns\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_642E1618C4104BCAABBCE40A38AD16F4 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransactio  
ns\Deck2\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_43CFC3F817C542EAA6B6E1C06C55A2B4 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransactio  
ns\Deck1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_B4DD66F4EDAE484D8674748CD2AB3B62 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountOverview\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_8836CD42918F478EBF6B876CDE5864D4 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountOverview\  
Deck1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_B614D1FA39494026A1513EED7A8D317F , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_80E358F7DFA34310A16471F0C1A8B230 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\Deck1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_375E351B73EA4E16A8D13C033916C32F , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView  
\_1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_D8A6C1E29C9D465891EF7B17EBC83510 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView  
\_1\Deck1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_70F8866BC10A4D53A08B8E35B7CB2B19 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_2\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_5C4C4943254F4082895F3B7C2069FA4A , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_2\Deck1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_18ED635700CE49289D66B2181B362780 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:



\_7B0F3859C0AC4D7ABD590DFB4BF1F510 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_1\Deck1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_D2E4EBBB7E674AF59B0E9750A483BBA0 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_B428B5D3ADC94FAE986FC3629D092669 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\Deck1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_96CB61207C724E2FB52E1194234E1784 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_Upcoming\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_CD1211C401A94E99ABC9E2EB5157E530 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_Upcoming\Deck1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_044920984FEC49A28570751327A3E2C4 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_ProjectedBalances\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_B7F3869FDB7F4C55BB618AD2EC3BD306 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_ProjectedBalances\Dec  
k1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_FBB300EBDCFD4825A9866B11672BA38B , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_BillPay\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_F9884F5B2EF842FD9440E0D885D2C83A , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_BillPay\Deck1\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_BF26869CD6E84B4F8FFDEF4D94416EEC , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\ProductVideo\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_425AF05F202044888D89DDF21261E309 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\OnlineBackup\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_8D1ECB1B96164F1480627A76F7FDAF49 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Nps\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_D89B4A49DF84421FBE15C284921CF9C8 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Mcp\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_C090E7CFA81B4F178D80D12FF83E1C73 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\lqc\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_A5E14B67A1B24738BFDE127DAFCDB3C3 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\img\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:

\_D3155B260C3A4DC4BECB33C63AA65BD7 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\lcfp\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_E9DE2C6D68E646A78C6A586B23271252 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Guidance\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_4FE8F4CEF17D4A4AB211FB955DD33122 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\FirstTime\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_99C4E00A1F9A46AAA64BEC56B3188134 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\FDSSecurityFix\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_8E9F3DC519634CAEA983B2D3C1BCE443 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\css\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_D6E077B3C19B4601B2A7F9A24CB8B338 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\CreditScore\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_D568EED93255469F923070860CE8600E , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\CreditScore\Scripts\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_29180D0479694547A0B9FB9CE6D9E427 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\CMA\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_88DBC1FC36E44979A7417E1B1E52FA47 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Chart\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_452E5E456E3B406B8C84C3E9D9BBF7B8 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Cataudit\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_E7F9A706100F419D8ACF3ED9FB0034E2 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Bullseye\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_88D1E166E9DC434AB3A6ABBC0788EB7F , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Biz\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_A8E16C466AE14EFD8318953A5CB4E89A , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\BillPay\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_D6E36783454549F6805F50D5ABE86859 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\BillPay\img\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_7D157F2D8AA14C24A90AEDAB82A34824 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Banklist\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_F31577A128254E21B74C0937EFD423E6 , Object:

C:\ProgramData\Quicken\Inet\Common\Localweb\Banklist\2019\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_37D6B8CB71994A6AADEBDD9F1E1ABE24 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Actionw\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_85C5DA85D51A44E7ACC1C83AD0FB9533 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Action7b\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_6CB469F5AF5945B69C682BD16EB5E5FF , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Action7a\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_8B8C4DAFBEC844B19EE9771D140AB389 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Action6f\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_9A4AF69717BB40A7964A1D9FB20654EA , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Action5\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_5AF6459B7324431C9ECD3E8E3EEC5415 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Action4\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_6D7388AE6F044580ACBE00B1B0E5924B , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Action3\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_043E69BC924B42E699C3BC6F10A67ECC , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Action2a\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_3DEAF4B49E524F36AF0304D7847E6711 , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\AccountSetup\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: THUMBS , Object:  
C:\ProgramData\Quicken\Inet\Common\Localweb\Thumbs\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: FSCONF1 , Object:  
C:\ProgramData\Quicken\Inet\Common\fsconf\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: FSCONF , Object:  
C:\ProgramData\Quicken\Inet\Common\fsconf\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: FEATURES , Object:  
C:\ProgramData\Quicken\Inet\Common\Features\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: PWD\_REMOVER , Object:  
C:\ProgramData\Quicken\Inet\Common\Features\pwd\_remove\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: CONTENT1 , Object:  
C:\ProgramData\Quicken\Inet\Common\Content\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key: ALERTS1 , Object:  
C:\ProgramData\Quicken\Inet\Common\Alerts\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_70290D57D050487D85C6ABCCAE0FB3E2 , Object:  
C:\ProgramData\Quicken\Inet\Common\Alerts\Tax\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:

\_DEB63C95C37348918D1B12445D206373 , Object:  
C:\ProgramData\Quicken\Inet\Common\Alerts\Pop\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_BD84320128A243C5B9E317869BB8D655 , Object:  
C:\ProgramData\Quicken\Inet\Common\Alerts\Fn\  
MSI (s) (34:C8) [13:43:42:255]: Dir (target): Key:  
\_3A734F6B025A44699D1A534218DB0E0F , Object:  
C:\ProgramData\Quicken\Inet\Common\Alerts\Config\  
MSI (s) (34:C8) [13:43:42:263]: Disallowing installation of component:  
{1A7754D3-744B-439A-B284-BD7A1C24FCFA} since the same component with higher  
versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:270]: Disallowing installation of component:  
{271E5C92-3536-4282-9ABF-449A91B8C2D7} since the same component with higher  
versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:276]: Disallowing installation of component:  
{D4263C2B-DA4A-4000-A8E0-4BE8E46A9A3C} since the same component with  
higher versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:280]: Disallowing installation of component:  
{B5B46CD9-9426-401F-9C3B-646807EFE00B} since the same component with higher  
versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:292]: Disallowing installation of component:  
{7EA36934-F736-408F-BD04-A2A710E04773} since the same component with higher  
versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:294]: Disallowing installation of component:  
{90DDD30E-9D04-441F-9803-694F80387AE8} since the same component with higher  
versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:297]: Disallowing installation of component:  
{6DA3A901-E012-42E2-B819-DAF378BE4BEF} since the same component with higher  
versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:298]: Disallowing installation of component:  
{0AB2312F-BBE0-4C27-A207-624C7889B4D6} since the same component with higher  
versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:300]: Disallowing installation of component:  
{9DD1063C-E422-495F-9AB6-7A149FB282B5} since the same component with higher  
versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:304]: Disallowing installation of component:  
{2CBFA0D1-BFFD-469F-9C66-BED1CAB51BA0} since the same component with  
higher versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:306]: Disallowing installation of component:  
{C5403C4F-C052-463A-89BF-AC1027804359} since the same component with higher  
versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:307]: Disallowing installation of component:  
{0EE7DAF6-6619-4F44-827B-9402EF53A24D} since the same component with higher  
versioned keyfile exists  
MSI (s) (34:C8) [13:43:42:309]: Disallowing installation of component:  
{96DA9037-C965-4C45-A27C-E762385411F2} since the same component with higher

versioned keyfile exists

MSI (s) (34:C8) [13:43:42:311]: Disallowing installation of component: {BBB72240-8F6A-4A81-A4AB-B7F7FE2E94C6} since the same component with higher versioned keyfile exists

MSI (s) (34:C8) [13:43:42:313]: Disallowing installation of component: {8E4244B1-6F8F-4EA0-AC6A-346DE7CF79A0} since the same component with higher versioned keyfile exists

MSI (s) (34:C8) [13:43:42:317]: Disallowing installation of component: {63B83B20-1AB9-4F49-B0B2-4489724CA96C} since the same component with higher versioned keyfile exists

MSI (s) (34:C8) [13:43:42:318]: Disallowing installation of component: {74260D9F-D644-423B-B2D4-0291EA4BA8BE} since the same component with higher versioned keyfile exists

MSI (s) (34:C8) [13:43:42:319]: Disallowing installation of component: {0835C947-D6D2-4E52-AF14-0231D04E88EA} since the same component with higher versioned keyfile exists

MSI (s) (34:C8) [13:43:42:374]: Disallowing installation of component: {3207D1B1-80E5-11D2-B95D-006097C4DE24} since the same component with higher versioned keyfile exists

Action start 13:43:42: CostFinalize.

MSI (s) (34:C8) [13:43:42:388]: Skipping action:

QuickenCustomAction\_Uninstall\_FirstCheck (condition is false)

MSI (s) (34:C8) [13:43:42:388]: Doing action: SetARPReadme

Action ended 13:43:42: CostFinalize. Return value 1.

Action start 13:43:42: SetARPReadme.

MSI (s) (34:C8) [13:43:42:389]: Doing action: SetODBCFolders

Action ended 13:43:42: SetARPReadme. Return value 0.

MSI (s) (34:C8) [13:43:42:389]: Note: 1: 2205 2: 3: ODBCDriver

MSI (s) (34:C8) [13:43:42:389]: Note: 1: 2228 2: 3: ODBCDriver 4: SELECT `ComponentId`, `Description`, `Directory\_`, `ActionRequest`, `Installed`, `Attributes` FROM `ODBCDriver`, `Component` WHERE `ODBCDriver`.`Component\_` = `Component` AND (`ActionRequest` = 1 OR `ActionRequest` = 2)

MSI (s) (34:C8) [13:43:42:389]: Note: 1: 2205 2: 3: ODBCTranslator

MSI (s) (34:C8) [13:43:42:389]: Note: 1: 2228 2: 3: ODBCTranslator 4: SELECT `ComponentId`, `Description`, `Directory\_`, `ActionRequest`, `Installed`, `Attributes` FROM `ODBCTranslator`, `Component` WHERE `ODBCTranslator`.`Component\_` = `Component` AND (`ActionRequest` = 1 OR `ActionRequest` = 2)

Action start 13:43:42: SetODBCFolders.

MSI (s) (34:C8) [13:43:42:390]: Doing action: MigrateFeatureStates

Action ended 13:43:42: SetODBCFolders. Return value 0.

Action start 13:43:42: MigrateFeatureStates.

MSI (s) (34:C8) [13:43:42:390]: Doing action: InstallValidate

Action ended 13:43:42: MigrateFeatureStates. Return value 0.

MSI (s) (34:C8) [13:43:42:390]: PROPERTY CHANGE: Deleting

MsiRestartManagerSessionKey property. Its current value is

'42792f693a5d8b459ba9e994bce38a3f'.

MSI (s) (34:C8) [13:43:42:391]: Feature: ProgramFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Feature: ProgFilesCommon; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_qw.exe68; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_qwinver.dll65; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_qwapp.dll65; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_olbservice.dll65; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_cdintf.dll65; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_QShowHelp.dll65; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_qw.exe67; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_qwalert.dll65; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_Global\_Controls\_COMCATDLL.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE2465; Installed: Null; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_qw.exe66; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_QwMiscFiles65; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_QuickenOLBackupLauncher.exe65; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: \_\_qw.exe65; Installed: Null; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: QCONNECT.DLL; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: QShowHelp.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: Qsetup.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: bgt\_pnf.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: calnote.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: cashflow.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: cir\_ss.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: custprof.dll; Installed: Absent; Request:

Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: dllapps\_dbtred.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: dllapps\_dedfnd.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: dllapps\_frcast.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: dllapps\_plan.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: dllapps\_savgol.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: graphs.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: lbtmngn.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: ofxsdk\_qw.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: olbservice.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: online.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: onlncall.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qaccess.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qcomutil.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qdapp.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qdappui.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qdb.dll; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qindex.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qrep.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qreports.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qsac.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qsapi.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qsapi\_eng.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qsapi\_plan.dll; Installed: Absent;

Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qsapi\_xsel.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qsetup\_ss.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qtax.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qvault.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qw\_accts\_ss.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qw\_actpg\_ss.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qw\_ouss\_ss.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qw\_pay\_ss.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qwapp.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qwcnt.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qwinet.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qwinver.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qwonline.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qwpr.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qwsnap.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qwsync.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qwutil.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: qwwin.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: tcl85t.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: ttaximp.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: xmlparse.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: xmlparse\_tok.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: xsell.dll; Installed: Absent; Request:



Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles1; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles10; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles11; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles12; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles2; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles3; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles4; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles5; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles6; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles7; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles8; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AllOtherFiles9; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: AnswerWorks; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: BindContent.exe; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: BsSndRpt.exe; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: BugSplat.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: BugSplatRc.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: CEFBrowser.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: CalendarSync.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: ClosedXML.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: CreditScoreRestWebRequest.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: DPInfo.exe; Installed: Absent; Request:

Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: DocumentFormat.OpenXml.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: EO.Base.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: EO.WebBrowser.Wpf.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: EO.WebBrowser.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: EO.WebEngine.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: EROExtractor; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: HelpFiles; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: IClientCAG2Cert; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: InetTools.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: InstallPDFConverter.exe; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: Intuit.Ctg.Wte.AppShellFramework.Capabilities.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: Intuit.Ctg.Wte.AppShellFramework.Core.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: Intuit.Ctg.Wte.TaxContainer.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: Ionic.Zip.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: Microsoft.Expression.Interactions.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: MoneyFileConverter.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: MoneyFileReader.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: Newtonsoft.Json.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: PhoneHomeMgr.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QAM.Authorization.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QCustomAction.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QHIExtractor; Installed: Absent; Request:

Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QWInstrumentation.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QWVER.DLL; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QsapiDatFiles; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenBillPresentment.dll; Installed:  
Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenFeatures.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenFiles; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenInterfaces.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenInterop.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenMap.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenOLBackupLauncher.exe; Installed:  
Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenServices.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenTurboTaxImporter.dll; Installed:  
Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenUseCases.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QuickenWindow.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QwMiscFiles; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: QwMiscFiles\_US; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: RPMMigration; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: RestSharp.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: RestartExe.exe; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: SQLite.Interop.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: SampleFiles\_CanEnglish; Installed:  
Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:391]: Component: SampleFiles\_CanFrench; Installed:  
Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:391]: Component: SnapDatFiles; Installed: Absent;

Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: System.Data.SQLite.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component:  
System.Windows.Controls.DataVisualization.Toolkit.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: System.Windows.Interactivity.dll; Installed:  
Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: ToolkitPro1720vc100.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: UpdateContent.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: Windows8.cjstyles; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: Xceed.Wpf.Toolkit.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: \_qw.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: acfpdfu.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: acfpdfuamd64.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: acfpdfui.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: acfpdfuiamd64.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: amyuni.inf; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: assist.chm; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: assist.exe; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: atpdf500.cat; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: avcodec\_53.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: avformat\_53.dll; Installed: Absent;  
Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: avutil\_51.dll; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: bagent.exe; Installed: Absent; Request:  
Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: bgt.dll; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: billmind.exe; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: billmind\_alrtpkg.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: billmind\_qwrmnd.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: cashgen.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: cdintf.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: cdintf64.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: cefResource; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: cefscreenshare.exe; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: certsFiles; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: d3dcompiler\_43.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: d3dcompiler\_43.dll1; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: d3dcompiler\_47.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: d3dcompiler\_47.dll1; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: dbghelp.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: decapi.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: dellid.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: emc.dll; Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:391]: Component: err\_rep.chm; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: gdipapi.dll; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: hpbankFiles; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: hpbizFiles; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: hpcarFiles; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: hphomeFiles; Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:391]: Component: hpinvestFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: hpmiscFiles; Installed: Absent; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:391]: Component: hpplanFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: hprpmfiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: hptaxFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetCommonAlertsFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetCommonContentFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetCommonFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetCommonLocalwebFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetCommonOnInenrIFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetCommonPnfFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetCommonQfpDataFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetCommonQwipaFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetCommonSystemFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:391]: Component: inetclnt.chm; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: inetclnt.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: inetcommonfsconf; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: jsoncpp.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: launch32.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt\_Auto1Way.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt\_customercentral.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt\_decompression.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt\_excite.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt\_pvsync.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt\_qplus.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt\_qupddir.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt\_rte.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt\_ux.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: lbt\_webrequest.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: libEGL.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: libEGL.dll1; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: libGLSv2.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: libGLSv2.dll1; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: libcef.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: libcef.dll1; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: license\_Can; Installed: Absent; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:392]: Component: migration.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: patchw32.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: printenv.exe; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: ptchNotifyFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: ptchUpdateFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qcon32.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qnet.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qsapiFiles; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: quickenPatch.exe; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: quickenutil.dll; Installed: Absent;  
Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qw.exe; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwDataFileSanitizer.dll; Installed: Absent;  
Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwManagedInterop.dll; Installed: Absent;  
Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwManagedLayer.dll; Installed: Absent;  
Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwSubprocess.exe; Installed: Absent;  
Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qw\_weblinks\_ss.dll; Installed: Absent;  
Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwalert.dll; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwipa.dll; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwmain.dll; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwonlineFeatures.dll; Installed: Absent;  
Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwplan.dll; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwplan\_ss.dll; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwul.exe; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwutilnet.dll; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwxmlparse.dll; Installed: Absent;  
Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: qwxmlparse\_tok.dll; Installed: Absent;  
Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: snapFiles; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: soundsFiles; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: sport.dll; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: techhelp.exe; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: txstuff.dll; Installed: Absent; Request:  
Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: txstuff.dll\_CanPocket; Installed: Absent;  
Request: Local; Action: Null



MSI (s) (34:C8) [13:43:42:392]: Component: widewinecdmadapter.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: widewinecdmadapter.dll1; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: xinput9\_1\_0.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: xmllite.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: xmllite64.dll; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: IS\_ININSTALL\_SHORTCUT; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_293ADC006217DE7A64D60F15F13D19A1; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_6DE5557FE3A895993365D9798398C687; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_ECA28C0443196777C088CFC4D4DF9C87; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_FC2F723217BD9C45162114632BFA1AE0; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_D16C7F767E443330FEEDEA77CBFA11C0; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_8254D768A3AF537371C94410E3AE0E21; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_AA4508D3CFDC687D7979A6B629A62E7D; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_1B82B70C7608240770DD60415814D2CC; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_B9D5B603BD741DE0DBA587A491B8F550; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_A9CADE0262F817BDFF4F55D3427DD171; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component: \_1708F60E56C86C1EAF61509BB6DB9087; Installed: Absent; Request: Local; Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_6BABC60B6B92D7115A5654BA84CA787D; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_0EC583879BE4C5834D9AC65DF9052294; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_CEE969089B2EB582AE27128402F58B1C; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_B9BDED0C9CB86B5373FE1E67442A74C1; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_DA4595D7F7F554D4F7B6811713ED2A04; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_F2BDB9109E3031C3A072AB46BA513FEC; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_5D566D0B624A0F64C94DD2CE6177FBB7; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_B578D18E2EB71077CA8E032ADBCAD19B; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_1852510C0FDF614B2323A2F7FC4F3FA0; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_12897011403E2EDC08D2FCA9B691E161; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_1A9492A3664385D0FB38EFFB65EE8A21; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_1971390DB53855D41E0442E443145D9E; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_C706366183E79E5A4D37A208093B0B14; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_23B7270AB3C519E2642E5BA273B9811C; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_E1365F0BF425816FACBF6A897C47D771; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_BBC5410DDD4259B5CFE053031CC91998; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_CF2B9D29D44FEACE82E6BDFB3786D6F1; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_89EDE4ECCAC225B6FD696E7DE7D91A0F; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_C082D564DD102409EABB5E026E53C111; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_BEF26DA676A83EABA97BB7E000AF6F0F; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_852A44993E96673131AFDD7748A176C4; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_D9FB80F341857C29DCB21B9225243B67; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_FDD7F1EB9CD5E330EB9C9B07F715FFAE; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_660006C1ADC20F3162CE3D05811BA2E0; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_1DE1FFCEC354DF8056182F17B6580EDB; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_7FD94DF22B496FC319F771F088B44B19; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_371752BB1E1AA8BAD18A52561536CC6A; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_60869A511CD94323E8FA927C14D8D329; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_EB1E74B9E502450EEA54A1B09DCB342C; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_C13ED0C74E9568C34F351BEC3CD6E882; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_C2E61288A2F180624E8AF798C705F338; Installed: Absent; Request: Local;

Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_468D6AB07FB9B88717B05169D47C1697; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_671565F89F564D47448704684A8F5BDA; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_FD704D0ED15E79241573C52AC173C7FD; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_27569E662DC165EBAC46478DC4C39339; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_1306E5F6A0A92594A1B3DF625BE7581B; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_C2F9FDD40839C2DC89D4BCF37D7C547D; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_35FC09232E77CA7DB6821BF7F5A35301; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_9AF1363DE82EECBDB7C13B0222DF12B2; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_A02567450D4291AF5D38A04A413EC478; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_CE81543327F501210211EBE84D6410A9; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_4174DAF0F4213809CCCF9A9D765F7A6AD; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_11B11E669AF34C60F283BAB59686D659; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_D534B19D0C041EDB9F97F8C1A6C8895A; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_381D29CC11F95FC7AA96F36C43BF4122; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_1AC01E4BB35FF310764B739407F661CC; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:

\_9F4DCD3D51812738FDFEB90722CF2FA0; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_2675520B8445851C273ABF1CAC2F6452; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_7BF61913E55D1B5F58E0C24A77ADA1C5; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_FB801222E1D6A22FD1226A49844ADE84; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_58B9166BF06037609F0276C58854E08A; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_F12102605B5D16DF9DC7FC16B3011E1F; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_7B9ECEBC4A3A08109EB1928500637FED; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_D6E0FE4B2CD3C2C5BB43D6B9C76B4054; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_D0CF37B037F27EA1CD8B2EED81764B72; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_E4433837FA871826E062FFCC80828A5B; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_63892D6962ACB5CF02A728809730B97D; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_26EB364D481FA7008FE6C7FA3FCFFF9C; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_EBFEAC58800CA857159902E2BCE41301; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_4A73D2B7FF4DFEFD5C51CC62B76E234B; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_8FB0D31F269D724F2923CCC1617FB93A; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_E236D8354F9DF8C1C77CFF7D72C64B30; Installed: Absent; Request: Local;

Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_463E0F28349D8D695DB708357446E245; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_22BC6E91DDB6BC97191EFB0BF5CD9D15; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_66FA6FF0FC011F6CA5B21DE0176C444A; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_997D5C4F8AACBA95EC6029B71EE9CA73; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_AE3FDF90AD694EB883F3542BCF5E9036; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_51F4423AF317337D4236176D07C3BE71; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_042609B24620B40FB60E1AE6585B250E; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_C2991C260EACE420699B1E22EC30A08E; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_95BB07109D86CA45F17C952534701BD9; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_1095560D863D1FBD823944C0868429D2; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_B2AAE7366550CB1B04F060651D1FB76F; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_0862BF64AE5C82EBA4681242B0C75CFC; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_640E445FA9E7CA32F0A7A806673E334C; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_CAEFA7FEA60A275C55A9784E49CE9E93; Installed: Absent; Request: Local;  
Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
\_52723A86F16B3E80C549DE733036DF68; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_A9B5FEF95BF8BBDDDE896A851AAC13CD1; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_F8FE85679910C39C53C9229C75D98DFD; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_39EB4C456B7852BD4533540F55801767; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_A0187334538D0F18D07A6B40142787FC; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_EC64F2EF046CF74268B07630DBB2E1F7; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_5B10D1734276CF39AA1BFB4E79545DBE; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_01AA70E2F4956CDF1129E7522AB88398; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_993B539F12E5562C098B97061C1F7A82; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_EDEB7D96605F18DE7BD1288EE04B9DD1; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_A9141AECFF237F3B7EE32A1283B73401; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_1523B9CCCD363876E23892D7BD5744A4; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_B62C0145A2F3539A34A8CE63BE40BED1; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_E6F00FD2F161ACB9DDD6C3D5ADFE2253; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
\_0A1567347118D60AA9F9A477CD79FB9D; Installed: Absent; Request: Local;  
Action: Local

MSI (s) (34:C8) [13:43:42:392]: Component:  
Global\_Controls\_COMCATDLL.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE24;  
Installed: Absent; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:392]: Component:

C\_CENTRAL\_msvcr100\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_msvcp100\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_atl100\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F; Installed:  
Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100cht\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100chs\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100enu\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100deu\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100esn\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100fra\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100ita\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100jpn\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100kor\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100rus\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F; Installed:  
Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc100u\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfcm100\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;



Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfcm100u\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_vcomp100\_x86.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F;  
Installed: Absent; Request: Local; Action: Local  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_msvcr120\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_msvcp120\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_vccorlib120\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120cht\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120chs\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120enu\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120deu\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120esn\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120fra\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120ita\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120jpn\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120kor\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null  
MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120rus\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA; Installed:  
Absent; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfc120u\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA; Installed:  
Absent; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfcm120\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_mfcm120u\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:392]: Component:  
C\_CENTRAL\_vcomp120\_x86.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA;  
Installed: Absent; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:393]: Component:  
gdiPlus\_Customer\_Redist\_\_\_\_\_X86.3643236F\_FC70\_11D3\_A536\_0090278A1BB8;  
Installed: Absent; Request: Local; Action: Null

MSI (s) (34:C8) [13:43:42:393]: Note: 1: 2205 2: 3: PublishComponent

MSI (s) (34:C8) [13:43:42:393]: Note: 1: 2205 2: 3: SelfReg

MSI (s) (34:C8) [13:43:42:393]: Note: 1: 2205 2: 3: Font

MSI (s) (34:C8) [13:43:42:393]: Note: 1: 2205 2: 3: TypeLib

Action start 13:43:42: InstallValidate.

MSI (s) (34:C8) [13:43:42:396]: Note: 1: 2205 2: 3: \_RemoveFilePath

MSI (s) (34:C8) [13:43:42:540]: PROPERTY CHANGE: Modifying CostingComplete  
property. Its current value is '0'. Its new value: '1'.

MSI (s) (34:C8) [13:43:42:540]: Note: 1: 2205 2: 3: PublishComponent

MSI (s) (34:C8) [13:43:42:540]: Note: 1: 2205 2: 3: SelfReg

MSI (s) (34:C8) [13:43:42:540]: Note: 1: 2205 2: 3: Font

MSI (s) (34:C8) [13:43:42:540]: Note: 1: 2205 2: 3: TypeLib

MSI (s) (34:C8) [13:43:42:541]: Note: 1: 2727 2:

MSI (s) (34:C8) [13:43:42:541]: Note: 1: 2205 2: 3: FilesInUse

MSI (s) (34:C8) [13:43:42:550]: Note: 1: 2727 2:

MSI (s) (34:C8) [13:43:42:551]: Doing action: RemoveExistingProducts

Action ended 13:43:42: InstallValidate. Return value 1.

MSI (s) (34:C8) [13:43:42:552]: Note: 1: 2205 2: 3: Upgrade

MSI (s) (34:C8) [13:43:42:552]: Note: 1: 2228 2: 3: Upgrade 4: SELECT `Attributes`,  
`ActionProperty`, `Remove` FROM `Upgrade`

Action start 13:43:42: RemoveExistingProducts.

MSI (s) (34:C8) [13:43:42:552]: Doing action: InstallInitialize

Action ended 13:43:42: RemoveExistingProducts. Return value 0.

MSI (s) (34:C8) [13:43:42:553]: Machine policy value 'AlwaysInstallElevated' is 0

MSI (s) (34:C8) [13:43:42:553]: User policy value 'AlwaysInstallElevated' is 0

MSI (s) (34:C8) [13:43:42:553]: BeginTransaction: Locking Server

MSI (s) (34:C8) [13:43:42:555]: Note: 1: 2203 2:

C:\WINDOWS\Installer\inprogressinstallinfo.ipi 3: -2147287038

MSI (s) (34:C8) [13:43:42:555]: SRSetRestorePoint skipped for this transaction.  
MSI (s) (34:C8) [13:43:42:555]: Note: 1: 2203 2:  
C:\WINDOWS\Installer\InProgress\installinfo.ipi 3: -2147287038  
MSI (s) (34:C8) [13:43:42:555]: Server not locked: locking for product  
{62D93E3E-2F8E-42BD-9343-896F4F0031D3}  
Action start 13:43:42: InstallInitialize.  
MSI (s) (34:C8) [13:43:42:565]: Skipping action:  
QuickenCustomAction\_Uninstall\_Before\_File\_Remove (condition is false)  
MSI (s) (34:C8) [13:43:42:565]: Doing action:  
QuickenCustomAction\_Install\_BeforeFileCopy  
Action ended 13:43:42: InstallInitialize. Return value 1.  
MSI (s) (34:5C) [13:43:42:569]: Invoking remote custom action. DLL:  
C:\WINDOWS\Installer\MSI84C1.tmp, Entrypoint: QCA\_BeforeFileCopy  
MSI (s) (34:30) [13:43:42:571]: Generating random cookie.  
MSI (s) (34:30) [13:43:42:578]: Created Custom Action Server with PID 10152  
(0x27A8).  
MSI (s) (34:18) [13:43:42:613]: Running as a service.  
MSI (s) (34:18) [13:43:42:616]: Hello, I'm your 32bit Impersonated custom action  
server.  
Action start 13:43:42: QuickenCustomAction\_Install\_BeforeFileCopy.  
-- QCA\_LOGGING (13:43:42:870) -- Custom Action: QCA\_BeforeFileCopy : MSI  
Handle=2  
-- QCA\_LOGGING (13:43:42:870) -- Getting MSI Property: QUILEVEL = 1 : Success  
-- QCA\_LOGGING (13:43:42:871) -- In  
MakeQuickenAppDataFilesAccessibleToLimitedUsers  
-- QCA\_LOGGING (13:43:42:871) -- Getting MSI Property: CommonAppDataFolder =  
C:\ProgramData\ : Success  
-- QCA\_LOGGING (13:43:42:872) -- Making Dir Accessible: C:\ProgramData\Quicken  
-- QCA\_LOGGING (13:43:42:876) -- Successfully changed DACL  
-- QCA\_LOGGING (13:43:42:876) -- In MakeDirectoriesWritable  
-- QCA\_LOGGING (13:43:42:877) -- Getting MSI Property: CommonAppDataFolder =  
C:\ProgramData\ : Success  
-- QCA\_LOGGING (13:43:42:877) -- Getting MSI Property: AppDataFolder =  
C:\Users\Muse\AppData\Roaming\ : Success  
-- QCA\_LOGGING (13:43:42:877) -- Getting MSI Property: INSTALLDIR = C:\Program  
Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:878) -- Making Dir Writable: C:\Program Files  
(x86)\Quicken\  
-- QCA\_LOGGING (13:43:42:878) -- Making Dir Writable: C:\ProgramData\Quicken  
-- QCA\_LOGGING (13:43:42:879) -- Making Dir Writable:  
C:\Users\Muse\AppData\Roaming\Quicken\Data  
-- QCA\_LOGGING (13:43:42:883) -- In MoveOldQuickenIniFile  
-- QCA\_LOGGING (13:43:42:884) -- Getting MSI Property: WindowsFolder =  
C:\WINDOWS\ : Success  
-- QCA\_LOGGING (13:43:42:884) -- Getting MSI Property: CommonAppDataFolder =  
C:\ProgramData\ : Success

MSI (s) (34!50) [13:43:42:885]: PROPERTY CHANGE: Modifying OLDINSTALLDIR property. Its current value is '0'. Its new value: '\\'.  
-- QCA\_LOGGING (13:43:42:884) -- Getting MSI Property: CommonAppDataFolder = C:\ProgramData\ : Success  
MSI (s) (34!50) [13:43:42:887]: PROPERTY CHANGE: Modifying UPGRADING\_FROM\_PRE2005 property. Its current value is '0'. Its new value: '1'.  
-- QCA\_LOGGING (13:43:42:885) -- Setting MSI Property: OLDINSTALLDIR = \\ : Success  
-- QCA\_LOGGING (13:43:42:887) -- Setting MSI Property: UPGRADING\_FROM\_PRE2005 = 1 : Success  
-- QCA\_LOGGING (13:43:42:888) -- Getting MSI Property: WindowsFolder = C:\WINDOWS\ : Success  
-- QCA\_LOGGING (13:43:42:888) -- Getting MSI Property: QVERSION\_MAJOR = 27 : Success  
-- QCA\_LOGGING (13:43:42:888) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:891) -- In MigrateVersionInfo  
-- QCA\_LOGGING (13:43:42:891) -- Getting MSI Property: WindowsFolder = C:\WINDOWS\ : Success  
-- QCA\_LOGGING (13:43:42:891) -- Getting MSI Property: CommonAppDataFolder = C:\ProgramData\ : Success  
MSI (s) (34!50) [13:43:42:893]: PROPERTY CHANGE: Modifying QUPDATE\_DATE\_STR property. Its current value is '0'. Its new value: '01/28/2020'.  
-- QCA\_LOGGING (13:43:42:892) -- In SetQuickenUpdateDateStr  
-- QCA\_LOGGING (13:43:42:893) -- Setting MSI Property: QUPDATE\_DATE\_STR = 01/28/2020 : Success  
-- QCA\_LOGGING (13:43:42:893) -- In CleanUpQuickenDirectory  
-- QCA\_LOGGING (13:43:42:893) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:894) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\MRBUPD.DLL  
-- QCA\_LOGGING (13:43:42:894) -- File did not exist: C:\Program Files (x86)\Quicken\MRBUPD.DLL  
-- QCA\_LOGGING (13:43:42:894) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:894) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\MRT.DLL  
-- QCA\_LOGGING (13:43:42:895) -- File did not exist: C:\Program Files (x86)\Quicken\MRT.DLL  
-- QCA\_LOGGING (13:43:42:895) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:895) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\QW.RMD  
-- QCA\_LOGGING (13:43:42:895) -- File did not exist: C:\Program Files (x86)\Quicken\QW.RMD  
-- QCA\_LOGGING (13:43:42:895) -- Getting MSI Property: INSTALLDIR = C:\Program

Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:896) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\DELUXE.VER  
-- QCA\_LOGGING (13:43:42:896) -- File did not exist: C:\Program Files (x86)\Quicken\DELUXE.VER  
-- QCA\_LOGGING (13:43:42:896) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:896) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\AUDQCARD.VER  
-- QCA\_LOGGING (13:43:42:897) -- File did not exist: C:\Program Files (x86)\Quicken\AUDQCARD.VER  
-- QCA\_LOGGING (13:43:42:897) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:897) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\MMEDIA.VER  
-- QCA\_LOGGING (13:43:42:897) -- File did not exist: C:\Program Files (x86)\Quicken\MMEDIA.VER  
-- QCA\_LOGGING (13:43:42:898) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:898) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\SUITE.VER  
-- QCA\_LOGGING (13:43:42:898) -- File did not exist: C:\Program Files (x86)\Quicken\SUITE.VER  
-- QCA\_LOGGING (13:43:42:899) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:899) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\QWSB.DAT  
-- QCA\_LOGGING (13:43:42:899) -- File did not exist: C:\Program Files (x86)\Quicken\QWSB.DAT  
-- QCA\_LOGGING (13:43:42:899) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:899) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\QWPREM.DAT  
-- QCA\_LOGGING (13:43:42:900) -- File did not exist: C:\Program Files (x86)\Quicken\QWPREM.DAT  
-- QCA\_LOGGING (13:43:42:900) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:900) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\QTAX.EXE  
-- QCA\_LOGGING (13:43:42:900) -- File did not exist: C:\Program Files (x86)\Quicken\QTAX.EXE  
-- QCA\_LOGGING (13:43:42:901) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:901) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\DBTRED.DLL  
-- QCA\_LOGGING (13:43:42:902) -- File did not exist: C:\Program Files

(x86)\Quicken\DBTRED.DLL  
-- QCA\_LOGGING (13:43:42:902) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:902) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\DBTRED.HLP  
-- QCA\_LOGGING (13:43:42:902) -- File did not exist: C:\Program Files (x86)\Quicken\DBTRED.HLP  
-- QCA\_LOGGING (13:43:42:903) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:903) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\DBTRED.CNT  
-- QCA\_LOGGING (13:43:42:903) -- File did not exist: C:\Program Files (x86)\Quicken\DBTRED.CNT  
-- QCA\_LOGGING (13:43:42:903) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:903) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\DEDFND.DLL  
-- QCA\_LOGGING (13:43:42:904) -- File did not exist: C:\Program Files (x86)\Quicken\DEDFND.DLL  
-- QCA\_LOGGING (13:43:42:904) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:904) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\DEDFINDR.HLP  
-- QCA\_LOGGING (13:43:42:904) -- File did not exist: C:\Program Files (x86)\Quicken\DEDFINDR.HLP  
-- QCA\_LOGGING (13:43:42:904) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:905) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\DEDFINDR.CNT  
-- QCA\_LOGGING (13:43:42:905) -- File did not exist: C:\Program Files (x86)\Quicken\DEDFINDR.CNT  
-- QCA\_LOGGING (13:43:42:905) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:905) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\DEDFINDR.DAT  
-- QCA\_LOGGING (13:43:42:905) -- File did not exist: C:\Program Files (x86)\Quicken\DEDFINDR.DAT  
-- QCA\_LOGGING (13:43:42:906) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:906) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\CRDRPT.DLL  
-- QCA\_LOGGING (13:43:42:906) -- File did not exist: C:\Program Files (x86)\Quicken\CRDRPT.DLL  
-- QCA\_LOGGING (13:43:42:906) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:907) -- Checking File for Deleting: C:\Program Files

(x86)\Quicken\CRDRPT.HLP  
-- QCA\_LOGGING (13:43:42:907) -- File did not exist: C:\Program Files  
(x86)\Quicken\CRDRPT.HLP  
-- QCA\_LOGGING (13:43:42:907) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:907) -- Checking File for Deleting: C:\Program Files  
(x86)\Quicken\CRDRPT.CNT  
-- QCA\_LOGGING (13:43:42:907) -- File did not exist: C:\Program Files  
(x86)\Quicken\CRDRPT.CNT  
-- QCA\_LOGGING (13:43:42:908) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:908) -- Checking File for Deleting: C:\Program Files  
(x86)\Quicken\ERO.DLL  
-- QCA\_LOGGING (13:43:42:908) -- File did not exist: C:\Program Files  
(x86)\Quicken\ERO.DLL  
-- QCA\_LOGGING (13:43:42:908) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:908) -- Checking File for Deleting: C:\Program Files  
(x86)\Quicken\ERO.DAT  
-- QCA\_LOGGING (13:43:42:909) -- File did not exist: C:\Program Files  
(x86)\Quicken\ERO.DAT  
-- QCA\_LOGGING (13:43:42:909) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:909) -- Checking File for Deleting: C:\Program Files  
(x86)\Quicken\GUIDEUI.EXE  
-- QCA\_LOGGING (13:43:42:909) -- File did not exist: C:\Program Files  
(x86)\Quicken\GUIDEUI.EXE  
-- QCA\_LOGGING (13:43:42:909) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:910) -- Checking File for Deleting: C:\Program Files  
(x86)\Quicken\SETUP.EXE  
-- QCA\_LOGGING (13:43:42:910) -- File did not exist: C:\Program Files  
(x86)\Quicken\SETUP.EXE  
-- QCA\_LOGGING (13:43:42:910) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:910) -- Checking File for Deleting: C:\Program Files  
(x86)\Quicken\NPLOADER.EXE  
-- QCA\_LOGGING (13:43:42:910) -- File did not exist: C:\Program Files  
(x86)\Quicken\NPLOADER.EXE  
-- QCA\_LOGGING (13:43:42:911) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:911) -- Checking File for Deleting: C:\Program Files  
(x86)\Quicken\NPLOADER.INS  
-- QCA\_LOGGING (13:43:42:911) -- File did not exist: C:\Program Files  
(x86)\Quicken\NPLOADER.INS  
-- QCA\_LOGGING (13:43:42:911) -- Getting MSI Property: INSTALLDIR = C:\Program

Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:911) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\\_SETUP.DLL  
-- QCA\_LOGGING (13:43:42:912) -- File did not exist: C:\Program Files (x86)\Quicken\\_SETUP.DLL  
-- QCA\_LOGGING (13:43:42:912) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:912) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\\_ISRES.DLL  
-- QCA\_LOGGING (13:43:42:912) -- File did not exist: C:\Program Files (x86)\Quicken\\_ISRES.DLL  
-- QCA\_LOGGING (13:43:42:912) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:913) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\\_INST32I.EX\_  
-- QCA\_LOGGING (13:43:42:913) -- File did not exist: C:\Program Files (x86)\Quicken\\_INST32I.EX\_  
-- QCA\_LOGGING (13:43:42:913) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:913) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\\_INST16.EX\_  
-- QCA\_LOGGING (13:43:42:914) -- File did not exist: C:\Program Files (x86)\Quicken\\_INST16.EX\_  
-- QCA\_LOGGING (13:43:42:914) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:914) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\splash.bmp  
-- QCA\_LOGGING (13:43:42:914) -- File did not exist: C:\Program Files (x86)\Quicken\splash.bmp  
-- QCA\_LOGGING (13:43:42:915) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:915) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\splash.png  
-- QCA\_LOGGING (13:43:42:915) -- File did not exist: C:\Program Files (x86)\Quicken\splash.png  
-- QCA\_LOGGING (13:43:42:915) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:916) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\1splash.png  
-- QCA\_LOGGING (13:43:42:916) -- File did not exist: C:\Program Files (x86)\Quicken\1splash.png  
-- QCA\_LOGGING (13:43:42:916) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:916) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\splash\_hab.png  
-- QCA\_LOGGING (13:43:42:917) -- File did not exist: C:\Program Files



(x86)\Quicken\splash\_hab.png  
-- QCA\_LOGGING (13:43:42:917) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:917) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\splash\_cm.png  
-- QCA\_LOGGING (13:43:42:917) -- File did not exist: C:\Program Files (x86)\Quicken\splash\_cm.png  
-- QCA\_LOGGING (13:43:42:918) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:918) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\QHI.exe  
-- QCA\_LOGGING (13:43:42:918) -- File did not exist: C:\Program Files (x86)\Quicken\QHI.exe  
-- QCA\_LOGGING (13:43:42:918) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:919) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\QHI.DAT  
-- QCA\_LOGGING (13:43:42:919) -- File did not exist: C:\Program Files (x86)\Quicken\QHI.DAT  
-- QCA\_LOGGING (13:43:42:919) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:919) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\dllapps\_ero.dll  
-- QCA\_LOGGING (13:43:42:919) -- File did not exist: C:\Program Files (x86)\Quicken\dllapps\_ero.dll  
-- QCA\_LOGGING (13:43:42:920) -- Getting MSI Property: INSTALLDIR = C:\Program Files (x86)\Quicken\ : Success  
-- QCA\_LOGGING (13:43:42:920) -- Checking File for Deleting: C:\Program Files (x86)\Quicken\titlebar.ini  
-- QCA\_LOGGING (13:43:42:920) -- File did not exist: C:\Program Files (x86)\Quicken\titlebar.ini  
-- QCA\_LOGGING (13:43:42:920) -- In CleanUpMiscDirectory  
-- QCA\_LOGGING (13:43:42:920) -- Getting MSI Property: CommonAppDataFolder = C:\ProgramData\ : Success  
-- QCA\_LOGGING (13:43:42:921) -- Checking File for Deleting: C:\ProgramData\Quicken\Inet\common\launch\exclamation.bmp  
-- QCA\_LOGGING (13:43:42:921) -- File did not exist: C:\ProgramData\Quicken\Inet\common\launch\exclamation.bmp  
-- QCA\_LOGGING (13:43:42:921) -- Getting MSI Property: CommonAppDataFolder = C:\ProgramData\ : Success  
-- QCA\_LOGGING (13:43:42:921) -- Checking File for Deleting: C:\ProgramData\Quicken\Inet\common\launch\index.ini  
-- QCA\_LOGGING (13:43:42:922) -- File did not exist: C:\ProgramData\Quicken\Inet\common\launch\index.ini  
-- QCA\_LOGGING (13:43:42:922) -- Getting MSI Property: CommonAppDataFolder = C:\ProgramData\ : Success

-- QCA\_LOGGING (13:43:42:922) -- Checking File for Deleting:  
C:\ProgramData\Quicken\Inet\common\launch\popup.htm  
-- QCA\_LOGGING (13:43:42:922) -- File did not exist:  
C:\ProgramData\Quicken\Inet\common\launch\popup.htm  
-- QCA\_LOGGING (13:43:42:923) -- Getting MSI Property: CommonAppDataFolder =  
C:\ProgramData\ : Success  
-- QCA\_LOGGING (13:43:42:923) -- Checking File for Deleting:  
C:\ProgramData\Quicken\Inet\common\sunset\exclamation.bmp  
-- QCA\_LOGGING (13:43:42:923) -- File did not exist:  
C:\ProgramData\Quicken\Inet\common\sunset\exclamation.bmp  
-- QCA\_LOGGING (13:43:42:923) -- Getting MSI Property: CommonAppDataFolder =  
C:\ProgramData\ : Success  
-- QCA\_LOGGING (13:43:42:924) -- Checking File for Deleting:  
C:\ProgramData\Quicken\Inet\common\sunset\index.ini  
-- QCA\_LOGGING (13:43:42:924) -- File did not exist:  
C:\ProgramData\Quicken\Inet\common\sunset\index.ini  
-- QCA\_LOGGING (13:43:42:924) -- Getting MSI Property: CommonAppDataFolder =  
C:\ProgramData\ : Success  
-- QCA\_LOGGING (13:43:42:924) -- Checking File for Deleting:  
C:\ProgramData\Quicken\Inet\common\sunset\popup.htm  
-- QCA\_LOGGING (13:43:42:925) -- File did not exist:  
C:\ProgramData\Quicken\Inet\common\sunset\popup.htm  
-- QCA\_LOGGING (13:43:42:925) -- In MigrateWPRDatFile  
-- QCA\_LOGGING (13:43:42:925) -- Getting MSI Property: CommonAppDataFolder =  
C:\ProgramData\ : Success  
-- QCA\_LOGGING (13:43:42:926) -- QCA\_BeforeFileCopy : Returning Value: 0  
(ERROR\_SUCCESS)  
MSI (s) (34:C8) [13:43:42:927]: Doing action: AllocateRegistrySpace  
Action ended 13:43:42: QuickenCustomAction\_Install\_BeforeFileCopy. Return value 1.  
Action start 13:43:42: AllocateRegistrySpace.  
MSI (s) (34:C8) [13:43:42:928]: Doing action: ProcessComponents  
Action ended 13:43:42: AllocateRegistrySpace. Return value 1.  
MSI (s) (34:C8) [13:43:42:928]: Note: 1: 2205 2: 3: MsiPatchCertificate  
MSI (s) (34:C8) [13:43:42:928]: LUA patching is disabled: missing MsiPatchCertificate  
table  
MSI (s) (34:C8) [13:43:42:928]: Resolving source.  
MSI (s) (34:C8) [13:43:42:928]: Resolving source to launched-from source.  
MSI (s) (34:C8) [13:43:42:928]: Setting launched-from source as last-used.  
MSI (s) (34:C8) [13:43:42:928]: PROPERTY CHANGE: Adding SourceDir property. Its  
value is 'C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\  
MSI (s) (34:C8) [13:43:42:928]: PROPERTY CHANGE: Adding SOURCEDIR property.  
Its value is 'C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\  
MSI (s) (34:C8) [13:43:42:928]: PROPERTY CHANGE: Adding SourcedirProduct  
property. Its value is '{62D93E3E-2F8E-42BD-9343-896F4F0031D3}'.  
MSI (s) (34:C8) [13:43:42:928]: SOURCEDIR ==>  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\

MSI (s) (34:C8) [13:43:42:928]: SOURCEDIR product ==> {62D93E3E-2F8E-42BD-9343-896F4F0031D3}

MSI (s) (34:C8) [13:43:42:929]: Determining source type

MSI (s) (34:C8) [13:43:42:929]: Source type from package 'Quicken.msi': 0

MSI (s) (34:C8) [13:43:42:929]: SECREPAIR: Hash Database: C:\WINDOWS\Installer\SourceHash{62D93E3E-2F8E-42BD-9343-896F4F0031D3}

MSI (s) (34:C8) [13:43:42:931]: Note: 1: 2262 2: SourceHash 3: -2147287038

MSI (s) (34:C8) [13:43:42:936]: SECREPAIR: New Hash Database creation complete.

Action start 13:43:42: ProcessComponents.

MSI (s) (34:C8) [13:43:44:017]: Source path resolution complete. Dumping Directory table...

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: TARGETDIR , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\ , LongSubPath: , ShortSubPath:

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: WindowsFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Win\ , LongSubPath: Win\ , ShortSubPath:

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: SystemFolder\_x86\_VC.01D80EE9\_4AAE\_3332\_A11E\_E0DB9572D26F , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Win\System\ , LongSubPath: Win\System\ , ShortSubPath:

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: USERPROFILE , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\UserProfile\ , LongSubPath: UserProfile\ , ShortSubPath: USERPR~1\

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: SystemFolder , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\System32\ , LongSubPath: System32\ , ShortSubPath:

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: VC\_Configurable\_gdiPlus.3643236F\_FC70\_11D3\_A536\_0090278A1BB8 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\System32\ , LongSubPath: System32\ , ShortSubPath:

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: SystemFolder\_x86\_VC.194841A2\_D0F2\_3B96\_9F71\_05BA91BEA0FA , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\System32\ , LongSubPath: System32\ , ShortSubPath:

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: Redist.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE24 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\System32\Redist\ , LongSubPath: System32\Redist\ , ShortSubPath:

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: MS.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE24 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\System32\Redist\MS\ , LongSubPath: System32\Redist\MS\ , ShortSubPath:

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: System.3207D1B0\_80E5\_11D2\_B95D\_006097C4DE24 , Object:

C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\System32\Redist\MS\System\ , LongSubPath: System32\Redist\MS\System\ , ShortSubPath:  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: WindowsFolder , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Windows\ ,  
LongSubPath: Windows\ , ShortSubPath:  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: ProgramMenuFolder , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Programs\ ,  
LongSubPath: Programs\ , ShortSubPath:  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: newfolder1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Programs\Quicken\ ,  
LongSubPath: Programs\Quicken\ , ShortSubPath: Programs\QUICKE~1\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: CommonFilesFolder , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Common\ ,  
LongSubPath: Common\ , ShortSubPath:  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: QUICKEN3 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Common\Quicken\ ,  
LongSubPath: Common\Quicken\ , ShortSubPath:  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: INTERNET\_CLIENT , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Common\Quicken\Internet  
Client\ , LongSubPath: Common\Quicken\Internet Client\ , ShortSubPath:  
Common\Quicken\INTERN~1\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: CERTS1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Common\Quicken\Internet  
Client\Certs\ , LongSubPath: Common\Quicken\Internet Client\Certs\ ,  
ShortSubPath: Common\Quicken\INTERN~1\Certs\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: AppDataFolder , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Application Data\ ,  
LongSubPath: Application Data\ , ShortSubPath: APPLIC~1\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: INTUIT2 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Application Data\Intuit\ ,  
LongSubPath: Application Data\Intuit\ , ShortSubPath: APPLIC~1\Intuit\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: QUICKEN2 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Application  
Data\Intuit\Quicken\ , LongSubPath: Application Data\Intuit\Quicken\  
ShortSubPath: APPLIC~1\Intuit\Quicken\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: CONFIG , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\Application  
Data\Intuit\Quicken\Config\ , LongSubPath: Application  
Data\Intuit\Quicken\Config\ , ShortSubPath: APPLIC~1\Intuit\Quicken\Config\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: ProgramFilesFolder , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program files\ ,  
LongSubPath: program files\ , ShortSubPath: PROGRA~1\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: QUICKEN , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program files\Quicken\ ,  
LongSubPath: program files\Quicken\ , ShortSubPath: PROGRA~1\Quicken\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: INSTALLDIR , Object:

C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program files\Quicken\ ,  
LongSubPath: program files\Quicken\ , ShortSubPath: PROGRA~1\Quicken\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: SOUNDS1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program  
files\Quicken\Sounds\ , LongSubPath: program files\Quicken\Sounds\  
ShortSubPath: PROGRA~1\Quicken\Sounds\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: SNAP1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program files\Quicken\Snap\  
 , LongSubPath: program files\Quicken\Snap\ , ShortSubPath:  
PROGRA~1\Quicken\Snap\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: RPMIMIGRATION , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program  
files\Quicken\RPMIMigration\ , LongSubPath: program files\Quicken\RPMIMigration\  
 , ShortSubPath: PROGRA~1\Quicken\RPMIMIG~1\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: QSAPI1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program files\Quicken\Qsapi\  
 , LongSubPath: program files\Quicken\Qsapi\ , ShortSubPath:  
PROGRA~1\Quicken\Qsapi\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: PDFDRV , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program  
files\Quicken\PDFDrv\ , LongSubPath: program files\Quicken\PDFDrv\  
 , ShortSubPath: PROGRA~1\Quicken\PDFDrv\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: SCREENSHARE , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program  
files\Quicken\ScreenShare\ , LongSubPath: program files\Quicken\ScreenShare\  
 , ShortSubPath: PROGRA~1\Quicken\SCREEN~1\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: LOCALES1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program  
files\Quicken\ScreenShare\locales\ , LongSubPath: program  
files\Quicken\ScreenShare\locales\ , ShortSubPath:  
PROGRA~1\Quicken\SCREEN~1\locales\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: LOCALES , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program files\Quicken\locales\  
 , LongSubPath: program files\Quicken\locales\ , ShortSubPath:  
PROGRA~1\Quicken\locales\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: INET1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program files\Quicken\inet\  
 , LongSubPath: program files\Quicken\inet\  
 , ShortSubPath:  
PROGRA~1\Quicken\inet\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: COMMON , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program  
files\Quicken\inet\common\ , LongSubPath: program files\Quicken\inet\common\  
 , ShortSubPath: PROGRA~1\Quicken\inet\common\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: SYSTEM , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program  
files\Quicken\inet\common\system\ , LongSubPath: program

files\Quicken\inet\common\system\ , ShortSubPath:  
PROGRA~1\Quicken\inet\common\system\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: CERTS , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program files\Quicken\certs\  
 , LongSubPath: program files\Quicken\certs\  
 , ShortSubPath:  
PROGRA~1\Quicken\certs\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: ANSWERWORKS , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\program  
files\Quicken\AnswerWorks\  
 , LongSubPath: program files\Quicken\AnswerWorks\  
 , ShortSubPath: PROGRA~1\Quicken\ANSWER~1\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: ALLUSERSPROFILE , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\All Users\  
 ,  
LongSubPath: All Users\  
 , ShortSubPath: ALLUSE~1\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: CommonAppDataFolder ,  
Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\  
 , LongSubPath: CommonAppData\  
 , ShortSubPath: Common~1\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: QUICKEN1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\  
 , LongSubPath: CommonAppData\Quicken\  
 , ShortSubPath:  
Common~1\Quicken\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: SAMPLE , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Sa  
mple\  
 , LongSubPath: CommonAppData\Quicken\Sample\  
 , ShortSubPath:  
Common~1\Quicken\Sample\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: HPTAX1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\H  
ptax\  
 , LongSubPath: CommonAppData\Quicken\Hptax\  
 , ShortSubPath:  
Common~1\Quicken\Hptax\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: HPRPM , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\H  
prpm\  
 , LongSubPath: CommonAppData\Quicken\Hprpm\  
 , ShortSubPath:  
Common~1\Quicken\Hprpm\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: HPPLAN1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\H  
pplan\  
 , LongSubPath: CommonAppData\Quicken\Hpplan\  
 , ShortSubPath:  
Common~1\Quicken\Hpplan\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: HPMISC , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\H  
pmisc\  
 , LongSubPath: CommonAppData\Quicken\Hpmisc\  
 , ShortSubPath:  
Common~1\Quicken\Hpmisc\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: HPINVEST1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\H  
pinvest\  
 , LongSubPath: CommonAppData\Quicken\Hpinvest\  
 , ShortSubPath:  
Common~1\Quicken\Hpinvest\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: HPHOME1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\H

phome\ , LongSubPath: CommonAppData\Quicken\Hphome\ , ShortSubPath: Common~1\Quicken\Hphome\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: HPCAR1 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Hpcar\ , LongSubPath: CommonAppData\Quicken\Hpcar\ , ShortSubPath: Common~1\Quicken\Hpcar\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: HPBIZ1 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Hpbiz\ , LongSubPath: CommonAppData\Quicken\Hpbiz\ , ShortSubPath: Common~1\Quicken\Hpbiz\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: HPBANK , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Hpbank\ , LongSubPath: CommonAppData\Quicken\Hpbank\ , ShortSubPath: Common~1\Quicken\Hpbank\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: HELP , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Help\ , LongSubPath: CommonAppData\Quicken\Help\ , ShortSubPath: Common~1\Quicken\Help\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: CONFIG1 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Config\ , LongSubPath: CommonAppData\Quicken\Config\ , ShortSubPath: Common~1\Quicken\Config\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: INET , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\ , LongSubPath: CommonAppData\Quicken\Inet\ , ShortSubPath: Common~1\Quicken\Inet\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: COMMON1 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\ , LongSubPath: CommonAppData\Quicken\Inet\Common\ , ShortSubPath: Common~1\Quicken\Inet\Common\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: SYSTEM1 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\System\ , LongSubPath: CommonAppData\Quicken\Inet\Common\System\ , ShortSubPath: Common~1\Quicken\Inet\Common\System\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: QWIPA1 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Qwipa\ , LongSubPath: CommonAppData\Quicken\Inet\Common\Qwipa\ , ShortSubPath: Common~1\Quicken\Inet\Common\Qwipa\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: QFPDATA1 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Qfpdata\ , LongSubPath: CommonAppData\Quicken\Inet\Common\Qfpdata\ , ShortSubPath: Common~1\Quicken\Inet\Common\Qfpdata\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: PNF1 , Object: C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In

et\Common\Pnf\ , LongSubPath: CommonAppData\Quicken\Inet\Common\Pnf\  
 , ShortSubPath: Common~1\Quicken\Inet\Common\Pnf\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_AA4B708FBC644514B9C27BAEF5C5CFA7 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Withhold\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Withhold\  
 , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Withhold\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_5102BF21698F466089A523821EA3DFC7 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Retire\  
 , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Retire\  
 , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Retire\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_FADB4E0CE36943DCB4D42A4850E6A856 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Reg\  
 , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Reg\  
 , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Reg\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_EFA6452D08784876872645BB264ED6CC , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Rebal\  
 , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Rebal\  
 , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Rebal\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_42CC58F4C30140DD8D389407F95FF550 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Quicken\  
 , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Quicken\  
 , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Quicken\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_71E88F7F66C343E5B8749037D75C984E , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Qtax\  
 , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Qtax\  
 , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Qtax\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_1112EBA6CF43450EB5E4D248AF3C938C , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Plan\  
 , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Plan\  
 , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Plan\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_9B522C864A8C41C8B46EC87B18465958 , Object:



C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Pnf\Pas\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Pas\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Pas\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_27D5B19469564BB7A717185F7A1E045C , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Pnf\Nolo\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Nolo\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Nolo\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_649E25F1B08843919D0B4500E4CEC558 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Pnf\Howinv\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Howinv\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Howinv\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_C3B697C6607348D291EEED4888FD004D , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Pnf\Home\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Home\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Home\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_C613E25738D5456C9B611F81295E21DF , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Pnf\Funding\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Funding\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Funding\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_3E195B68FCA54AB69706BE7210E4C7B3 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Pnf\Deduct\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Deduct\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Deduct\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_E6F1F81A706048B784EBEF7B615DFACC , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Pnf\Custcare\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Custcare\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Custcare\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_48BA7428E66F4AA380795EC47BF5C288 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Pnf\College\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\College\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\College\

MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_1364D7BC58B94D1389B0C12D0BA118ED , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Cir\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Cir\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Cir\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_AC8F5750F1854D3DB7A0D45EB8ADEB08 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Capgains\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Capgains\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Capgains\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_60E8C05534564E6EBDABE5134E714268 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Blm\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Blm\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Blm\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_CF48F707938F4DE3947DDAC03CC1CCE2 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Assume\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Assume\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Assume\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_E7C102B96BB14FC09267BC363A76731F , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Allocate\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Allocate\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Allocate\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key:  
\_E05EB1B88C584713AC50E2D67E76826C , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Pnf\Afford\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Pnf\Afford\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Pnf\Afford\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: ONLNENRL1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Onlnenrl\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Onlnenrl\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Onlnenrl\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: PATCH1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\patch\ , LongSubPath: CommonAppData\Quicken\Inet\Common\patch\  
 , ShortSubPath: Common~1\Quicken\Inet\Common\patch\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: UPDATE1 , Object:

C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\patch\Update\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\patch\Update\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\patch\Update\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: NOTIFY1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\patch\Notify\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\patch\Notify\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\patch\Notify\  
MSI (s) (34:C8) [13:43:44:017]: Dir (source): Key: LOCALWEB1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_C42906BE495B4D128E3A71155C1BC302 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\XRay\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\XRay\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\XRay\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_6213EE95968D413FB092AC558414BD95 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\XRay\js\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\XRay\js\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\XRay\js\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_6FEA0588647A43F0AC2EAC01751E52AE , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\XRay\img\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\XRay\img\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\XRay\img\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_2E5314B5AACD473CAE6364B517EBE535 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\Webconn\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Webconn\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Webconn\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_2F7A65CF818C428D989CD1323C851C49 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\TTQNUE\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\TTQNUE\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\TTQNUE\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_BC82E1CF40D341F8AAD47E7F8618E036 , Object:



MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_3148427E21F34CD7875C78D9BCCA8CBC , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Style\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Style\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Style\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_C2074C5B70F54FE18FDC280D340CA002 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Ss\_mff\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Ss\_mff\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Ss\_mff\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_6943451530BA4FB4B173DAA51009EF81 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Setup\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Setup\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Setup\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_C2CF7D1E23A94C58BFBA0820AF4B544D , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Services\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Services\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Services\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_9BB7944212004DB097CCF6CF909A1DB0 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Searchbox\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Searchbox\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_B3A9B9D3E72C459FAE4A0466AC3F37C1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\RPM\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\RPM\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\RPM\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_E553CF61B4BD4DA6BD728764F6A4723A , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Qsystem\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Qsystem\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Qsystem\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_EB709EDEEE4742AB881ACFF779B575D7 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Qonlerr\ , LongSubPath:

CommonAppData\Quicken\Inet\Common\Localweb\Qonlerr\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Qonlerr\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_F02171C134A84A10AB88E45C303DB345 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Qifinfo\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Qifinfo\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Qifinfo\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_3B8C31DADB564D7CBF7182B400F445BA , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_38F25ED3069E476B99FB812F6335368C , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Quicken\_AccountTransactions\  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransacti  
ons\  
ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_642E1618C4104BCAABBCE40A38AD16F4 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Quicken\_AccountTransactions\Deck2\  
LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransacti  
ons\Deck2\  
ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\QCards\Deck2\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_43CFC3F817C542EAA6B6E1C06C55A2B4 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Quicken\_AccountTransactions\Deck1\  
LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransacti  
ons\Deck1\  
ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\QCards\Deck1\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_B4DD66F4EDAE484D8674748CD2AB3B62 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Quicken\_AccountOverview\  
LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountOverview  
\ , ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_8836CD42918F478EBF6B876CDE5864D4 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Quicken\_AccountOverview\Deck1\  
LongSubPath:

CommonAppData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountOverview\Deck1\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\QCards\Deck1\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_B614D1FA39494026A1513EED7A8D317F , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\ ,  
ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_80E358F7DFA34310A16471F0C1A8B230 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\Deck1\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\Deck1\  
 , ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\QCards\Deck1\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_375E351B73EA4E16A8D13C033916C32F , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView\_1\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView\_1\  
 , ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_D8A6C1E29C9D465891EF7B17EBC83510 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView\_1\Deck1\ ,  
LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView\_1\Deck1\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\QCards\Deck1\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_70F8866BC10A4D53A08B8E35B7CB2B19 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_2\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_2\ ,  
ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_5C4C4943254F4082895F3B7C2069FA4A , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_2\Deck1\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_2\Deck1\  
 , ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\QCards\Deck1\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_18ED635700CE49289D66B2181B362780 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_1\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_1\ ,

ShortSubPath: Common~1\Quicken\inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_7B0F3859C0AC4D7ABD590DFB4BF1F510 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Online\_Setup\_1\Deck1\  
CommonAppData\Quicken\inet\Common\Localweb\QCards\Online\_Setup\_1\Deck1\  
ShortSubPath: Common~1\Quicken\inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_D2E4EBBB7E674AF59B0E9750A483BBA0 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Online\_Setup\  
CommonAppData\Quicken\inet\Common\Localweb\QCards\Online\_Setup\  
ShortSubPath: Common~1\Quicken\inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_B428B5D3ADC94FAE986FC3629D092669 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Online\_Setup\Deck1\  
CommonAppData\Quicken\inet\Common\Localweb\QCards\Online\_Setup\Deck1\  
ShortSubPath: Common~1\Quicken\inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_96CB61207C724E2FB52E1194234E1784 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Bills\_Upcoming\  
CommonAppData\Quicken\inet\Common\Localweb\QCards\Bills\_Upcoming\  
ShortSubPath: Common~1\Quicken\inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_CD1211C401A94E99ABC9E2EB5157E530 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Bills\_Upcoming\Deck1\  
CommonAppData\Quicken\inet\Common\Localweb\QCards\Bills\_Upcoming\Deck1\  
ShortSubPath: Common~1\Quicken\inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_044920984FEC49A28570751327A3E2C4 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Bills\_ProjectedExceptions\  
CommonAppData\Quicken\inet\Common\Localweb\QCards\Bills\_ProjectedExceptions\  
ShortSubPath: Common~1\Quicken\inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_B7F3869FDB7F4C55BB618AD2EC3BD306 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Bills\_ProjectedExceptions\Deck1\  
CommonAppData\Quicken\inet\Common\Localweb\QCards\Bills\_ProjectedExceptions\  
eck1\  
ShortSubPath: Common~1\Quicken\inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_FBB300EBDCFD4825A9866B11672BA38B , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In



et\Common\Localweb\QCards\Bills\_BillPay\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Bills\_BillPay\ ,  
ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_F9884F5B2EF842FD9440E0D885D2C83A , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\QCards\Bills\_BillPay\Deck1\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\QCards\Bills\_BillPay\Deck1\ ,  
ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\QCards\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_BF26869CD6E84B4F8FFDEF4D94416EEC , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\ProductVideo\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\ProductVideo\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_425AF05F202044888D89DDF21261E309 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\OnlineBackup\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\OnlineBackup\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_8D1ECB1B96164F1480627A76F7FDAF49 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Nps\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Nps\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Nps\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_D89B4A49DF84421FBE15C284921CF9C8 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Mcp\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Mcp\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Mcp\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_C090E7CFA81B4F178D80D12FF83E1C73 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\lqc\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\lqc\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\lqc\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:  
\_A5E14B67A1B24738BFDE127DAFCDB3C3 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\img\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\img\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\img\  
MSI (s) (34:C8) [13:43:44:018]: Dir (source): Key:

\_D3155B260C3A4DC4BECB33C63AA65BD7 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\lcfp\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\lcfp\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\lcfp\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_E9DE2C6D68E646A78C6A586B23271252 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\Guidance\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Guidance\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Guidance\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_4FE8F4CEF17D4A4AB211FB955DD33122 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\FirstTime\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\FirstTime\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_99C4E00A1F9A46AAA64BEC56B3188134 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\FDSecurityFix\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\FDSecurityFix\  
ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_8E9F3DC519634CAEA983B2D3C1BCE443 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\css\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\css\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\css\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_D6E077B3C19B4601B2A7F9A24CB8B338 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\CreditScore\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\CreditScore\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_D568EED93255469F923070860CE8600E , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\CreditScore\Scripts\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\CreditScore\Scripts\ ,  
ShortSubPath: Common~1\Quicken\Inet\Common\Localweb\Scripts\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_29180D0479694547A0B9FB9CE6D9E427 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\Inet\Common\Localweb\CMA\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\CMA\ , ShortSubPath:

Common~1\Quicken\Inet\Common\Localweb\CMA\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_88DBC1FC36E44979A7417E1B1E52FA47 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Chart\  
CommonAppData\Quicken\Inet\Common\Localweb\Chart\  
Common~1\Quicken\Inet\Common\Localweb\Chart\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_452E5E456E3B406B8C84C3E9D9BBF7B8 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Cataudit\  
CommonAppData\Quicken\Inet\Common\Localweb\Cataudit\  
Common~1\Quicken\Inet\Common\Localweb\Cataudit\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_E7F9A706100F419D8ACF3ED9FB0034E2 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Bullseye\  
CommonAppData\Quicken\Inet\Common\Localweb\Bullseye\  
Common~1\Quicken\Inet\Common\Localweb\Bullseye\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_88D1E166E9DC434AB3A6ABBC0788EB7F , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Biz\  
CommonAppData\Quicken\Inet\Common\Localweb\Biz\  
Common~1\Quicken\Inet\Common\Localweb\Biz\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_A8E16C466AE14EFD8318953A5CB4E89A , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\BillPay\  
CommonAppData\Quicken\Inet\Common\Localweb\BillPay\  
Common~1\Quicken\Inet\Common\Localweb\BillPay\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_D6E36783454549F6805F50D5ABE86859 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\BillPay\img\  
CommonAppData\Quicken\Inet\Common\Localweb\BillPay\img\  
Common~1\Quicken\Inet\Common\Localweb\BillPay\img\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_7D157F2D8AA14C24A90AEDAB82A34824 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Banklist\  
CommonAppData\Quicken\Inet\Common\Localweb\Banklist\  
Common~1\Quicken\Inet\Common\Localweb\Banklist\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_F31577A128254E21B74C0937EFD423E6 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In

et\Common\Localweb\Banklist\2019\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Banklist\2019\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Banklist\2019\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_37D6B8CB71994A6AADEBDD9F1E1ABE24 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Actionw\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Actionw\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Actionw\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_85C5DA85D51A44E7ACC1C83AD0FB9533 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Action7b\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Action7b\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Action7b\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_6CB469F5AF5945B69C682BD16EB5E5FF , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Action7a\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Action7a\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Action7a\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_8B8C4DAFBEC844B19EE9771D140AB389 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Action6f\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Action6f\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Action6f\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_9A4AF69717BB40A7964A1D9FB20654EA , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Action5\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Action5\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Action5\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_5AF6459B7324431C9ECD3E8E3EEC5415 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Action4\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Action4\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Action4\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_6D7388AE6F044580ACBE00B1B0E5924B , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Action3\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Action3\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Action3\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:

\_043E69BC924B42E699C3BC6F10A67ECC , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Action2a\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Action2a\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Action2a\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_3DEAF4B49E524F36AF0304D7847E6711 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\AccountSetup\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\AccountSetup\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key: THUMBS , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Localweb\Thumbs\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Localweb\Thumbs\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Localweb\Thumbs\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key: FSCONF1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\fsconf\ , LongSubPath: CommonAppData\Quicken\Inet\Common\fsconf\  
 , ShortSubPath: Common~1\Quicken\Inet\Common\fsconf\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key: FSCONF , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\fsconf\ , LongSubPath: CommonAppData\Quicken\Inet\Common\fsconf\  
 , ShortSubPath: Common~1\Quicken\Inet\Common\fsconf\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key: FEATURES , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Features\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Features\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Features\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key: PWD\_REMOVER , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Features\pwd\_remove\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Features\pwd\_remove\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Features\PWD\_RE~1\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key: CONTENT1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Content\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Content\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Content\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key: ALERTS1 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Alerts\ , LongSubPath: CommonAppData\Quicken\Inet\Common\Alerts\  
 , ShortSubPath: Common~1\Quicken\Inet\Common\Alerts\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_70290D57D050487D85C6ABCCAE0FB3E2 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In

et\Common\Alerts\Tax\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Alerts\Tax\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Alerts\Tax\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_DEB63C95C37348918D1B12445D206373 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Alerts\Pop\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Alerts\Pop\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Alerts\Pop\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_BD84320128A243C5B9E317869BB8D655 , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Alerts\Fn\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Alerts\Fn\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Alerts\Fn\  
MSI (s) (34:C8) [13:43:44:019]: Dir (source): Key:  
\_3A734F6B025A44699D1A534218DB0E0F , Object:  
C:\Users\Muse\AppData\Local\Temp\pft2B49.tmp\DISK1\CommonAppData\Quicken\In  
et\Common\Alerts\Config\ , LongSubPath:  
CommonAppData\Quicken\Inet\Common\Alerts\Config\ , ShortSubPath:  
Common~1\Quicken\Inet\Common\Alerts\Config\  
MSI (s) (34:C8) [13:43:44:078]: Doing action: UnpublishComponents  
Action ended 13:43:44: ProcessComponents. Return value 1.  
MSI (s) (34:C8) [13:43:44:078]: Note: 1: 2205 2: 3: PublishComponent  
MSI (s) (34:C8) [13:43:44:078]: Note: 1: 2228 2: 3: PublishComponent 4: SELECT  
`PublishComponent`.`ComponentId`, `PublishComponent`.`Qualifier`,  
`PublishComponent`.`AppData`, `Feature`, `Component`.`ComponentId`,  
`Component`.`RuntimeFlags` FROM `PublishComponent`, `Component`, `Feature`  
WHERE `PublishComponent`.`Component\_` = `Component`.`Component` AND  
`PublishComponent`.`Feature\_` = `Feature`.`Feature` AND (`Feature`.`Action` = 0 OR  
(`Feature`.`Action` = NULL OR `Feature`.`Action` = 3) AND `Component`.`Action` = 0  
AND (`Feature`.`Installed` = 1 OR `Feature`.`Installed` = 2)))  
Action start 13:43:44: UnpublishComponents.  
MSI (s) (34:C8) [13:43:44:078]: Doing action: MsiUnpublishAssemblies  
Action ended 13:43:44: UnpublishComponents. Return value 0.  
Action start 13:43:44: MsiUnpublishAssemblies.  
MSI (s) (34:C8) [13:43:44:079]: Doing action: UnpublishFeatures  
Action ended 13:43:44: MsiUnpublishAssemblies. Return value 1.  
Action start 13:43:44: UnpublishFeatures.  
MSI (s) (34:C8) [13:43:44:080]: Doing action: StopServices  
Action ended 13:43:44: UnpublishFeatures. Return value 1.  
MSI (s) (34:C8) [13:43:44:080]: Note: 1: 2205 2: 3: ServiceControl  
MSI (s) (34:C8) [13:43:44:080]: Note: 1: 2228 2: 3: ServiceControl 4: SELECT  
`Name`, `Wait`, `Arguments`, `Event`, `Action` FROM `ServiceControl`, `Component`  
WHERE `Component\_` = `Component` AND (`Action` = 0 OR `Action` = 1 OR `Action`  
= 2)

Action start 13:43:44: StopServices.

MSI (s) (34:C8) [13:43:44:080]: Doing action: DeleteServices

Action ended 13:43:44: StopServices. Return value 1.

MSI (s) (34:C8) [13:43:44:080]: Note: 1: 2205 2: 3: ServiceControl

MSI (s) (34:C8) [13:43:44:080]: Note: 1: 2228 2: 3: ServiceControl 4: SELECT  
`Name`, `Wait`, `Arguments`, `Event`, `Action` FROM `ServiceControl`, `Component`  
WHERE `Component\_` = `Component` AND (`Action` = 0 OR `Action` = 1 OR `Action`  
= 2)

Action start 13:43:44: DeleteServices.

MSI (s) (34:C8) [13:43:44:080]: Doing action: UnregisterComPlus

Action ended 13:43:44: DeleteServices. Return value 1.

MSI (s) (34:C8) [13:43:44:081]: Note: 1: 2205 2: 3: Complus

MSI (s) (34:C8) [13:43:44:081]: Note: 1: 2228 2: 3: Complus 4: SELECT  
`ComponentId`, `FileName`, `Component`.`Directory\_`, `ExpType`,  
`Component`.`Action`, `Component`.`Installed` FROM `Complus`, `Component`, `File`  
WHERE `Complus`.`Component\_` = `Component` AND `Component`.`KeyPath` =  
`File`.`File` AND `Action` = 0

Action start 13:43:44: UnregisterComPlus.

MSI (s) (34:C8) [13:43:44:081]: Doing action: SelfUnregModules

Action ended 13:43:44: UnregisterComPlus. Return value 0.

MSI (s) (34:C8) [13:43:44:081]: Note: 1: 2205 2: 3: SelfReg

MSI (s) (34:C8) [13:43:44:081]: Note: 1: 2228 2: 3: SelfReg 4: Select  
`File`.`FileName`, `Component`.`Directory\_`, `Component`.`Installed`,  
`File`.`Component\_`, `SelfReg`.`File\_` From `SelfReg`, `File`, `Component` Where  
`SelfReg`.`File\_` = `File`.`File` And `File`.`Component\_` = `Component`.`Component`  
And `Component`.`Action` = 0

Action start 13:43:44: SelfUnregModules.

MSI (s) (34:C8) [13:43:44:081]: Doing action: UnregisterTypeLibraries

Action ended 13:43:44: SelfUnregModules. Return value 1.

MSI (s) (34:C8) [13:43:44:081]: Note: 1: 2205 2: 3: TypeLib

MSI (s) (34:C8) [13:43:44:081]: Note: 1: 2228 2: 3: TypeLib 4: SELECT `LibID`,  
`TypeLib`.`Version`, `TypeLib`.`Language`, `TypeLib`.`Directory\_`, `FileName`,  
`Component`.`Directory\_`, `Component`.`Action`, `Component`.`Installed`,  
`BinaryType`, `Component`.`Component`, `Component`.`Attributes` FROM `TypeLib`,  
`Component`, `File` WHERE `TypeLib`.`Component\_` = `Component` AND  
`Component`.`KeyPath` = `File`.`File` AND (`Component`.`Action`=0)

Action start 13:43:44: UnregisterTypeLibraries.

MSI (s) (34:C8) [13:43:44:082]: Doing action: RemoveODBC

Action ended 13:43:44: UnregisterTypeLibraries. Return value 0.

MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2205 2: 3: ODBCDataSource

MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2228 2: 3: ODBCDataSource 4: SELECT  
`DataSource`, `ComponentId`, `DriverDescription`, `Description`, `Registration` FROM  
`ODBCDataSource`, `Component` WHERE `Component\_` = `Component` AND  
`Component`.`Action` = 0 AND `BinaryType` = ?

MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2205 2: 3: ODBCDataSource

MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2228 2: 3: ODBCDataSource 4: SELECT

`DataSource`, `ComponentId`, `DriverDescription`, `Description`, `Registration` FROM  
`ODBCDataSource`, `Component` WHERE `Component\_` = `Component` AND  
`Component`.`Action` = 0 AND `BinaryType` = ?  
MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2205 2: 3: ODBCTranslator  
MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2228 2: 3: ODBCTranslator 4: SELECT  
`Translator`, `Component`.`ComponentId`, `Description`, `RuntimeFlags`,  
`Component`.`Attributes` FROM `ODBCTranslator`, `Component` WHERE  
`Component\_` = `Component` AND `Component`.`ActionRequest` = 0 AND  
`BinaryType` = ?  
MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2205 2: 3: ODBCTranslator  
MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2228 2: 3: ODBCTranslator 4: SELECT  
`Translator`, `Component`.`ComponentId`, `Description`, `RuntimeFlags`,  
`Component`.`Attributes` FROM `ODBCTranslator`, `Component` WHERE  
`Component\_` = `Component` AND `Component`.`ActionRequest` = 0 AND  
`BinaryType` = ?  
MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2205 2: 3: ODBCDriver  
MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2228 2: 3: ODBCDriver 4: SELECT  
`Driver`, `ComponentId`, `Description`, `RuntimeFlags`, `Component`.`Attributes` FROM  
`ODBCDriver`, `Component` WHERE `Component\_` = `Component` AND  
`Component`.`ActionRequest` = 0 AND `BinaryType` = ?  
MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2205 2: 3: ODBCDriver  
MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2228 2: 3: ODBCDriver 4: SELECT  
`Driver`, `ComponentId`, `Description`, `RuntimeFlags`, `Component`.`Attributes` FROM  
`ODBCDriver`, `Component` WHERE `Component\_` = `Component` AND  
`Component`.`ActionRequest` = 0 AND `BinaryType` = ?  
MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2711 2: ODBC DriverManager  
Action start 13:43:44: RemoveODBC.  
MSI (s) (34:C8) [13:43:44:082]: Note: 1: 2711 2: ODBC DriverManager64  
MSI (s) (34:C8) [13:43:44:082]: Doing action: UnregisterFonts  
Action ended 13:43:44: RemoveODBC. Return value 1.  
MSI (s) (34:C8) [13:43:44:083]: Note: 1: 2205 2: 3: Font  
MSI (s) (34:C8) [13:43:44:083]: Note: 1: 2228 2: 3: Font 4: SELECT `FontTitle`,  
`FileName`, `Directory\_`, `Installed` From `Font`, `FileAction` Where `Font`.`File\_` =  
`FileAction`.`File` And `FileAction`.`Action` = 0 ORDER BY `FileAction`.`Directory\_`  
Action start 13:43:44: UnregisterFonts.  
MSI (s) (34:C8) [13:43:44:083]: Doing action: RemoveRegistryValues  
Action ended 13:43:44: UnregisterFonts. Return value 1.  
Action start 13:43:44: RemoveRegistryValues.  
MSI (s) (34:C8) [13:43:44:084]: Doing action: UnregisterClassInfo  
Action ended 13:43:44: RemoveRegistryValues. Return value 1.  
Action start 13:43:44: UnregisterClassInfo.  
MSI (s) (34:C8) [13:43:44:085]: Doing action: UnregisterExtensionInfo  
Action ended 13:43:44: UnregisterClassInfo. Return value 1.  
Action start 13:43:44: UnregisterExtensionInfo.  
MSI (s) (34:C8) [13:43:44:086]: Doing action: UnregisterProgIdInfo  
Action ended 13:43:44: UnregisterExtensionInfo. Return value 1.



Action start 13:43:44: UnregisterProgIdInfo.  
MSI (s) (34:C8) [13:43:44:086]: Doing action: UnregisterMIMEInfo  
Action ended 13:43:44: UnregisterProgIdInfo. Return value 1.  
Action start 13:43:44: UnregisterMIMEInfo.  
MSI (s) (34:C8) [13:43:44:087]: Doing action: RemoveIniValues  
Action ended 13:43:44: UnregisterMIMEInfo. Return value 1.  
Action start 13:43:44: RemoveIniValues.  
MSI (s) (34:C8) [13:43:44:087]: Doing action: RemoveShortcuts  
Action ended 13:43:44: RemoveIniValues. Return value 1.  
Action start 13:43:44: RemoveShortcuts.  
MSI (s) (34:C8) [13:43:44:088]: Doing action: RemoveEnvironmentStrings  
Action ended 13:43:44: RemoveShortcuts. Return value 1.  
MSI (s) (34:C8) [13:43:44:088]: Note: 1: 2205 2: 3: Environment  
MSI (s) (34:C8) [13:43:44:088]: Note: 1: 2228 2: 3: Environment 4: SELECT  
`Name`, `Value` FROM `Environment`, `Component` WHERE  
`Component\_`=`Component` AND (`Component`.`Action` = 0)  
Action start 13:43:44: RemoveEnvironmentStrings.  
MSI (s) (34:C8) [13:43:44:088]: Doing action: RemoveDuplicateFiles  
Action ended 13:43:44: RemoveEnvironmentStrings. Return value 1.  
Action start 13:43:44: RemoveDuplicateFiles.  
MSI (s) (34:C8) [13:43:44:088]: Doing action: RemoveFiles  
Action ended 13:43:44: RemoveDuplicateFiles. Return value 1.  
Action start 13:43:44: RemoveFiles.  
MSI (s) (34:C8) [13:43:44:089]: Doing action: RemoveFolders  
Action ended 13:43:44: RemoveFiles. Return value 1.  
Action start 13:43:44: RemoveFolders.  
MSI (s) (34:C8) [13:43:44:089]: Doing action: CreateFolders  
Action ended 13:43:44: RemoveFolders. Return value 1.  
Action start 13:43:44: CreateFolders.  
MSI (s) (34:C8) [13:43:44:092]: Doing action: MoveFiles  
Action ended 13:43:44: CreateFolders. Return value 1.  
Action start 13:43:44: MoveFiles.  
MSI (s) (34:C8) [13:43:44:092]: Doing action: InstallFiles  
Action ended 13:43:44: MoveFiles. Return value 1.  
Action start 13:43:44: InstallFiles.  
MSI (s) (34:C8) [13:43:44:131]: Note: 1: 2205 2: 3: MsiPatchOldAssemblyFile  
MSI (s) (34:C8) [13:43:44:131]: Note: 1: 2228 2: 3: MsiPatchOldAssemblyFile 4:  
SELECT `MsiPatchOldAssemblyFile`.`Assembly\_` FROM `MsiPatchOldAssemblyFile`  
WHERE `MsiPatchOldAssemblyFile`.`File\_` = ?  
MSI (s) (34:C8) [13:43:44:131]: Note: 1: 2205 2: 3: MsiSFCBypass  
MSI (s) (34:C8) [13:43:44:131]: Note: 1: 2228 2: 3: MsiSFCBypass 4: SELECT `File\_`  
FROM `MsiSFCBypass` WHERE `File\_` = ?  
MSI (s) (34:C8) [13:43:44:131]: Note: 1: 2205 2: 3: MsiPatchHeaders  
MSI (s) (34:C8) [13:43:44:131]: Note: 1: 2228 2: 3: MsiPatchHeaders 4: SELECT  
`Header` FROM `MsiPatchHeaders` WHERE `StreamRef` = ?  
MSI (s) (34:C8) [13:43:44:133]: Note: 1: 2205 2: 3: MsiDigitalSignature

MSI (s) (34:C8) [13:43:44:133]: Note: 1: 2205 2: 3: PatchPackage  
MSI (s) (34:C8) [13:43:44:133]: Note: 1: 2205 2: 3: MsiPatchHeaders  
MSI (s) (34:C8) [13:43:44:133]: Note: 1: 2205 2: 3: PatchPackage  
MSI (s) (34:C8) [13:43:44:375]: Note: 1: 2203 2: 3: 0  
MSI (s) (34:C8) [13:43:44:413]: Note: 1: 2205 2: 3: MsiDigitalSignature  
MSI (s) (34:C8) [13:43:44:459]: Skipping action: UninstallAnswerWorks (condition is false)  
MSI (s) (34:C8) [13:43:44:459]: Skipping action: QuickenCustomAction\_Uninstall\_After\_File\_Remove (condition is false)  
MSI (s) (34:C8) [13:43:44:459]: Skipping action: UninstallPDFDriver (condition is false)  
MSI (s) (34:C8) [13:43:44:459]: Doing action: PatchFiles  
Action ended 13:43:44: InstallFiles. Return value 1.  
Action start 13:43:44: PatchFiles.  
MSI (s) (34:C8) [13:43:44:460]: Doing action: DuplicateFiles  
Action ended 13:43:44: PatchFiles. Return value 1.  
Action start 13:43:44: DuplicateFiles.  
MSI (s) (34:C8) [13:43:44:461]: Doing action: BindImage  
Action ended 13:43:44: DuplicateFiles. Return value 1.  
Action start 13:43:44: BindImage.  
MSI (s) (34:C8) [13:43:44:461]: Doing action: CreateShortcuts  
Action ended 13:43:44: BindImage. Return value 1.  
Action start 13:43:44: CreateShortcuts.  
MSI (s) (34:C8) [13:43:44:476]: Note: 1: 2205 2: 3: MsiShortcutProperty  
MSI (s) (34:C8) [13:43:44:476]: Note: 1: 2205 2: 3: MsiShortcutProperty  
MSI (s) (34:C8) [13:43:44:477]: Doing action: RegisterClassInfo  
Action ended 13:43:44: CreateShortcuts. Return value 1.  
Action start 13:43:44: RegisterClassInfo.  
MSI (s) (34:C8) [13:43:44:479]: Doing action: RegisterExtensionInfo  
Action ended 13:43:44: RegisterClassInfo. Return value 1.  
Action start 13:43:44: RegisterExtensionInfo.  
MSI (s) (34:C8) [13:43:44:480]: Doing action: RegisterProgIdInfo  
Action ended 13:43:44: RegisterExtensionInfo. Return value 1.  
Action start 13:43:44: RegisterProgIdInfo.  
MSI (s) (34:C8) [13:43:44:482]: Doing action: RegisterMIMEInfo  
Action ended 13:43:44: RegisterProgIdInfo. Return value 1.  
Action start 13:43:44: RegisterMIMEInfo.  
MSI (s) (34:C8) [13:43:44:483]: Doing action: WriteRegistryValues  
Action ended 13:43:44: RegisterMIMEInfo. Return value 1.  
Action start 13:43:44: WriteRegistryValues.  
MSI (s) (34:C8) [13:43:44:505]: Doing action: WriteIniValues  
Action ended 13:43:44: WriteRegistryValues. Return value 1.  
Action start 13:43:44: WriteIniValues.  
MSI (s) (34:C8) [13:43:44:509]: Doing action: WriteEnvironmentStrings  
Action ended 13:43:44: WriteIniValues. Return value 1.  
MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2205 2: 3: Environment  
MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2228 2: 3: Environment 4: SELECT

```
`Name`,`Value` FROM `Environment`,`Component` WHERE  
`Component_`=`Component` AND (`Component`.`Action` = 1 OR `Component`.`Action`  
= 2)
```

Action start 13:43:44: WriteEnvironmentStrings.

MSI (s) (34:C8) [13:43:44:510]: Doing action: RegisterFonts

Action ended 13:43:44: WriteEnvironmentStrings. Return value 1.

MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2205 2: 3: Font

```
MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2228 2: 3: Font 4: SELECT `FontTitle`,  
`FileName`,`Directory`,`Action` From `Font`,`FileAction` Where `Font`.`File_` =  
`FileAction`.`File` And (`FileAction`.`Action` = 1 Or `FileAction`.`Action` = 2) ORDER BY  
`FileAction`.`Directory`
```

Action start 13:43:44: RegisterFonts.

MSI (s) (34:C8) [13:43:44:510]: Doing action: InstallODBC

Action ended 13:43:44: RegisterFonts. Return value 1.

MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2711 2: ODBCDriverManager

MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2711 2: ODBCDriverManager64

MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2205 2: 3: ODBCDriver

```
MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2228 2: 3: ODBCDriver 4: SELECT  
`Driver`,`ComponentId`,`Description`,`RuntimeFlags`,`Directory`,`FileName`,`File_Setu  
p`,`Action` FROM `ODBCDriver`,`File`,`Component` WHERE `File_` = `File` AND  
`ODBCDriver`.`Component_` = `Component` AND (`Component`.`ActionRequest` = 1  
OR `Component`.`ActionRequest` = 2) AND `BinaryType` = ?
```

MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2205 2: 3: ODBCDriver

```
MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2228 2: 3: ODBCDriver 4: SELECT  
`Driver`,`ComponentId`,`Description`,`RuntimeFlags`,`Directory`,`FileName`,`File_Setu  
p`,`Action` FROM `ODBCDriver`,`File`,`Component` WHERE `File_` = `File` AND  
`ODBCDriver`.`Component_` = `Component` AND (`Component`.`ActionRequest` = 1  
OR `Component`.`ActionRequest` = 2) AND `BinaryType` = ?
```

MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2205 2: 3: ODBCTranslator

```
MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2228 2: 3: ODBCTranslator 4: SELECT  
`Translator`,`Component`.`ComponentId`,`Description`,`RuntimeFlags`,`Directory`,`Fil  
eName`,`File_Setup`,`Action` FROM `ODBCTranslator`,`File`,`Component` WHERE  
`File_` = `File` AND `ODBCTranslator`.`Component_` = `Component` AND  
(`Component`.`ActionRequest` = 1 OR `Component`.`ActionRequest` = 2) AND  
`BinaryType` = ?
```

MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2205 2: 3: ODBCTranslator

```
MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2228 2: 3: ODBCTranslator 4: SELECT  
`Translator`,`Component`.`ComponentId`,`Description`,`RuntimeFlags`,`Directory`,`Fil  
eName`,`File_Setup`,`Action` FROM `ODBCTranslator`,`File`,`Component` WHERE  
`File_` = `File` AND `ODBCTranslator`.`Component_` = `Component` AND  
(`Component`.`ActionRequest` = 1 OR `Component`.`ActionRequest` = 2) AND  
`BinaryType` = ?
```

MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2205 2: 3: ODBCDataSource

```
MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2228 2: 3: ODBCDataSource 4: SELECT  
`DataSource`,`ComponentId`,`DriverDescription`,`Description`,`Registration` FROM  
`ODBCDataSource`,`Component` WHERE `Component_` = `Component` AND
```

(`Component`.`Action` = 1 OR `Component`.`Action` = 2) AND `BinaryType` = ?  
MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2205 2: 3: ODBCDataSource  
MSI (s) (34:C8) [13:43:44:510]: Note: 1: 2228 2: 3: ODBCDataSource 4: SELECT  
`DataSource`, `ComponentId`, `DriverDescription`, `Description`, `Registration` FROM  
`ODBCDataSource`, `Component` WHERE `Component\_` = `Component` AND  
(`Component`.`Action` = 1 OR `Component`.`Action` = 2) AND `BinaryType` = ?  
Action start 13:43:44: InstallODBC.  
MSI (s) (34:C8) [13:43:44:511]: Doing action: RegisterTypeLibraries  
Action ended 13:43:44: InstallODBC. Return value 0.  
MSI (s) (34:C8) [13:43:44:511]: Note: 1: 2205 2: 3: TypeLib  
MSI (s) (34:C8) [13:43:44:511]: Note: 1: 2228 2: 3: TypeLib 4: SELECT `LibID`,  
`TypeLib`.`Version`, `TypeLib`.`Language`, `TypeLib`.`Directory\_`, `FileName`,  
`Component`.`Directory\_`, `Component`.`Action`, `Component`.`Installed`,  
`BinaryType`, `Component`.`Component`, `Component`.`Attributes`,  
`Component`.`RuntimeFlags` FROM `TypeLib`, `Component`, `File` WHERE  
`TypeLib`.`Component\_` = `Component` AND `Component`.`KeyPath` = `File`.`File`  
AND ((`Component`.`Action`=1 OR `Component`.`Action`=2) OR (`Component`.`Action`  
= null AND (`Component`.`ActionRequest` = 1 OR `Component`.`ActionRequest` = 2)))  
Action start 13:43:44: RegisterTypeLibraries.  
MSI (s) (34:C8) [13:43:44:511]: Doing action: RegisterComPlus  
Action ended 13:43:44: RegisterTypeLibraries. Return value 0.  
MSI (s) (34:C8) [13:43:44:511]: Note: 1: 2205 2: 3: Complus  
MSI (s) (34:C8) [13:43:44:511]: Note: 1: 2228 2: 3: Complus 4: SELECT  
`ComponentId`, `FileName`, `Component`.`Directory\_`, `ExpType`,  
`Component`.`Action`, `Component`.`Installed` FROM `Complus`, `Component`, `File`  
WHERE `Complus`.`Component\_` = `Component` AND `Component`.`KeyPath` =  
`File`.`File` AND (`Action` = 1 OR `Action` = 2)  
Action start 13:43:44: RegisterComPlus.  
MSI (s) (34:C8) [13:43:44:512]: Doing action: InstallServices  
Action ended 13:43:44: RegisterComPlus. Return value 0.  
MSI (s) (34:C8) [13:43:44:512]: Detected older ServiceInstall table schema  
MSI (s) (34:C8) [13:43:44:512]: Note: 1: 2205 2: 3: ServiceInstall  
MSI (s) (34:C8) [13:43:44:512]: Note: 1: 2228 2: 3: ServiceInstall 4: SELECT  
`ServiceInstall`, `Name`, `DisplayName`, `ServiceType`, `StartType`, `ErrorControl`, `LoadO  
rderGroup`, `Dependencies`, `StartName`, `Password`, `ComponentId`, `Directory\_`, `FileN  
ame`, `Arguments` FROM `ServiceInstall`, `Component`, `File` WHERE  
`ServiceInstall`.`Component\_` = `Component`.`Component` AND  
(`Component`.`KeyPath` = `File`.`File`) AND (`Action` = 1 OR `Action` = 2)  
Action start 13:43:44: InstallServices.  
MSI (s) (34:C8) [13:43:44:512]: Doing action: MsiConfigureServices  
Action ended 13:43:44: InstallServices. Return value 1.  
MSI (s) (34:C8) [13:43:44:512]: Note: 1: 2205 2: 3: MsiServiceConfig  
MSI (s) (34:C8) [13:43:44:512]: Note: 1: 2228 2: 3: MsiServiceConfig 4: SELECT  
`Name`, `Event`, `ConfigType`, `Argument`, `Action` FROM `MsiServiceConfig`,  
`Component` WHERE `Component\_` = `Component` AND (`Action` = 0 OR `Action` = 1  
OR `Action` = 3)

MSI (s) (34:C8) [13:43:44:512]: Note: 1: 2205 2: 3: MsiServiceConfigFailureActions  
MSI (s) (34:C8) [13:43:44:512]: Note: 1: 2228 2: 3: MsiServiceConfigFailureActions 4: SELECT `Name`, `Event`, `ResetPeriod`, `RebootMessage`, `Command`, `Actions`, `DelayActions`, `Action` FROM `MsiServiceConfigFailureActions`, `Component` WHERE `Component\_` = `Component` AND (`Action` = 0 OR `Action` = 1 OR `Action` = 3)

Action start 13:43:44: MsiConfigureServices.

MSI (s) (34:C8) [13:43:44:512]: Doing action: StartServices

Action ended 13:43:44: MsiConfigureServices. Return value 1.

MSI (s) (34:C8) [13:43:44:513]: Note: 1: 2205 2: 3: ServiceControl

MSI (s) (34:C8) [13:43:44:513]: Note: 1: 2228 2: 3: ServiceControl 4: SELECT `Name`, `Wait`, `Arguments`, `Event`, `Action` FROM `ServiceControl`, `Component` WHERE `Component\_` = `Component` AND (`Action` = 0 OR `Action` = 1 OR `Action` = 2)

Action start 13:43:44: StartServices.

MSI (s) (34:C8) [13:43:44:513]: Doing action: SelfRegModules

Action ended 13:43:44: StartServices. Return value 1.

MSI (s) (34:C8) [13:43:44:513]: Note: 1: 2205 2: 3: SelfReg

MSI (s) (34:C8) [13:43:44:513]: Note: 1: 2228 2: 3: SelfReg 4: Select `FileAction`.`FileName`, `FileAction`.`Directory\_`, `FileAction`.`Action`, `FileAction`.`Component\_`, `SelfReg`.`File\_` From `SelfReg`, `FileAction` Where `SelfReg`.`File\_` = `FileAction`.`File` And (`FileAction`.`Action` = 1 OR `FileAction`.`Action` = 2)

Action start 13:43:44: SelfRegModules.

MSI (s) (34:C8) [13:43:44:513]: Doing action: RegisterUser

Action ended 13:43:44: SelfRegModules. Return value 1.

Action start 13:43:44: RegisterUser.

MSI (s) (34:C8) [13:43:44:513]: Doing action: RegisterProduct

Action ended 13:43:44: RegisterUser. Return value 1.

MSI (s) (34:C8) [13:43:44:514]: Note: 1: 2205 2: 3: MsiDigitalSignature

Action start 13:43:44: RegisterProduct.

MSI (s) (34:C8) [13:43:44:515]: PROPERTY CHANGE: Adding ProductToBeRegistered property. Its value is '1'.

MSI (s) (34:C8) [13:43:44:515]: Doing action: PublishComponents

Action ended 13:43:44: RegisterProduct. Return value 1.

MSI (s) (34:C8) [13:43:44:515]: Note: 1: 2205 2: 3: PublishComponent

MSI (s) (34:C8) [13:43:44:515]: Note: 1: 2228 2: 3: PublishComponent 4: SELECT `PublishComponent`.`ComponentId`, `PublishComponent`.`Qualifier`, `PublishComponent`.`AppData`, `Feature`, `Component`.`ComponentId`, `Component`.`RuntimeFlags` FROM `PublishComponent`, `Component`, `Feature` WHERE `PublishComponent`.`Component\_` = `Component`.`Component` AND `PublishComponent`.`Feature\_` = `Feature`.`Feature` AND ((`Feature`.`Action` = 1 OR `Feature`.`Action` = 2) OR (`Feature`.`Action` = 4 AND `Feature`.`Installed` = 0) OR (`Feature`.`Action` = 3 AND (`Feature`.`Installed` = 1 OR `Feature`.`Installed` = 2 OR `Feature`.`Installed` = 4)))

Action start 13:43:44: PublishComponents.

MSI (s) (34:C8) [13:43:44:516]: Doing action: MsiPublishAssemblies  
Action ended 13:43:44: PublishComponents. Return value 0.  
Action start 13:43:44: MsiPublishAssemblies.

MSI (s) (34:C8) [13:43:44:526]: Doing action: PublishFeatures  
Action ended 13:43:44: MsiPublishAssemblies. Return value 1.  
Action start 13:43:44: PublishFeatures.

MSI (s) (34:C8) [13:43:44:528]: Doing action: PublishProduct  
Action ended 13:43:44: PublishFeatures. Return value 1.  
Action start 13:43:44: PublishProduct.

MSI (s) (34:C8) [13:43:44:529]: Skipping action: ScheduleReboot (condition is false)  
MSI (s) (34:C8) [13:43:44:529]: Doing action: InstallFinalize  
Action ended 13:43:44: PublishProduct. Return value 1.

MSI (s) (34:C8) [13:43:44:530]: Running Script: C:\WINDOWS\Installer\MSI8A6F.tmp  
MSI (s) (34:C8) [13:43:44:530]: PROPERTY CHANGE: Adding UpdateStarted property.  
Its value is '1'.

MSI (s) (34:C8) [13:43:44:533]: Note: 1: 2265 2: 3: -2147287035  
MSI (s) (34:C8) [13:43:44:533]: Machine policy value 'DisableRollback' is 0  
MSI (s) (34:C8) [13:43:44:536]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:44:536]: Note: 1: 1402 2:  
HKEY\_LOCAL\_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\Rollback\Scripts 3: 2

MSI (s) (34:C8) [13:43:44:537]: Executing op:  
Header(Signature=1397708873,Version=500,TimeStamp=1346137463,LangId=1033,Platform=0,ScriptType=1,ScriptMajorVersion=21,ScriptMinorVersion=4,ScriptAttributes=1)  
)  
Action start 13:43:44: InstallFinalize.

MSI (s) (34:C8) [13:43:44:537]: Executing op:  
ProductInfo(ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},ProductName=Quicken,PackageName=Quicken.msi,Language=1033,Version=453050388,Assignment=1,ObsoleteArg=0,ProductIcon=ARPPRODUCTICON.exe,,PackageCode={8584ADB0-A6DB-4E44-A58A-0A5EE7B9C8A7},,,InstanceType=0,LUASetting=0,RemoteURTInstalls=0,ProductDeploymentFlags=3)

MSI (s) (34:C8) [13:43:44:538]: Executing op: DialogInfo(Type=0,Argument=1033)  
MSI (s) (34:C8) [13:43:44:539]: Executing op: DialogInfo(Type=1,Argument=Quicken)  
MSI (s) (34:C8) [13:43:44:539]: Executing op:  
RollbackInfo(RollbackAction=Rollback,RollbackDescription=Rolling back action:,RollbackTemplate=[1],CleanupAction=RollbackCleanup,CleanupDescription=Removing backup files,CleanupTemplate=File: [1])

MSI (s) (34:C8) [13:43:44:539]: Executing op: SetBaseline(Baseline=0,)  
MSI (s) (34:C8) [13:43:44:539]: Executing op: SetBaseline(Baseline=1,)  
MSI (s) (34:C8) [13:43:44:539]: Executing op:  
ActionStart(Name=ProcessComponents,Description=Updating component registration,)  
MSI (s) (34:C8) [13:43:44:540]: Executing op:  
ProgressTotal(Total=382,Type=1,ByteEquivalent=24000)  
MSI (s) (34:C8) [13:43:44:540]: Executing op:  
ComponentRegister(ComponentId={91890130-F743-4681-868F-BBF4B27ACC84},Key

Path=C:\Program Files

(x86)\Quicken\QCONNECT.DLL,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:540]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QCONNECT.DLL' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:540]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QCONNECT.DLL' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:541]: Executing op:

ComponentRegister(ComponentId={428EFBAA-92AB-40B4-9BB1-50CEC56423D8},KeyPath=C:\Program Files

(x86)\Quicken\QShowHelp.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:541]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QShowHelp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:541]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QShowHelp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:542]: Executing op:

ComponentRegister(ComponentId={4593E12D-E533-48D5-9391-C08C3FA0E076},KeyPath=C:\Program Files

(x86)\Quicken\Qsetup.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:542]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Qsetup.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:542]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Qsetup.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:543]: Executing op:

ComponentRegister(ComponentId={44D94DFA-00C3-4113-88F2-4F6C94449512},KeyPath=C:\Program Files

(x86)\Quicken\bgt\_pnf.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:543]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\bgt\_pnf.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:543]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\bgt\_pnf.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:544]: Executing op:

ComponentRegister(ComponentId={DF7409A6-256C-4995-B6E8-7137863F97F8},KeyPath=C:\Program Files

(x86)\Quicken\calnote.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:544]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\calnote.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:544]: WIN64DUALFOLDERS: Substitution in 'C:\Program

Files (x86)\Quicken\calnote.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:544]: Executing op:  
ComponentRegister(ComponentId={7C6D014F-C190-40F4-B02B-17F4D733F020},Key Path=C:\Program Files  
(x86)\Quicken\cashflow.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:545]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\cashflow.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:545]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\cashflow.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:545]: Executing op:  
ComponentRegister(ComponentId={413FDC5B-5677-418C-B41D-B5815CF55B88},Key Path=C:\Program Files  
(x86)\Quicken\Snap\cir\_ss.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:546]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\cir\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:546]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\cir\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:546]: Executing op:  
ComponentRegister(ComponentId={D9101E2B-C46C-4F81-B154-DB06E61A818E},Key Path=C:\Program Files  
(x86)\Quicken\custprof.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:546]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\custprof.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:546]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\custprof.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:547]: Executing op:  
ComponentRegister(ComponentId={CD16B1E4-001C-4F43-AB67-E942681762E1},Key Path=C:\Program Files  
(x86)\Quicken\dlapps\_dbtred.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:547]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_dbtred.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:547]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_dbtred.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:548]: Executing op:  
ComponentRegister(ComponentId={BC64B552-A03D-4428-8A02-EB9DD28E3E67},Key Path=C:\Program Files  
(x86)\Quicken\dlapps\_dedfnd.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)



MSI (s) (34:C8) [13:43:44:548]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_dedfnd.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:548]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_dedfnd.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:548]: Executing op:  
ComponentRegister(ComponentId={50E99502-1731-4234-A32A-E5B71896601C},Key Path=C:\Program Files (x86)\Quicken\dlapps\_frcast.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:549]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_frcast.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:549]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_frcast.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:549]: Executing op:  
ComponentRegister(ComponentId={F73CE450-D515-4A54-9718-4DC35A80DBBB},Key Path=C:\Program Files (x86)\Quicken\dlapps\_plan.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:550]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_plan.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:550]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_plan.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:550]: Executing op:  
ComponentRegister(ComponentId={E30E475A-35CD-4048-83CE-02AC89C5257F},Key Path=C:\Program Files (x86)\Quicken\dlapps\_savgol.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:551]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_savgol.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:551]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_savgol.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:551]: Executing op:  
ComponentRegister(ComponentId={355DB1C5-E588-4437-B1D6-EDD933D40E0D},Key Path=C:\Program Files (x86)\Quicken\graphs.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:551]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\graphs.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:551]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\graphs.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:552]: Executing op:  
ComponentRegister(ComponentId={540BC575-C1C4-4D86-A951-5A3E2DC4870B},KeyPath=C:\Program Files  
(x86)\Quicken\lbtmngn.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:552]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbtmngn.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:552]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbtmngn.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:553]: Executing op:  
ComponentRegister(ComponentId={BD6C52C9-F356-4FD4-8472-0688249E7C2C},KeyPath=C:\Program Files  
(x86)\Quicken\ofxsdk\_qw.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:553]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ofxsdk\_qw.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:553]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ofxsdk\_qw.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:554]: Executing op:  
ComponentRegister(ComponentId={0F0CCD4C-783A-4546-841E-63E9160D759B},KeyPath=C:\Program Files  
(x86)\Quicken\olbservice.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:554]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\olbservice.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:554]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\olbservice.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:555]: Executing op:  
ComponentRegister(ComponentId={0A5870D1-F19A-4F98-922B-7677639297C7},KeyPath=C:\Program Files  
(x86)\Quicken\online.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:555]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\online.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:555]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\online.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:555]: Executing op:  
ComponentRegister(ComponentId={C01A5C07-4DE0-4086-A271-E82A094BB0C2},KeyPath=C:\Program Files  
(x86)\Quicken\onlncall.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:556]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\onlncall.dll' folder had been blocked by the 1 mask argument (the

folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:556]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\onIncall.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:556]: Executing op:

ComponentRegister(ComponentId={A5F9E0F4-C0A0-417E-B800-ABCB47B77488},KeyPath=C:\Program Files

(x86)\Quicken\qaccess.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:557]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qaccess.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:557]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qaccess.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:557]: Executing op:

ComponentRegister(ComponentId={2D36A42F-6AC1-45FD-9951-FDBE4D1EA0F5},KeyPath=C:\Program Files

(x86)\Quicken\qcomutil.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:557]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qcomutil.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:558]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qcomutil.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:558]: Executing op:

ComponentRegister(ComponentId={E2542DAC-5D74-4CEA-BA33-838292718A6D},KeyPath=C:\Program Files

(x86)\Quicken\qdapp.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:558]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qdapp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:558]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qdapp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:559]: Executing op:

ComponentRegister(ComponentId={7B73E43C-7A5F-4F61-BD13-EA103DD3A99E},KeyPath=C:\Program Files

(x86)\Quicken\qdappui.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:559]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qdappui.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:559]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qdappui.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:560]: Executing op:

ComponentRegister(ComponentId={EF27AB52-41A3-44B6-B135-F5909AEE3E21},Key

Path=C:\Program Files

(x86)\Quicken\qdb.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:560]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qdb.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:560]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qdb.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:560]: Executing op:

ComponentRegister(ComponentId={B7F397AB-2CFD-4161-A0D6-D92F2F027E18},KeyPath=C:\Program Files

(x86)\Quicken\qindex.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:561]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qindex.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:561]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qindex.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:561]: Executing op:

ComponentRegister(ComponentId={194FA616-ACAC-4574-A264-F87F302E0E0B},KeyPath=C:\Program Files

(x86)\Quicken\qrep.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:562]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qrep.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:562]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qrep.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:562]: Executing op:

ComponentRegister(ComponentId={1B58F9E3-550C-469C-8B04-9AA4288828BD},KeyPath=C:\Program Files

(x86)\Quicken\qreports.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:562]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qreports.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:562]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qreports.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:563]: Executing op:

ComponentRegister(ComponentId={005F5B28-A266-4234-A8EB-2C8D22800AAF},KeyPath=C:\Program Files

(x86)\Quicken\qsac.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:563]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qsac.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:563]: WIN64DUALFOLDERS: Substitution in 'C:\Program

Files (x86)\Quicken\qsac.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:564]: Executing op:  
ComponentRegister(ComponentId={7628DFA7-D436-4C2A-8D38-C1AEDFB5B16C},KeyPath=C:\Program Files  
(x86)\Quicken\qsapi.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:564]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qsapi.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:564]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qsapi.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:564]: Executing op:  
ComponentRegister(ComponentId={5C56894F-1CF0-4386-953B-7657D8EA4071},KeyPath=C:\Program Files  
(x86)\Quicken\qsapi\_eng.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:565]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qsapi\_eng.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:565]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qsapi\_eng.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:565]: Executing op:  
ComponentRegister(ComponentId={CD62DE8B-8927-4DF3-9520-38F6303FA4E0},KeyPath=C:\Program Files  
(x86)\Quicken\Qsapi\qsapi\_plan.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:566]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Qsapi\qsapi\_plan.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:566]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Qsapi\qsapi\_plan.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:566]: Executing op:  
ComponentRegister(ComponentId={DE01D6BC-D837-4D8A-89A8-27957C6AD8CE},KeyPath=C:\Program Files  
(x86)\Quicken\Qsapi\qsapi\_xsel.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:566]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Qsapi\qsapi\_xsel.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:566]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Qsapi\qsapi\_xsel.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:567]: Executing op:  
ComponentRegister(ComponentId={0A9B568A-929E-49D3-9743-ABB12CB5741E},Ke

yPath=C:\Program Files

(x86)\Quicken\Snap\qsetup\_ss.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:567]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qsetup\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:567]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qsetup\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:568]: Executing op:

ComponentRegister(ComponentId={E2309A8C-D157-43CB-8D62-902415A12273},Key Path=C:\Program Files

(x86)\Quicken\qtax.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:568]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qtax.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:568]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qtax.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:569]: Executing op:

ComponentRegister(ComponentId={7D3A67FF-FBD1-4995-915C-611C2488F993},Key Path=C:\Program Files

(x86)\Quicken\qvault.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:569]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qvault.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:569]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qvault.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:570]: Executing op:

ComponentRegister(ComponentId={6AC29DA8-0130-4CE0-BF61-C4B40791D0D4},Key Path=C:\Program Files

(x86)\Quicken\Snap\qw\_accts\_ss.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:570]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_accts\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:570]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_accts\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:571]: Executing op:

ComponentRegister(ComponentId={48B105D1-00FD-4A6C-B156-F0D88BF46620},Key Path=C:\Program Files

(x86)\Quicken\Snap\qw\_actpg\_ss.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:571]: WIN64DUALFOLDERS: Substitution in 'C:\Program

Files (x86)\Quicken\Snap\qw\_actpg\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:571]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_actpg\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:572]: Executing op:  
ComponentRegister(ComponentId={19B7E6D7-8A34-4E14-8E0C-AD8F377BC936},KeyPath=C:\Program Files (x86)\Quicken\Snap\qw\_ouss\_ss.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:572]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_ouss\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:572]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_ouss\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:573]: Executing op:  
ComponentRegister(ComponentId={F9E483CC-3C8B-4086-B98F-09D3735A1209},KeyPath=C:\Program Files (x86)\Quicken\Snap\qw\_pay\_ss.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:573]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_pay\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:573]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_pay\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:573]: Executing op:  
ComponentRegister(ComponentId={7D40D7FA-866D-4966-9E25-599ED8024FB3},KeyPath=C:\Program Files (x86)\Quicken\qwapp.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:574]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwapp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:574]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwapp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:574]: Executing op:  
ComponentRegister(ComponentId={80E61BF2-7EAF-4D44-A8FF-43E08DCE439F},KeyPath=C:\Program Files (x86)\Quicken\qwcncntr.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:574]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwcncntr.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:575]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwcncntr.dll' folder had been blocked by the 1 mask argument (the

folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:575]: Executing op:

ComponentRegister(ComponentId={EE05B276-BACE-4059-BAEC-0344E56C7E0A},KeyPath=C:\Program Files

(x86)\Quicken\qwinet.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:575]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwinet.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:575]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwinet.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:576]: Executing op:

ComponentRegister(ComponentId={F857A784-13D0-4EDD-A8CB-E7BA16B0A60D},KeyPath=C:\Program Files

(x86)\Quicken\qwinver.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:576]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwinver.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:576]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwinver.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:577]: Executing op:

ComponentRegister(ComponentId={1F03EB42-00AD-4682-9387-02FB17D975B4},KeyPath=C:\Program Files

(x86)\Quicken\qwonline.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:577]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwonline.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:577]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwonline.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:577]: Executing op:

ComponentRegister(ComponentId={789041FB-C502-42D2-A7CA-38059D47E0D4},KeyPath=C:\Program Files

(x86)\Quicken\qwpr.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:578]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwpr.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:578]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwpr.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:578]: Executing op:

ComponentRegister(ComponentId={424F021C-48F5-4FCA-A1D4-BC993884A9B7},KeyPath=C:\Program Files

(x86)\Quicken\qwsnap.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:579]: WIN64DUALFOLDERS: Substitution in 'C:\Program



Files (x86)\Quicken\qwsnap.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:579]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwsnap.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:579]: Executing op:  
ComponentRegister(ComponentId={915181F1-D45A-4890-820F-61A754C0EF67},Key Path=C:\Program Files (x86)\Quicken\qwsync.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:579]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwsync.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:580]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwsync.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:580]: Executing op:  
ComponentRegister(ComponentId={8E86C43E-58F7-40DC-BDE2-5F764CF12C36},Key Path=C:\Program Files (x86)\Quicken\qwutil.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:580]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwutil.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:580]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwutil.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:581]: Executing op:  
ComponentRegister(ComponentId={7280E4AD-FAF0-444B-8C30-98E09C6DDB07},Key Path=C:\Program Files (x86)\Quicken\qwwin.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:581]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwwin.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:581]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwwin.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:582]: Executing op:  
ComponentRegister(ComponentId={EACBF1E2-376B-4541-B40E-046FEF4E34BD},Key Path=C:\Program Files (x86)\Quicken\tcl85t.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:582]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\tcl85t.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:582]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\tcl85t.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:582]: Executing op:

ComponentRegister(ComponentId={E2662F7D-9C53-4A83-AA24-96643A895765},Key Path=C:\Program Files (x86)\Quicken\ttaximp.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:583]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ttaximp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:583]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ttaximp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:583]: Executing op:  
ComponentRegister(ComponentId={EC3F0C46-0CC7-4755-8B94-04C60E08B489},Key Path=C:\Program Files (x86)\Quicken\xmlparse.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:583]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xmlparse.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:584]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xmlparse.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:584]: Executing op:  
ComponentRegister(ComponentId={B3689F21-DD67-49E6-90EB-77DAFF4336EA},Key Path=C:\Program Files (x86)\Quicken\xmlparse\_tok.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:584]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xmlparse\_tok.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:584]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xmlparse\_tok.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:585]: Executing op:  
ComponentRegister(ComponentId={484AD5B1-CADE-42AE-9098-7412CF519B74},Key Path=C:\Program Files (x86)\Quicken\xsell.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:585]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xsell.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:585]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xsell.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:586]: Executing op:  
ComponentRegister(ComponentId={18D221E8-A0CD-4252-A9D5-0FFEC2700A37},Key Path=C:\ProgramData,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:586]: Executing op:  
ComponentRegister(ComponentId={A8C250E1-D209-4025-A382-2E08CFBDF7BB},Key Path=C:\ProgramData\Quicken\lnet\Common\fsconf,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:587]: Executing op:  
ComponentRegister(ComponentId={45E0F899-06D6-4A82-973D-6507C3CC45B1},Key  
Path=C:\Program Files  
(x86)\Quicken\ScreenShare\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:587]: Executing op:  
ComponentRegister(ComponentId={69EDA83F-84A0-4811-8D5C-C76E294980F9},Key  
Path=C:\Program Files  
(x86)\Quicken\ScreenShare\locales\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType  
=0)

MSI (s) (34:C8) [13:43:44:589]: Executing op:  
ComponentRegister(ComponentId={C6B8DEF2-ACC1-4E61-9B55-449D04EA8844},Ke  
yPath=C:\ProgramData\Quicken\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:589]: Executing op:  
ComponentRegister(ComponentId={F7C48F27-8EE1-4358-ADA8-8B44F2673542},Key  
Path=C:\ProgramData\Quicken\Config\,State=3,,Disk=1,SharedDllRefCount=0,BinaryT  
ype=0)

MSI (s) (34:C8) [13:43:44:589]: Executing op:  
ComponentRegister(ComponentId={825B142A-57F1-46DE-8EEE-FF56F5F6758F},Key  
Path=C:\Program Files  
(x86)\Quicken\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:590]: Executing op:  
ComponentRegister(ComponentId={E96A7B77-E14F-470C-ADDD-04D10B83DFE5},K  
eyPath=C:\ProgramData\Quicken\Help\,State=3,,Disk=1,SharedDllRefCount=0,BinaryT  
ype=0)

MSI (s) (34:C8) [13:43:44:590]: Executing op:  
ComponentRegister(ComponentId={59E43359-EB46-406B-B89C-2AB2CE3C716F},Ke  
yPath=C:\ProgramData\Quicken\Hprpm\,State=3,,Disk=1,SharedDllRefCount=0,Binary  
Type=0)

MSI (s) (34:C8) [13:43:44:591]: Executing op:  
ComponentRegister(ComponentId={113D7412-BDAE-4C8F-BB96-DE470C57457F},Ke  
yPath=C:\Program Files  
(x86)\Quicken\PDFDrv\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:592]: Executing op:  
ComponentRegister(ComponentId={CA791C5E-F34E-4BAE-9094-32B9489849B1},Ke  
yPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Thumbs\,State=3,,Disk=1,Sha  
redDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:592]: Executing op:  
ComponentRegister(ComponentId={E8A948EC-4508-44C7-916D-CE8E27EEA984},Ke  
yPath=C:\ProgramData\Quicken\Inet\Common\Features\,State=3,,Disk=1,SharedDllRef  
Count=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:593]: Executing op:  
ComponentRegister(ComponentId={9899EB4A-0812-473D-B914-125DC65D4F9D},Ke  
yPath=C:\ProgramData\Quicken\Inet\Common\Features\pwd\_remove\,State=3,,Disk=1  
,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:593]: Executing op:  
ComponentRegister(ComponentId={8A6A91E5-DE48-4F8C-8913-C5B544CC0343},Ke

yPath=C:\Program Files  
(x86)\Quicken\AnswerWorks\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:594]: Executing op:  
ComponentRegister(ComponentId={FA2C0FD2-15A3-4696-BD7E-6739D01A17D4},KeyPath=C:\Program Files  
(x86)\Quicken\BindContent.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:594]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BindContent.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:594]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BindContent.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:595]: Executing op:  
ComponentRegister(ComponentId={C2D70214-D262-4E49-953F-8BAF5149DA41},KeyPath=C:\Program Files  
(x86)\Quicken\BsSndRpt.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:595]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BsSndRpt.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:595]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BsSndRpt.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:595]: Executing op:  
ComponentRegister(ComponentId={55059C5C-0224-4BAC-A2BA-28DBD6029411},KeyPath=C:\Program Files  
(x86)\Quicken\BugSplat.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:596]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BugSplat.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:596]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BugSplat.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:596]: Executing op:  
ComponentRegister(ComponentId={B5D5E24D-B72F-478A-80C6-C2AEE91DC0D7},KeyPath=C:\Program Files  
(x86)\Quicken\BugSplatRc.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:597]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BugSplatRc.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:597]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BugSplatRc.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:597]: Executing op:  
ComponentRegister(ComponentId={EAD32D7C-8B8D-40AC-A934-ED8B3F5ED145},KeyPath=C:\Program Files  
(x86)\Quicken\CEFBrowser.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:597]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\CEFBrowser.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:597]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\CEFBrowser.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:598]: Executing op:  
ComponentRegister(ComponentId={5C7F65AE-B7F7-43D1-960C-46408E95602B},Key Path=C:\Program Files (x86)\Quicken\CalendarSync.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:598]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\CalendarSync.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:598]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\CalendarSync.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:599]: Executing op:  
ComponentRegister(ComponentId={DBAE8AF6-52B7-42AE-9F64-548CB0AE325C},Key Path=C:\Program Files (x86)\Quicken\ClosedXML.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:599]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ClosedXML.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:599]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ClosedXML.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:599]: Executing op:  
ComponentRegister(ComponentId={879BF187-8F30-4B08-A42D-114702C98E4C},Key Path=C:\Program Files (x86)\Quicken\CreditScoreRestWebRequest.dll,State=3,,Disk=1,SharedDllRefCount=1, BinaryType=0)

MSI (s) (34:C8) [13:43:44:600]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\CreditScoreRestWebRequest.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:600]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\CreditScoreRestWebRequest.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:600]: Executing op:  
ComponentRegister(ComponentId={E77AC945-49D2-459A-A5D5-7CBFCBDF2616},Key Path=C:\Program Files (x86)\Quicken\DPIInfo.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:600]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\DPIInfo.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:600]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\DPIInfo.exe' folder had been blocked by the 1 mask argument (the

folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:601]: Executing op:

ComponentRegister(ComponentId={7D100882-60F6-4467-AEA4-363932A026FE},Key Path=C:\Program Files

(x86)\Quicken\DocumentFormat.OpenXml.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:601]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\DocumentFormat.OpenXml.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:601]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\DocumentFormat.OpenXml.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:602]: Executing op:

ComponentRegister(ComponentId={24C72550-116A-4E57-9985-2D7DEDABEF3F},Key Path=C:\Program Files

(x86)\Quicken\EO.Base.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:602]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.Base.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:602]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.Base.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:602]: Executing op:

ComponentRegister(ComponentId={0BC08A2E-448F-4947-9E03-A1DCBC3C81FF},Key Path=C:\Program Files

(x86)\Quicken\EO.WebBrowser.Wpf.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:603]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.WebBrowser.Wpf.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:603]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.WebBrowser.Wpf.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:603]: Executing op:

ComponentRegister(ComponentId={58246F05-3570-4787-8102-D56EDE09F909},Key Path=C:\Program Files

(x86)\Quicken\EO.WebBrowser.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:604]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.WebBrowser.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:604]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.WebBrowser.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:604]: Executing op:

ComponentRegister(ComponentId={B707087B-3AF5-46FE-AFEC-0C673C7730BE},Key

yPath=C:\Program Files  
(x86)\Quicken\EO.WebEngine.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0  
)  
MSI (s) (34:C8) [13:43:44:604]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.WebEngine.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:604]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.WebEngine.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:605]: Executing op:  
ComponentRegister(ComponentId={634B3697-AE07-4315-A747-CE34A9EBBA2A},KeyPath=C:\Program Files (x86)\Quicken\EmergencyRecordsOrganizer.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:605]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EmergencyRecordsOrganizer.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:605]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EmergencyRecordsOrganizer.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:606]: Executing op:  
ComponentRegister(ComponentId={FE9A1C0B-BE6E-42C9-9782-8EE2E117106F},KeyPath=C:\ProgramData\Quicken\Help\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:606]: Executing op:  
ComponentRegister(ComponentId={04457B81-7670-45CA-B3E8-C6F866AAFE3F},KeyPath=C:\Program Files (x86)\Common Files\Quicken\Internet Client\Certs\ofxca-g2.crt,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:606]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\Certs\ofxca-g2.crt' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:606]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\Certs\ofxca-g2.crt' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:607]: Executing op:  
ComponentRegister(ComponentId={1A262E42-75E1-4F64-8BCC-B4297465B4B2},KeyPath=C:\Program Files (x86)\Quicken\InetTools.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:607]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\InetTools.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:607]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\InetTools.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:608]: Executing op:  
ComponentRegister(ComponentId={F3242037-6C52-4BBB-9E68-EFB0E0EDE2CE},Key

yPath=C:\Program Files  
(x86)\Quicken\PDFDrv\InstallPDFConverter.exe,State=3,,Disk=1,SharedDllRefCount=0, BinaryType=0)  
MSI (s) (34:C8) [13:43:44:608]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\InstallPDFConverter.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:608]: Executing op:  
ComponentRegister(ComponentId={0D386BDE-961A-44EA-A060-69AADAA14AF4},KeyPath=C:\Program Files  
(x86)\Quicken\Intuit.Ctg.Wte.AppShellFramework.Capabilities.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:608]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Intuit.Ctg.Wte.AppShellFramework.Capabilities.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:608]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Intuit.Ctg.Wte.AppShellFramework.Capabilities.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:609]: Executing op:  
ComponentRegister(ComponentId={563324F0-153B-49E8-B8CA-D5A676EA16E5},KeyPath=C:\Program Files  
(x86)\Quicken\Intuit.Ctg.Wte.AppShellFramework.Core.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:609]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Intuit.Ctg.Wte.AppShellFramework.Core.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:609]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Intuit.Ctg.Wte.AppShellFramework.Core.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:610]: Executing op:  
ComponentRegister(ComponentId={4B3A6F76-8883-429F-B3C2-97F2578F318B},KeyPath=C:\Program Files  
(x86)\Quicken\Intuit.Ctg.Wte.TaxContainer.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:610]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Intuit.Ctg.Wte.TaxContainer.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:610]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Intuit.Ctg.Wte.TaxContainer.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:610]: Executing op:  
ComponentRegister(ComponentId={9A09FE9F-8F03-4C36-97FA-02A432D10C67},KeyPath=C:\Program Files  
(x86)\Quicken\Ionic.Zip.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:611]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Ionic.Zip.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).



MSI (s) (34:C8) [13:43:44:611]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Ionic.Zip.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:611]: Executing op:

ComponentRegister(ComponentId={47637BA7-3EFD-4DAA-AAD4-800D814FEBE5},KeyPath=C:\Program Files (x86)\Quicken\Microsoft.Expression.Interactions.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:611]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Microsoft.Expression.Interactions.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:611]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Microsoft.Expression.Interactions.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:612]: Executing op:

ComponentRegister(ComponentId={0BEA68A8-C4B0-4FDC-AA43-D772E01E6331},KeyPath=C:\Program Files (x86)\Quicken\MoneyFileConverter.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:612]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\MoneyFileConverter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:612]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\MoneyFileConverter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:613]: Executing op:

ComponentRegister(ComponentId={742D85C3-55E1-4505-90B0-426D4C3D5FAE},KeyPath=C:\Program Files (x86)\Quicken\MoneyFileReader.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:613]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\MoneyFileReader.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:613]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\MoneyFileReader.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:613]: Executing op:

ComponentRegister(ComponentId={CCA64FE0-A3DA-40EA-9928-5DCCC346C922},KeyPath=C:\Program Files (x86)\Quicken\Newtonsoft.Json.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:614]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Newtonsoft.Json.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:614]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Newtonsoft.Json.dll' folder had been blocked by the 1 mask

argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:614]: Executing op:

ComponentRegister(ComponentId={F7E47318-6E47-43FE-B423-65C845EBC7B8},Key Path=C:\Program Files

(x86)\Quicken\PhoneHomeMgr.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:614]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PhoneHomeMgr.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:614]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PhoneHomeMgr.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:615]: Executing op:

ComponentRegister(ComponentId={7ED69155-3A27-49B7-9C15-E2EC0FBFF28B},Key Path=C:\Program Files

(x86)\Quicken\QAM.Authorization.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:615]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QAM.Authorization.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:615]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QAM.Authorization.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:616]: Executing op:

ComponentRegister(ComponentId={7F5C8914-DF20-4434-862C-FA08DDB2644F},Key Path=C:\Program Files

(x86)\Quicken\QCustomAction.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:616]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QCustomAction.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:616]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QCustomAction.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:616]: Executing op:

ComponentRegister(ComponentId={734431FC-2568-447A-823D-E54B10B74480},Key Path=C:\Program Files

(x86)\Quicken\QuickenHomeInventory.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:617]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenHomeInventory.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:617]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenHomeInventory.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:617]: Executing op:

ComponentRegister(ComponentId={41E80796-9B53-4312-8A16-32E757BBD229},Key Path=C:\Program Files (x86)\Quicken\QWInstrumentation.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:617]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QWInstrumentation.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:617]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QWInstrumentation.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:618]: Executing op:

ComponentRegister(ComponentId={3A8628E2-4679-4430-87DE-9B38C579334A},Key Path=C:\Program Files

(x86)\Quicken\QWVER.DLL,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:618]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QWVER.DLL' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:618]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QWVER.DLL' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:618]: Executing op:

ComponentRegister(ComponentId={EC60B8C2-5890-4ECA-B29E-EE75307AE888},Key Path=C:\Program Files

(x86)\Quicken\Qsapi\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:619]: Executing op:

ComponentRegister(ComponentId={BA8F5998-CE82-4143-8277-6B83200C031C},Key Path=C:\Program Files

(x86)\Quicken\QuickenBillPresentment.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:620]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenBillPresentment.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:620]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenBillPresentment.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:620]: Executing op:

ComponentRegister(ComponentId={79F063DF-E829-4DE4-A65C-3C08B564204E},Key Path=C:\Program Files

(x86)\Quicken\QuickenFeatures.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:620]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenFeatures.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:620]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenFeatures.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:621]: Executing op:  
ComponentRegister(ComponentId={EB0DAD51-F82F-40CA-BB41-15144AC4180A},KeyPath=C:\ProgramData\Quicken\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:621]: Executing op:  
ComponentRegister(ComponentId={1D5562B1-D1A0-4663-840E-1868CF8CD5BF},KeyPath=C:\Program Files  
(x86)\Quicken\QuickenInterfaces.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:622]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenInterfaces.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:622]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenInterfaces.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:622]: Executing op:  
ComponentRegister(ComponentId={4F588FC6-0A84-4EEF-90FD-13B6FA55B1FF},KeyPath=C:\Program Files  
(x86)\Quicken\QuickenInterop.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:622]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenInterop.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:622]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenInterop.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:623]: Executing op:  
ComponentRegister(ComponentId={1B690AF8-AD7A-4976-A921-F44233CF80BC},KeyPath=C:\Program Files  
(x86)\Quicken\QuickenMap.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:623]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenMap.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:623]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenMap.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:624]: Executing op:  
ComponentRegister(ComponentId={3CC3F282-F02E-41E2-B1C6-4AF9D45872A4},KeyPath=C:\Program Files  
(x86)\Quicken\QuickenOLBackupLauncher.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:624]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenOLBackupLauncher.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:624]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenOLBackupLauncher.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:625]: Executing op:

ComponentRegister(ComponentId={53F9421E-1A36-4AC2-AA0A-DAC8B15EB2D8},KeyPath=C:\Program Files (x86)\Quicken\QuickenServices.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:625]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenServices.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:625]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenServices.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:625]: Executing op:

ComponentRegister(ComponentId={2C4AE7EC-D294-4EB5-B470-4DCE5B57BF23},KeyPath=C:\Program Files (x86)\Quicken\QuickenTurboTaxImporter.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:626]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenTurboTaxImporter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:626]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenTurboTaxImporter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:626]: Executing op:

ComponentRegister(ComponentId={23CEAA5E-FCC4-4300-970B-D8ACDBAB74C0},KeyPath=C:\Program Files (x86)\Quicken\QuickenUseCases.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:626]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenUseCases.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:626]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenUseCases.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:627]: Executing op:

ComponentRegister(ComponentId={EC9E1BAB-6CC5-455C-A9FC-C07BC1814D26},KeyPath=C:\Program Files (x86)\Quicken\QuickenWindow.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:627]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenWindow.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:627]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenWindow.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:628]: Executing op:

ComponentRegister(ComponentId={BC3A22DC-20A9-49B1-BADB-7389D1B919A7},KeyPath=C:\Program Files

(x86)\Quicken\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:628]: Executing op:  
ComponentRegister(ComponentId={56230074-95B5-44D1-BD9D-267713F3F626},Key  
Path=C:\Program Files  
(x86)\Quicken\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:629]: Executing op:  
ComponentRegister(ComponentId={5A2E3114-FCCC-44CC-AB18-9CF8FC278372},Ke  
yPath=C:\Program Files  
(x86)\Quicken\RPMMigration\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:629]: Executing op:  
ComponentRegister(ComponentId={139E832D-084C-47AA-8145-C8B51B003457},Key  
Path=C:\Program Files  
(x86)\Quicken\RestSharp.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:629]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\RestSharp.dll' folder had been blocked by the 1 mask argument  
(the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:629]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\RestSharp.dll' folder had been blocked by the 1 mask argument  
(the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:630]: Executing op:  
ComponentRegister(ComponentId={47EEF0D3-1831-4AC4-9D3C-25BC62295181},Ke  
yPath=C:\Program Files  
(x86)\Quicken\RestartExe.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:630]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\RestartExe.exe' folder had been blocked by the 1 mask argument  
(the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:630]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\RestartExe.exe' folder had been blocked by the 1 mask argument  
(the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:631]: Executing op:  
ComponentRegister(ComponentId={47E206EC-E6DC-447A-911F-C09BD3DFAAD4},K  
eyPath=C:\Program Files  
(x86)\Quicken\SQLite.Interop.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:631]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\SQLite.Interop.dll' folder had been blocked by the 1 mask argument  
(the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:631]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\SQLite.Interop.dll' folder had been blocked by the 1 mask argument  
(the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:632]: Executing op:  
ComponentRegister(ComponentId={8A0D569B-1450-4788-A27B-D022ED3CBF84},,St  
ate=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:632]: Executing op:  
ComponentRegister(ComponentId={88FBBDF8-3391-48BB-A523-AA3337C7D73F},,St  
ate=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:633]: Executing op:

ComponentRegister(ComponentId={00CFC52E-5200-4105-ABB1-8F55B2A4C450},KeyPath=C:\Program Files (x86)\Quicken\Snap\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:633]: Executing op:  
ComponentRegister(ComponentId={35F54B6C-09C1-4CDE-994B-AC5EFDFA7C12},KeyPath=C:\Program Files (x86)\Quicken\System.Data.SQLite.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:634]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\System.Data.SQLite.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:634]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\System.Data.SQLite.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:634]: Executing op:  
ComponentRegister(ComponentId={6ABA27A2-5C39-49C2-926D-7313A5B74E6E},KeyPath=C:\Program Files (x86)\Quicken\System.Windows.Controls.DataVisualization.Toolkit.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:635]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\System.Windows.Controls.DataVisualization.Toolkit.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:635]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\System.Windows.Controls.DataVisualization.Toolkit.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:635]: Executing op:  
ComponentRegister(ComponentId={8DC2304E-B6B6-4484-BA46-8F9757480986},KeyPath=C:\Program Files (x86)\Quicken\System.Windows.Interactivity.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:636]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\System.Windows.Interactivity.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:636]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\System.Windows.Interactivity.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:636]: Executing op:  
ComponentRegister(ComponentId={CD13ABCD-A63C-46A8-8CA5-F0C2F4C8F0F2},KeyPath=C:\Program Files (x86)\Quicken\ToolkitPro1720vc100.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:637]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ToolkitPro1720vc100.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:637]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ToolkitPro1720vc100.dll' folder had been blocked by the 1 mask

argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:637]: Executing op:  
ComponentRegister(ComponentId={10F27DC3-94D4-41EE-A471-9BD1CB616FFA},KeyPath=C:\Program Files  
(x86)\Quicken\UpdateContent.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:638]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\UpdateContent.dll' folder had been blocked by the 1 mask  
argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:638]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\UpdateContent.dll' folder had been blocked by the 1 mask  
argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:638]: Executing op:  
ComponentRegister(ComponentId={FC13ABCF-A63C-46A8-8CA5-F0C2F4C8F0F2},KeyPath=C:\Program Files  
(x86)\Quicken\Windows8.cjstyles,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0  
)  
MSI (s) (34:C8) [13:43:44:638]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\Windows8.cjstyles' folder had been blocked by the 1 mask  
argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:639]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\Windows8.cjstyles' folder had been blocked by the 1 mask  
argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:639]: Executing op:  
ComponentRegister(ComponentId={A7E999F0-FE35-4C6F-9B67-DCFD62DB6E1C},KeyPath=C:\Program Files  
(x86)\Quicken\Xceed.Wpf.Toolkit.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType  
=0)  
MSI (s) (34:C8) [13:43:44:639]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\Xceed.Wpf.Toolkit.dll' folder had been blocked by the 1 mask  
argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:639]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\Xceed.Wpf.Toolkit.dll' folder had been blocked by the 1 mask  
argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:640]: Executing op:  
ComponentRegister(ComponentId={E22EEDBD-CD12-4A99-8FD2-433C65DA3F10},KeyPath=C:\Program Files  
(x86)\Quicken\\_qw.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:640]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\\_qw.dll' folder had been blocked by the 1 mask argument (the  
folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:640]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\\_qw.dll' folder had been blocked by the 1 mask argument (the  
folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:641]: Executing op:  
ComponentRegister(ComponentId={BC1A8F14-1F47-4712-AD34-4E614CA46DF5},KeyPath=C:\Program Files



(x86)\Quicken\PDFDrv\acfpdfu.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0  
)  
MSI (s) (34:C8) [13:43:44:641]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\acfpdfu.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:641]: Executing op:  
ComponentRegister(ComponentId={DC5B6203-01D7-4520-AA5C-897C721C42D3},KeyPath=C:\Program Files  
(x86)\Quicken\PDFDrv\acfpdfuamd64.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:642]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\acfpdfuamd64.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:642]: Executing op:  
ComponentRegister(ComponentId={1C6F3F2D-2A0E-436E-9CE7-12D96419FAC2},KeyPath=C:\Program Files  
(x86)\Quicken\PDFDrv\acfpdfui.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:642]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\acfpdfui.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:643]: Executing op:  
ComponentRegister(ComponentId={A5A54D4C-37E2-4CAF-A4CA-C183FAD75D67},KeyPath=C:\Program Files  
(x86)\Quicken\PDFDrv\acfpdfuiamd64.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:643]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\acfpdfuiamd64.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:643]: Executing op:  
ComponentRegister(ComponentId={B95CC899-6A3C-4A92-A70D-5EA001C9A022},KeyPath=C:\Program Files  
(x86)\Quicken\PDFDrv\amyuni.inf,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0  
)  
MSI (s) (34:C8) [13:43:44:644]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\amyuni.inf' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:644]: Executing op:  
ComponentRegister(ComponentId={208D3366-895D-4B7A-8F24-429DDA624B93},KeyPath=C:\Program Files (x86)\Common Files\Quicken\Internet Client\assist.chm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:644]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\assist.chm' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:644]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\assist.chm' folder had been blocked

by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:645]: Executing op:

ComponentRegister(ComponentId={16DFDEB9-87F4-4DC0-BA6C-9FDCD0704AE2},KeyPath=C:\Program Files (x86)\Common Files\Quicken\Internet Client\assist.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:645]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\assist.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:645]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\assist.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:646]: Executing op:

ComponentRegister(ComponentId={658482DD-66E5-43AF-8563-D826DAA1E733},KeyPath=C:\Program Files (x86)\Quicken\PDFDrv\atpdf500.cat,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:646]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\atpdf500.cat' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:646]: Executing op:

ComponentRegister(ComponentId={A818BF07-5FD6-45D7-B25D-BF94C6E9491F},KeyPath=C:\Program Files (x86)\Quicken\avcodec-53.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:646]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\avcodec-53.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:647]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\avcodec-53.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:647]: Executing op:

ComponentRegister(ComponentId={19C6D7DC-E7EB-4F09-A623-580627032CBE},KeyPath=C:\Program Files (x86)\Quicken\avformat-53.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:647]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\avformat-53.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:647]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\avformat-53.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:648]: Executing op:

ComponentRegister(ComponentId={93BAA074-5E7B-44AB-AF69-0FC712E29021},KeyPath=C:\Program Files (x86)\Quicken\avutil-51.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:648]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\avutil-51.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:648]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\avutil-51.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:649]: Executing op:

ComponentRegister(ComponentId={BBB96749-8296-4818-875B-1C6521155418},Key Path=C:\Program Files

(x86)\Quicken\bagent.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:649]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\bagent.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:649]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\bagent.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:649]: Executing op:

ComponentRegister(ComponentId={53B749DD-3FE0-4F9E-8D98-B1AD0E1B2883},Key Path=C:\Program Files

(x86)\Quicken\bgt.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:650]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\bgt.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:650]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\bgt.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:650]: Executing op:

ComponentRegister(ComponentId={4920C790-49E0-42A9-80BB-5FB58A0B50B0},Key Path=C:\Program Files

(x86)\Quicken\billmind.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:651]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\billmind.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:651]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\billmind.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:651]: Executing op:

ComponentRegister(ComponentId={25DF9F52-7922-4D3F-A51F-EEFA29CA8B88},Key Path=C:\Program Files

(x86)\Quicken\billmind\_alrtpkg.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:652]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\billmind\_alrtpkg.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:652]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\billmind\_alrtpkg.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:652]: Executing op:

ComponentRegister(ComponentId={D9D53C87-401B-48DE-815A-2656E611FE0F},Ke

yPath=C:\Program Files  
(x86)\Quicken\billmind\_qwrmnd.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:653]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\billmind\_qwrmnd.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:653]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\billmind\_qwrmnd.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:653]: Executing op:  
ComponentRegister(ComponentId={8FBC0888-A506-4AE9-933A-B2AB0E361D36},KeyPath=C:\Program Files  
(x86)\Quicken\cashgen.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:654]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\cashgen.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:654]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\cashgen.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:654]: Executing op:  
ComponentRegister(ComponentId={01A64C95-D3C5-4428-88B9-DE168E8D4EFC},KeyPath=C:\Program Files  
(x86)\Quicken\PDFDrv\cdintf.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:654]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\cdintf.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:655]: Executing op:  
ComponentRegister(ComponentId={5CB0D7AB-F411-4436-857D-E3986C132368},KeyPath=C:\Program Files  
(x86)\Quicken\PDFDrv\cdintf64.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:655]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\cdintf64.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:655]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\cdintf64.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:655]: Executing op:  
ComponentRegister(ComponentId={43D27F03-1A95-4C24-988B-3D4DC8E5ED14},KeyPath=C:\Program Files  
(x86)\Quicken\locales\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:656]: Executing op:  
ComponentRegister(ComponentId={4A093800-F737-4BF4-A9F1-FBDA3995D231},KeyPath=C:\Program Files  
(x86)\Quicken\ScreenShare\cefscreenshare.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:656]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\cefscreenshare.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:656]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\cefscreenshare.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:656]: Executing op:

ComponentRegister(ComponentId={EAAF3928-02B5-4436-8B24-FE1D49347C77},Key Path=C:\Program Files

(x86)\Quicken\certs\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:657]: Executing op:

ComponentRegister(ComponentId={FA75D499-AAD1-4E42-9805-F76DCD1ECD97},Key Path=C:\Program Files

(x86)\Quicken\d3dcompiler\_43.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:657]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\d3dcompiler\_43.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:657]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\d3dcompiler\_43.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:658]: Executing op:

ComponentRegister(ComponentId={7DAFFA97-78C6-4C4B-A496-B2131C6A7CC9},Key Path=C:\Program Files

(x86)\Quicken\ScreenShare\d3dcompiler\_43.dll,State=3,,Disk=1,SharedDllRefCount=1, BinaryType=0)

MSI (s) (34:C8) [13:43:44:658]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\d3dcompiler\_43.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:658]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\d3dcompiler\_43.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:658]: Executing op:

ComponentRegister(ComponentId={19FCAB87-790E-4D8E-B711-B98C68A8D55E},Key Path=C:\Program Files

(x86)\Quicken\ScreenShare\d3dcompiler\_47.dll,State=3,,Disk=1,SharedDllRefCount=1, BinaryType=0)

MSI (s) (34:C8) [13:43:44:659]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\d3dcompiler\_47.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:659]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\d3dcompiler\_47.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:659]: Executing op:

ComponentRegister(ComponentId={2CA05CEB-8A54-4D3B-8581-1C2E69C7C337},Key Path=C:\Program Files

(x86)\Quicken\d3dcompiler\_47.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0  
)

MSI (s) (34:C8) [13:43:44:659]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\d3dcompiler\_47.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:659]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\d3dcompiler\_47.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:660]: Executing op:

ComponentRegister(ComponentId={79649B97-8F04-4F24-BDA6-F1DF733E702F},Key Path=C:\Program Files

(x86)\Quicken\dbghelp.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:660]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dbghelp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:660]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dbghelp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:660]: Executing op:

ComponentRegister(ComponentId={B69DEC94-A3F2-440E-897F-77CA5DBADEE8},Key Path=C:\Program Files

(x86)\Quicken\decapi.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:661]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\decapi.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:661]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\decapi.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:661]: Executing op:

ComponentRegister(ComponentId={9E87CB90-AF68-4F86-8506-346CE72E0C48},Key Path=C:\Program Files

(x86)\Quicken\dellid.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:662]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dellid.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:662]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dellid.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:662]: Executing op:

ComponentRegister(ComponentId={308C7850-E37C-4C6E-A872-4264DCB5B1AA},,State=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:662]: Executing op:

ComponentRegister(ComponentId={24F61C09-7B5B-414F-815C-A427C3B35900},Key Path=C:\Program Files

(x86)\Quicken\err\_rep.chm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:663]: WIN64DUALFOLDERS: Substitution in 'C:\Program

Files (x86)\Quicken\err\_rep.chm' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:663]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\err\_rep.chm' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:663]: Executing op:

ComponentRegister(ComponentId={50699B8A-E6EC-4F90-9AF4-0A7B7AB77EF5},KeyPath=C:\Program Files

(x86)\Quicken\gdipapi.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:663]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\gdipapi.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:664]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\gdipapi.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:664]: Executing op:

ComponentRegister(ComponentId={B13F4068-4852-446C-8543-71D66DA2062A},KeyPath=C:\ProgramData\Quicken\Hpbank\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:664]: Executing op:

ComponentRegister(ComponentId={839CD682-950E-437B-A001-C30778F140BA},KeyPath=C:\ProgramData\Quicken\Hpbiz\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:665]: Executing op:

ComponentRegister(ComponentId={7A2DE35A-8845-40D7-884C-B7EDB5A4C811},KeyPath=C:\ProgramData\Quicken\Hpcar\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:665]: Executing op:

ComponentRegister(ComponentId={B2F684E4-C3A9-4734-A19A-9967FE99CD5E},KeyPath=C:\ProgramData\Quicken\Hphome\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:665]: Executing op:

ComponentRegister(ComponentId={A8C12C12-3E34-4036-BE1E-8AA702DDE674},KeyPath=C:\ProgramData\Quicken\Hpinvest\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:666]: Executing op:

ComponentRegister(ComponentId={B06431C0-EF93-4A7C-80DF-6024829FB1C6},,State=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:666]: Executing op:

ComponentRegister(ComponentId={2F6C4BE1-62BF-4EE6-9DFC-0D52DFD8D7CC},KeyPath=C:\ProgramData\Quicken\Hpplan\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:667]: Executing op:

ComponentRegister(ComponentId={F6C528C6-BFF4-4A4D-BB49-411C3D77B79F},KeyPath=C:\ProgramData\Quicken\Hprpm\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:667]: Executing op:  
ComponentRegister(ComponentId={A326D132-3AE4-440A-AD0A-7142DE26E89B},KeyPath=C:\ProgramData\Quicken\Hptax\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:667]: Executing op:  
ComponentRegister(ComponentId={FFAEEB9F-3976-4FA0-8E06-6CC1DF1BD151},KeyPath=C:\ProgramData\Quicken\Inet\Common\Alerts\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:668]: Executing op:  
ComponentRegister(ComponentId={023DF075-4A39-4F2F-93F8-E5CFCA6039BB},KeyPath=C:\ProgramData\Quicken\Inet\Common\Content\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:668]: Executing op:  
ComponentRegister(ComponentId={E50BB128-540B-41F9-AAA7-09CABBB31E1B},KeyPath=C:\ProgramData\Quicken\Inet\Common\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:668]: Executing op:  
ComponentRegister(ComponentId={2B79CE23-701A-49A1-8E6B-88EB9C576FFB},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:669]: Executing op:  
ComponentRegister(ComponentId={F88285E1-4D61-436A-8570-7B9DB7BD7C25},KeyPath=C:\ProgramData\Quicken\Inet\Common\Onlnenr\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:669]: Executing op:  
ComponentRegister(ComponentId={4484DE66-6B20-4732-B6AD-5B4623E92013},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:670]: Executing op:  
ComponentRegister(ComponentId={C89FB3D7-1F4C-441C-B354-89D47BAD9815},KeyPath=C:\ProgramData\Quicken\Inet\Common\Qfpdata\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:670]: Executing op:  
ComponentRegister(ComponentId={A30CFC25-253C-453E-8DD7-8EB2F0BDD6D0},KeyPath=C:\ProgramData\Quicken\Inet\Common\Qwipa\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:670]: Executing op:  
ComponentRegister(ComponentId={4A2F892B-AA7C-45C3-B486-4044E1FEBF1A},KeyPath=C:\ProgramData\Quicken\Inet\Common\System\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:671]: Executing op:  
ComponentRegister(ComponentId={C7FD345E-85C5-442A-A082-6FDAF2F60B38},KeyPath=C:\ProgramData\Quicken\Inet\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:671]: Executing op:  
ComponentRegister(ComponentId={3C864822-E0AF-456D-A803-97B23FA7948E},Key



Path=C:\Program Files (x86)\Common Files\Quicken\Internet Client\inetclnt.chm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:671]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\inetclnt.chm' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:671]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\inetclnt.chm' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:672]: Executing op:  
ComponentRegister(ComponentId={7D3396B3-A855-4777-BEDC-CE1B7A64CED3},KeyPath=C:\WINDOWS\SysWOW64\inetclnt.dll,State=3,,Disk=1,SharedDllRefCount=3,BinaryType=0)

MSI (s) (34:C8) [13:43:44:672]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\inetclnt.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:672]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\inetclnt.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:672]: Executing op:  
ComponentRegister(ComponentId={42D54BF8-AC88-4964-9F6E-E1FB0951B99C},KeyPath=C:\ProgramData\Quicken\inet\Common\fsconf\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:673]: Executing op:  
ComponentRegister(ComponentId={DB494011-FED2-4C98-BBF7-3000BF6AF797},KeyPath=C:\Program Files (x86)\Quicken\jsoncpp.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:673]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\jsoncpp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:673]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\jsoncpp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:674]: Executing op:  
ComponentRegister(ComponentId={7A3A7C30-F56B-485B-BFF5-3C8E617B51BD},KeyPath=C:\Program Files (x86)\Common Files\Quicken\Internet Client\launch32.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:674]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\launch32.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:674]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\launch32.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:675]: Executing op:  
ComponentRegister(ComponentId={69EBF0A6-0BFD-4CCD-B6CF-F2884FCD32E3},KeyPath=C:\Program Files (x86)\Quicken\lbt.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:675]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:675]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:675]: Executing op:  
ComponentRegister(ComponentId={7BC30318-E698-4F48-AF76-4DC4C8CE69ED},KeyPath=C:\Program Files (x86)\Quicken\lbt\_Auto1Way.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:676]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_Auto1Way.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:676]: Executing op:  
ComponentRegister(ComponentId={4DFD8B6D-44AD-4BDB-9420-31039DDB10A0},KeyPath=C:\Program Files (x86)\Quicken\lbt\_customerCentral.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:676]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_customerCentral.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:676]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_customerCentral.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:677]: Executing op:  
ComponentRegister(ComponentId={E9025BDE-0633-4277-AB02-7B17E2DB0808},KeyPath=C:\Program Files (x86)\Quicken\lbt\_decompression.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:677]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_decompression.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:677]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_decompression.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:678]: Executing op:  
ComponentRegister(ComponentId={4AB972D1-FB9E-4CC6-BDA8-2D2DBCA085FA},KeyPath=C:\Program Files (x86)\Quicken\lbt\_excite.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:678]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_excite.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:678]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_excite.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:678]: Executing op:

ComponentRegister(ComponentId={BBC07C98-17A1-444B-87FB-2125FCC53843},KeyPath=C:\Program Files (x86)\Quicken\lbt\_pvsync.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:679]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_pvsync.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:679]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_pvsync.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:679]: Executing op:  
ComponentRegister(ComponentId={92ECABE9-BBA1-4235-9943-9E85B546A969},KeyPath=C:\Program Files (x86)\Quicken\lbt\_qplus.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:679]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_qplus.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:680]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_qplus.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:680]: Executing op:  
ComponentRegister(ComponentId={D7361E67-75CD-4D45-A917-596EB33A9365},KeyPath=C:\Program Files (x86)\Quicken\lbt\_qupddir.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:680]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_qupddir.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:680]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_qupddir.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:681]: Executing op:  
ComponentRegister(ComponentId={14EB7C4B-60D6-48E0-8D4A-A086CCFE8350},KeyPath=C:\Program Files (x86)\Quicken\lbt\_rte.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:681]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_rte.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:681]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_rte.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:682]: Executing op:  
ComponentRegister(ComponentId={4F5B8C42-8D6B-4C14-AD16-4556EC084141},KeyPath=C:\Program Files (x86)\Quicken\lbt\_ux.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:682]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_ux.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:682]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_ux.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:682]: Executing op:  
ComponentRegister(ComponentId={330686D5-DEE4-4DA9-8155-DC4BEE206F6C},KeyPath=C:\Program Files (x86)\Quicken\lbt\_webrequest.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:683]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_webrequest.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:683]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_webrequest.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:683]: Executing op:  
ComponentRegister(ComponentId={67445F59-E4E1-4693-A620-E847F7B859EF},KeyPath=C:\Program Files (x86)\Quicken\libEGL.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:684]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\libEGL.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:684]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\libEGL.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:684]: Executing op:  
ComponentRegister(ComponentId={3912A06A-B323-4102-822A-6A00AC4F622A},KeyPath=C:\Program Files (x86)\Quicken\ScreenShare\libEGL.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:684]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\libEGL.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:684]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\libEGL.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:685]: Executing op:  
ComponentRegister(ComponentId={64224C89-A244-4219-9FAE-DFA7BBFC8005},KeyPath=C:\Program Files (x86)\Quicken\libGLSLv2.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:685]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\libGLSLv2.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:685]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\libGLSLv2.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:686]: Executing op:  
ComponentRegister(ComponentId={0D9B2ED1-579C-45D1-BFAD-74BF7F3CD91A},K

eyPath=C:\Program Files

(x86)\Quicken\ScreenShare\libGLESv2.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:686]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\libGLESv2.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:686]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\libGLESv2.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:687]: Executing op:

ComponentRegister(ComponentId={6E67E3D5-DF35-41E1-A56C-94E84253AF4A},KeyPath=C:\Program Files

(x86)\Quicken\libcef.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:687]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\libcef.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:687]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\libcef.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:688]: Executing op:

ComponentRegister(ComponentId={785BA725-8EA6-43D7-A889-DE34A3D03BD4},KeyPath=C:\Program Files

(x86)\Quicken\ScreenShare\libcef.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:688]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\libcef.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:688]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\libcef.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:689]: Executing op:

ComponentRegister(ComponentId={AC5213FC-751F-4824-AE9C-B1C3B6E39540},,State=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:689]: Executing op:

ComponentRegister(ComponentId={792F6FBB-6D56-41F8-98A4-614C752E7D4D},KeyPath=C:\Program Files

(x86)\Quicken\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:689]: Executing op:

ComponentRegister(ComponentId={52CCCFA2-7FE5-404F-B730-83C100D8CB8C},KeyPath=C:\Program Files

(x86)\Quicken\patchw32.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:690]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\patchw32.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:690]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\patchw32.dll' folder had been blocked by the 1 mask argument (the

folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:690]: Executing op:

ComponentRegister(ComponentId={3473387B-494F-4A37-B89C-70D7F8AC8098},Key Path=C:\Program Files

(x86)\Quicken\printenv.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:691]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\printenv.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:691]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\printenv.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:691]: Executing op:

ComponentRegister(ComponentId={1EE7D8EF-DC68-4E1A-A966-565CA6DD2948},Key Path=C:\ProgramData\Quicken\lnet\Comman\patch\Notify\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:692]: Executing op:

ComponentRegister(ComponentId={A2DA5791-CF22-4DD5-9812-DCDB8CCA8C51},Key Path=C:\ProgramData\Quicken\lnet\Comman\patch\Update\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:692]: Executing op:

ComponentRegister(ComponentId={32602E24-9183-448F-B4A8-3212B6B534B5},Key Path=C:\Program Files

(x86)\Quicken\qcon32.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:692]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qcon32.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:692]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qcon32.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:693]: Executing op:

ComponentRegister(ComponentId={EC46C26E-C3F6-48D8-9DAB-486315CA059A},Key Path=C:\Program Files

(x86)\Quicken\qnet.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:693]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qnet.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:693]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qnet.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:694]: Executing op:

ComponentRegister(ComponentId={C0591DBC-B9D8-4288-BA1D-F7C2C3286DD7},Key Path=C:\Program Files

(x86)\Quicken\Qsapi\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:694]: Executing op:

ComponentRegister(ComponentId={BA97635D-D67B-4045-BD33-DF40033CF178},Key Path=C:\Program Files

(x86)\Quicken\quickenPatch.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:694]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\quickenPatch.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:694]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\quickenPatch.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:695]: Executing op:  
ComponentRegister(ComponentId={66E624FC-C308-42B1-944C-2ABD19D31C51},KeyPath=C:\Program Files  
(x86)\Quicken\quickenutil.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:695]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\quickenutil.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:695]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\quickenutil.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:696]: Executing op:  
ComponentRegister(ComponentId={B9EB7765-32AF-4F50-A57A-BA452070B9EE},KeyPath=C:\Program Files  
(x86)\Quicken\qw.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:696]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qw.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:696]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qw.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:697]: Executing op:  
ComponentRegister(ComponentId={6E85DD21-CC28-40E8-A6A5-2583FB6750DA},KeyPath=C:\Program Files  
(x86)\Quicken\qwDataFileSanitizer.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:697]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwDataFileSanitizer.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:697]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwDataFileSanitizer.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:698]: Executing op:  
ComponentRegister(ComponentId={6D8A9955-7279-4FE5-886C-285049C79AE4},KeyPath=C:\Program Files  
(x86)\Quicken\qwManagedInterop.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:698]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwManagedInterop.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:698]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwManagedInterop.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:698]: Executing op:

ComponentRegister(ComponentId={474B7ADE-CE5C-4884-B970-B8D25129BD6C},KeyPath=C:\Program Files (x86)\Quicken\qwManagedLayer.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:699]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwManagedLayer.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:699]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwManagedLayer.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:699]: Executing op:

ComponentRegister(ComponentId={4E3FDEEE-F185-4F55-8226-8622EF8D1C2C},KeyPath=C:\Program Files (x86)\Quicken\qwSubprocess.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:700]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwSubprocess.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:700]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwSubprocess.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:700]: Executing op:

ComponentRegister(ComponentId={988D2C36-602A-4594-A284-2Aafb87E248C},KeyPath=C:\Program Files (x86)\Quicken\Snap\qw\_weblinks\_ss.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:700]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_weblinks\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:700]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_weblinks\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:701]: Executing op:

ComponentRegister(ComponentId={1A67B1A9-5443-4FF3-BE98-B5C38C70ED33},KeyPath=C:\Program Files (x86)\Quicken\qwalert.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:701]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwalert.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:701]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwalert.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).



MSI (s) (34:C8) [13:43:44:702]: Executing op:  
ComponentRegister(ComponentId={5B25994A-F5FE-4928-BAED-FB33B8B26EC3},KeyPath=C:\Program Files  
(x86)\Quicken\qwipa.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:702]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwipa.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:702]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwipa.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:702]: Executing op:  
ComponentRegister(ComponentId={CD13CDAB-A63C-46A8-8CA5-F0C2F4C8F0F2},KeyPath=C:\Program Files  
(x86)\Quicken\qwmain.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:703]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwmain.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:703]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwmain.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:703]: Executing op:  
ComponentRegister(ComponentId={C4ADFDB5-FB83-4B5E-B554-BE357EB99309},KeyPath=C:\Program Files  
(x86)\Quicken\qwonlineFeatures.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:704]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwonlineFeatures.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:704]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwonlineFeatures.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:704]: Executing op:  
ComponentRegister(ComponentId={AC575431-1B1C-47F8-A4AE-6D184E95AB53},KeyPath=C:\Program Files  
(x86)\Quicken\qwplan.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:705]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwplan.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:705]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwplan.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:705]: Executing op:  
ComponentRegister(ComponentId={6E34A0E5-87EC-4FB6-A191-8F2E8E623A3D},KeyPath=C:\Program Files  
(x86)\Quicken\Snap\qwplan\_ss.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:705]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qwplan\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:705]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qwplan\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:706]: Executing op:  
ComponentRegister(ComponentId={679571A9-9D7A-439F-BD31-848B8AB47CD8},KeyPath=C:\Program Files (x86)\Quicken\qwul.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:706]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwul.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:706]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwul.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:707]: Executing op:  
ComponentRegister(ComponentId={2D61E8CD-AADB-4D84-9855-6AA31203B3C1},KeyPath=C:\Program Files (x86)\Quicken\qwutilnet.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:707]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwutilnet.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:707]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwutilnet.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:707]: Executing op:  
ComponentRegister(ComponentId={EF1C6135-2572-43DA-A1B5-BE22C7FD260D},KeyPath=C:\Program Files (x86)\Quicken\qwxmldata.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:708]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwxmldata.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:708]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwxmldata.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:708]: Executing op:  
ComponentRegister(ComponentId={34BB42DA-B08C-486D-ABDA-438D9C78A9D5},KeyPath=C:\Program Files (x86)\Quicken\qwxmldata\_tok.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:708]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwxmldata\_tok.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:709]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwxmldata\_tok.dll' folder had been blocked by the 1 mask

argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:709]: Executing op:

ComponentRegister(ComponentId={EA67DE11-4D67-4EC3-B2DA-230CCB47A01C},KeyPath=C:\Program Files

(x86)\Quicken\Snap\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:709]: Executing op:

ComponentRegister(ComponentId={1016A667-C185-4C37-A191-B96DD647DA42},KeyPath=C:\Program Files

(x86)\Quicken\Sounds\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:710]: Executing op:

ComponentRegister(ComponentId={B4BB5932-FB21-4320-9ACE-2BDB6EF5F3E4},KeyPath=C:\Program Files

(x86)\Quicken\sport.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:710]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\sport.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:710]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\sport.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:710]: Executing op:

ComponentRegister(ComponentId={F0856FE8-3150-4364-9AF9-26241823A09D},KeyPath=C:\Program Files

(x86)\Quicken\techhelp.exe,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:711]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\techhelp.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:711]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\techhelp.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:711]: Executing op:

ComponentRegister(ComponentId={3F2FB9E1-C4F3-4BCA-9DF3-EE5D5D35586E},KeyPath=C:\Program Files

(x86)\Quicken\txstuff.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:711]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\txstuff.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:711]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\txstuff.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:712]: Executing op:

ComponentRegister(ComponentId={D877AF7D-DF69-43DC-BDC5-ED40318C8304},,State=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:712]: Executing op:

ComponentRegister(ComponentId={50C14056-A681-4F47-952F-A27C41DED82E},KeyPath=C:\Program Files

(x86)\Quicken\ScreenShare\widevinecdmadapter.dll,State=3,,Disk=1,SharedDllRefCount=0)

nt=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:712]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\widevinecdmadapter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:713]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\widevinecdmadapter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:713]: Executing op:

ComponentRegister(ComponentId={91230B57-46B4-4BC6-8353-D8133D735DF9},Key Path=C:\Program Files

(x86)\Quicken\widevinecdmadapter.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:713]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\widevinecdmadapter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:713]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\widevinecdmadapter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:714]: Executing op:

ComponentRegister(ComponentId={F2AAF905-9C9E-4A0F-AACF-34D0D1D2C889},Key Path=C:\Program Files

(x86)\Quicken\xinput9\_1\_0.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:714]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xinput9\_1\_0.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:714]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xinput9\_1\_0.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:714]: Executing op:

ComponentRegister(ComponentId={46E0A0FC-4946-4F94-826E-0B4C88F7B633},Key Path=C:\Program Files

(x86)\Quicken\PDFDrv\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:715]: Executing op:

ComponentRegister(ComponentId={771D2ACF-0123-4C2E-BAD8-7E34A0D3963A},Key Path=C:\Program Files

(x86)\Quicken\PDFDrv\xmlite64.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:715]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\xmlite64.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:715]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\xmlite64.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:44:715]: Executing op:

ComponentRegister(ComponentId={9385C7F9-A59C-4A69-98BA-870ADC140CCA},Key Path=C:\Program Files

(x86)\Quicken\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:716]: Executing op:  
ComponentRegister(ComponentId={293ADC00-0621-7DE7-A64D-60F15F13D19A},KeyPath=C:\Program Files  
(x86)\Quicken\Mixpanel.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:716]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Mixpanel.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:716]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Mixpanel.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:717]: Executing op:  
ComponentRegister(ComponentId={6DE5557F-FE3A-8959-9336-5D9798398C68},KeyPath=C:\Program Files  
(x86)\Quicken\UserProfileManager.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:717]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\UserProfileManager.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:717]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\UserProfileManager.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:44:717]: Executing op:  
ComponentRegister(ComponentId={ECA28C04-4431-9677-7C08-8CFC4D4DF9C8},KeyPath=C:\ProgramData\Quicken\Inet\Common\Alerts\Config\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:718]: Executing op:  
ComponentRegister(ComponentId={FC2F7232-217B-D9C4-5162-114632BFA1AE},KeyPath=C:\ProgramData\Quicken\Inet\Common\Alerts\Fn\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:719]: Executing op:  
ComponentRegister(ComponentId={D16C7F76-67E4-4333-0FEE-DEA77CBFA11C},KeyPath=C:\ProgramData\Quicken\Inet\Common\Alerts\Pop\qbp01.dat,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:719]: Executing op:  
ComponentRegister(ComponentId={8254D768-8A3A-F537-371C-94410E3AE0E2},KeyPath=C:\ProgramData\Quicken\Inet\Common\Alerts\Tax\qwtaxes.dat,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:720]: Executing op:  
ComponentRegister(ComponentId={AA4508D3-3CFD-C687-D797-9A6B629A62E7},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\AccountSetup\ASF\_A\_NoFl.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:721]: Executing op:  
ComponentRegister(ComponentId={1B82B70C-C760-8240-770D-D60415814D2C},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Action2a\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:722]: Executing op:  
ComponentRegister(ComponentId={B9D5B603-3BD7-41DE-0DBA-587A491B8F55},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Action3\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:722]: Executing op:  
ComponentRegister(ComponentId={A9CADE02-262F-817B-DFF4-F55D3427DD17},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Action4\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:723]: Executing op:  
ComponentRegister(ComponentId={1708F60E-E56C-86C1-EAF6-1509BB6DB908},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Action5\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:724]: Executing op:  
ComponentRegister(ComponentId={6BABC60B-B6B9-2D71-15A5-654BA84CA787},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Action6f\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:725]: Executing op:  
ComponentRegister(ComponentId={0EC58387-79BE-4C58-34D9-AC65DF905229},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Action7a\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:725]: Executing op:  
ComponentRegister(ComponentId={CEE96908-89B2-EB58-2AE2-7128402F58B1},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Action7b\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:727]: Executing op:  
ComponentRegister(ComponentId={B9BDED0C-C9CB-86B5-373F-E1E67442A74C},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Actionw\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:727]: Executing op:  
ComponentRegister(ComponentId={DA4595D7-7F7F-554D-4F7B-6811713ED2A0},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Banklist\fi\_util.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:728]: Executing op:  
ComponentRegister(ComponentId={F2BDB910-09E3-031C-3A07-2AB46BA513FE},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Banklist\2019\fidir.txt,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:729]: Executing op:  
ComponentRegister(ComponentId={5D566D0B-B624-A0F6-4C94-DD2CE6177FBB},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\BillPay\BillPay.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:730]: Executing op:  
ComponentRegister(ComponentId={B578D18E-E2EB-7107-7CA8-E032ADBCAD19},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\BillPay\img\ZDS.png,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:730]: Executing op:  
ComponentRegister(ComponentId={1852510C-C0FD-F614-B232-3A2F7FC4F3FA},Ke



MSI (s) (34:C8) [13:43:44:739]: Executing op:  
ComponentRegister(ComponentId={852A4499-93E9-6673-131A-FDD7748A176C},Key  
Path=C:\ProgramData\Quicken\Inet\Common\Localweb\img\1.png,State=3,,Disk=1,Sha  
redDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:740]: Executing op:  
ComponentRegister(ComponentId={D9FB80F3-3418-57C2-9DCB-21B9225243B6},Key  
Path=C:\ProgramData\Quicken\Inet\Common\Localweb\lqc\lqc.ini,State=3,,Disk=1,Shar  
edDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:740]: Executing op:  
ComponentRegister(ComponentId={FDD7F1EB-B9CD-5E33-0EB9-C9B07F715FFA},K  
eyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Mcp\mcp.ini,State=3,,Disk=1  
,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:741]: Executing op:  
ComponentRegister(ComponentId={660006C1-1ADC-20F3-162C-E3D05811BA2E},Ke  
yPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Nps\nps.ini,State=3,,Disk=1,S  
haredDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:742]: Executing op:  
ComponentRegister(ComponentId={1DE1FFCE-EC35-4DF8-0561-82F17B6580ED},Ke  
yPath=C:\ProgramData\Quicken\Inet\Common\Localweb\OnlineBackup\index.ini,State=  
3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:742]: Executing op:  
ComponentRegister(ComponentId={7FD94DF2-22B4-96FC-319F-771F088B44B1},Key  
Path=C:\ProgramData\Quicken\Inet\Common\Localweb\ProductVideo\PVideo.ini,State=  
3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:743]: Executing op:  
ComponentRegister(ComponentId={371752BB-B1E1-AA8B-AD18-A52561536CC6},Ke  
yPath=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\,State=3,,Disk=1,Shar  
edDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:744]: Executing op:  
ComponentRegister(ComponentId={60869A51-11CD-9432-3E8F-A927C14D8D32},Key  
Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_BillPay\,State=3,,  
Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:744]: Executing op:  
ComponentRegister(ComponentId={EB1E74B9-9E50-2450-EEA5-4A1B09DCB342},Ke  
yPath=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_BillPay\Deck1\Bi  
lls\_BillPay-General-BillReminder.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryTyp  
e=0)

MSI (s) (34:C8) [13:43:44:745]: Executing op:  
ComponentRegister(ComponentId={C13ED0C7-74E9-568C-34F3-51BEC3CD6E88},Ke  
yPath=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_ProjectedBalanc  
es\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:745]: Executing op:  
ComponentRegister(ComponentId={C2E61288-8A2F-1806-24E8-AF798C705F33},Key  
Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_ProjectedBalance  
s\Deck1\Bills\_ProjectedBalances-ProjBal-AccountFilters.htm,State=3,,Disk=1,SharedDll  
RefCount=1,BinaryType=0)



MSI (s) (34:C8) [13:43:44:746]: Executing op:  
ComponentRegister(ComponentId={468D6AB0-07FB-9B88-717B-05169D47C169},Key Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_Upcoming\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:746]: Executing op:  
ComponentRegister(ComponentId={671565F8-89F5-64D4-7448-704684A8F5BD},Key Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_Upcoming\Deck1\Bills\_Upcoming-BillReminder-AddReminder.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:747]: Executing op:  
ComponentRegister(ComponentId={FD704D0E-ED15-E792-4157-3C52AC173C7F},Key Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:747]: Executing op:  
ComponentRegister(ComponentId={27569E66-62DC-165E-BAC4-6478DC4C3933},Key Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\Deck1\Online\_Setup-General-AddAccountIntro.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:748]: Executing op:  
ComponentRegister(ComponentId={1306E5F6-6A0A-9259-4A1B-3DF625BE7581},Key Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_1\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:748]: Executing op:  
ComponentRegister(ComponentId={C2F9FDD4-4083-9C2D-C89D-4BCF37D7C547},Key Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_1\Deck1\Online\_Setup\_1-General-SearchFl.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:749]: Executing op:  
ComponentRegister(ComponentId={35FC0923-32E7-7CA7-DB68-21BF7F5A3530},Key Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_2\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:749]: Executing op:  
ComponentRegister(ComponentId={9AF1363D-DE82-EECB-DB7C-13B0222DF12B},Key Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online\_Setup\_2\Deck1\Online\_Setup\_2-General-EnterCredentials.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:750]: Executing op:  
ComponentRegister(ComponentId={A0256745-50D4-291A-F5D3-8A04A413EC47},Key Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView\_1\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:750]: Executing op:  
ComponentRegister(ComponentId={CE815433-327F-5012-1021-1EBE84D6410A},Key Path=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView\_1\Deck1\Overview\_UserDefinedView\_1-General-AccountBar.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:751]: Executing op:

ComponentRegister(ComponentId={4174DAF0-0F42-1380-9CCC-FA9D765F7A6A},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:751]: Executing op:

ComponentRegister(ComponentId={11B11E66-69AF-34C6-0F28-3BAB59686D65},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\Deck1\Bills\_BillPay-General-GetStarted.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:752]: Executing op:

ComponentRegister(ComponentId={D534B19D-D0C0-41ED-B9F9-7F8C1A6C8895},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountOverview\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:753]: Executing op:

ComponentRegister(ComponentId={381D29CC-C11F-95FC-7AA9-6F36C43BF412},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountOverview\Deck1\Quicken\_AccountOverview-General-AccountBar.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:754]: Executing op:

ComponentRegister(ComponentId={1AC01E4B-BB35-FF31-0764-B739407F661C},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransactions\,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (34:C8) [13:43:44:754]: Executing op:

ComponentRegister(ComponentId={9F4DCD3D-D518-1273-8FDF-EB90722CF2FA},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransactions\Deck1\Quicken\_AccountTransactions-General-Filters.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:755]: Executing op:

ComponentRegister(ComponentId={2675520B-B844-5851-C273-ABF1CAC2F645},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransactions\Deck2\Quicken\_AccountTransactions-General-Register.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:755]: Executing op:

ComponentRegister(ComponentId={7BF61913-3E55-D1B5-F58E-0C24A77ADA1C},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Qifinfo\index.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:756]: Executing op:

ComponentRegister(ComponentId={FB801222-2E1D-6A22-FD12-26A49844ADE8},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Qonlerr\ccerrormap.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:757]: Executing op:

ComponentRegister(ComponentId={58B9166B-BF06-0376-09F0-276C58854E08},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Qsystem\WebReqSetting.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:758]: Executing op:

ComponentRegister(ComponentId={F1210260-05B5-D16D-F9DC-7FC16B3011E1},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\RPM>EditPropertyIndex.htm,S

tate=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:759]: Executing op:  
ComponentRegister(ComponentId={7B9ECEBC-C4A3-A081-09EB-1928500637FE},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Searchbox\searchbox.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:759]: Executing op:  
ComponentRegister(ComponentId={D6E0FE4B-B2CD-3C2C-5BB4-3D6B9C76B405},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Services\NoServices.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:760]: Executing op:  
ComponentRegister(ComponentId={D0CF37B0-037F-27EA-1CD8-B2EED81764B7},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Setup\BillPayInfo.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:761]: Executing op:  
ComponentRegister(ComponentId={E4433837-7FA8-7182-6E06-2FFCC80828A5},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Ss\_mff\blue.gif,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:762]: Executing op:  
ComponentRegister(ComponentId={63892D69-962A-CB5C-F02A-728809730B97},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Style\1.gif,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:762]: Executing op:  
ComponentRegister(ComponentId={26EB364D-D481-FA70-08FE-6C7FA3FCFFF9},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Tax\federal.dat,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:763]: Executing op:  
ComponentRegister(ComponentId={EBFEAC58-8800-CA85-7159-902E2BCE4130},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\TaxOptimizer\TaxOptimizer.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:764]: Executing op:  
ComponentRegister(ComponentId={4A73D2B7-7FF4-DFEF-D5C5-1CC62B76E234},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\TaxOptimizer\img\ComingSoon\_banner.png,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:764]: Executing op:  
ComponentRegister(ComponentId={8FB0D31F-F269-D724-F292-3CCC1617FB93},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\TaxOptimizer\js\jquery-1.11.1.min.js,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:765]: Executing op:  
ComponentRegister(ComponentId={E236D835-54F9-DF8C-1C77-CFF7D72C64B3},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\ThirdPartyServices\config.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:766]: Executing op:  
ComponentRegister(ComponentId={463E0F28-8349-D8D6-95DB-708357446E24},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\ThirdPartyServices\html\AllocInv\_conf.html,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:767]: Executing op:

ComponentRegister(ComponentId={22BC6E91-1DDB-6BC9-7191-EFB0BF5CD9D1},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\ThirdPartyServices\html\_templates\Alloc-Inv\_conf\_t.html,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:767]: Executing op:  
ComponentRegister(ComponentId={66FA6FF0-0FC0-11F6-CA5B-21DE0176C444},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Thumbs\Info.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:768]: Executing op:  
ComponentRegister(ComponentId={997D5C4F-F8AA-CBA9-5EC6-029B71EE9CA7},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\TTQNUUE\AlertConking.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:769]: Executing op:  
ComponentRegister(ComponentId={AE3FDF90-0AD6-94EB-883F-3542BCF5E903},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\Webconn\1.gif,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:770]: Executing op:  
ComponentRegister(ComponentId={51F4423A-AF31-7337-D423-6176D07C3BE7},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\XRay\InvestingXRay.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:770]: Executing op:  
ComponentRegister(ComponentId={042609B2-2462-0B40-FB60-E1AE6585B250},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\XRay\img\Morningstar.png,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:771]: Executing op:  
ComponentRegister(ComponentId={C2991C26-60EA-CE42-0699-B1E22EC30A08},KeyPath=C:\ProgramData\Quicken\Inet\Common\Localweb\XRay\js\jquery-1.11.1.min.js,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:772]: Executing op:  
ComponentRegister(ComponentId={95BB0710-09D8-6CA4-5F17-C952534701BD},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Afford\1.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:772]: Executing op:  
ComponentRegister(ComponentId={1095560D-D863-D1FB-D823-944C0868429D},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Allocate\Asset\_Example.jpg,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:773]: Executing op:  
ComponentRegister(ComponentId={B2AAE736-6655-0CB1-B04F-060651D1FB76},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Assume\1.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:774]: Executing op:  
ComponentRegister(ComponentId={0862BF64-4AE5-C82E-BA46-81242B0C75CF},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\BIm\ActionIcon.png,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:775]: Executing op:  
ComponentRegister(ComponentId={640E445F-FA9E-7CA3-2F0A-7A806673E334},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Capgains\arrow.gif,State=3,,Disk=1,S

haredDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:775]: Executing op:

ComponentRegister(ComponentId={CAEFA7FE-EA60-A275-C55A-9784E49CE9E9},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Cir\cir.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:776]: Executing op:

ComponentRegister(ComponentId={52723A86-6F16-B3E8-0C54-9DE733036DF6},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\College\books.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:777]: Executing op:

ComponentRegister(ComponentId={A9B5FEF9-95BF-8BBD-DE89-6A851AAC13CD},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Custcare\index.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:778]: Executing op:

ComponentRegister(ComponentId={F8FE8567-7991-0C39-C53C-9229C75D98DF},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Deduct\adjust.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:778]: Executing op:

ComponentRegister(ComponentId={39EB4C45-56B7-852B-D453-3540F5580176},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Funding\1.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:779]: Executing op:

ComponentRegister(ComponentId={A0187334-4538-D0F1-8D07-A6B40142787F},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Home\afford.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:780]: Executing op:

ComponentRegister(ComponentId={EC64F2EF-F046-CF74-268B-07630DBB2E1F},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Howinv\1.gif,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:780]: Executing op:

ComponentRegister(ComponentId={5B10D173-3427-6CF3-9AA1-BFB4E79545DB},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Nolo\1\_1.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:781]: Executing op:

ComponentRegister(ComponentId={01AA70E2-2F49-56CD-F112-9E7522AB8839},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Pas\Assessment.js,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:782]: Executing op:

ComponentRegister(ComponentId={993B539F-F12E-5562-C098-B97061C1F7A8},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Plan\blank.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:783]: Executing op:

ComponentRegister(ComponentId={EDEB7D96-6605-F18D-E7BD-1288EE04B9DD},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Qtax\adjust.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:783]: Executing op:

ComponentRegister(ComponentId={A9141AEC-CFF2-37F3-B7EE-32A1283B7340},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Quicken\03.ini,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:784]: Executing op:

ComponentRegister(ComponentId={1523B9CC-CCD3-6387-6E23-892D7BD5744A},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Rebal\index.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:785]: Executing op:

ComponentRegister(ComponentId={B62C0145-5A2F-3539-A34A-8CE63BE40BED},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Reg\Reg\_Error.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:786]: Executing op:

ComponentRegister(ComponentId={E6F00FD2-2F16-1ACB-9DDD-6C3D5ADFE225},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Retire\1.htm,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:786]: Executing op:

ComponentRegister(ComponentId={0A156734-4711-8D60-AA9F-9A477CD79FB9},KeyPath=C:\ProgramData\Quicken\Inet\Common\Pnf\Withhold\diagram.gif,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:787]: Executing op:

ComponentRegister(ComponentId={3207D1B1-80E5-11D2-B95D-006097C4DE24},KeyPath=C:\WINDOWS\SysWOW64\comcat.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:787]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\comcat.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:787]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\comcat.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:788]: Executing op:

ComponentRegister(ComponentId={3207D1B1-80E5-11D2-B95D-006097C4DE24},KeyPath=C:\WINDOWS\SysWOW64\comcat.dll,State=3,ProductKey={00000000-0000-0000-0000-000000000000},Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:788]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\comcat.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:788]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\comcat.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:788]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\comcat.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:788]: Executing op:

ComponentRegister(ComponentId={9983C931-37BE-3C6E-AD32-8B6E789B6881},KeyPath=C:\WINDOWS\SysWOW64\msvcr100.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:789]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvcr100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:789]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvcr100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:789]: Executing op:

ComponentRegister(ComponentId={E822F933-C70D-3CF4-A92D-7263B8ACCF30},Key Path=C:\WINDOWS\SysWOW64\msvc100.dll,State=3,,Disk=1,SharedDllRefCount=1, BinaryType=0)

MSI (s) (34:C8) [13:43:44:789]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvc100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:789]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvc100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:789]: Executing op:

ComponentRegister(ComponentId={529D0A60-398C-38A2-97EF-82FAFA798A06},Key Path=C:\WINDOWS\SysWOW64\atl100.dll,State=3,,Disk=1,SharedDllRefCount=1, BinaryType=0)

MSI (s) (34:C8) [13:43:44:789]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\atl100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:789]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\atl100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:790]: Executing op:

ComponentRegister(ComponentId={927EF971-7B89-3C4B-91DA-51CE0F7D982A},Key Path=C:\WINDOWS\SysWOW64\mf100cht.dll,State=3,,Disk=1,SharedDllRefCount=1, BinaryType=0)

MSI (s) (34:C8) [13:43:44:790]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mf100cht.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:790]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mf100cht.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:790]: Executing op:

ComponentRegister(ComponentId={D80A1213-61AA-3E66-A736-F947E77545C5},Key Path=C:\WINDOWS\SysWOW64\mf100chs.dll,State=3,,Disk=1,SharedDllRefCount=1, BinaryType=0)

MSI (s) (34:C8) [13:43:44:791]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mf100chs.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:791]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mf100chs.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:791]: Executing op:  
ComponentRegister(ComponentId={653DE356-DFD3-3229-A5DE-EBC634D40A41},KeyPath=C:\WINDOWS\SysWOW64\mfc100enu.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:791]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100enu.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:791]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100enu.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:791]: Executing op:  
ComponentRegister(ComponentId={42C6981D-DB47-3C2F-91EA-F7B4C6E226A8},KeyPath=C:\WINDOWS\SysWOW64\mfc100deu.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:792]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100deu.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:792]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100deu.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:792]: Executing op:  
ComponentRegister(ComponentId={425FAFC8-F15C-310A-9DA8-0F7373BC8836},KeyPath=C:\WINDOWS\SysWOW64\mfc100esn.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:792]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100esn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:792]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100esn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:792]: Executing op:  
ComponentRegister(ComponentId={8D777564-3D2C-3705-8DB9-E36585E8F210},KeyPath=C:\WINDOWS\SysWOW64\mfc100fra.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:793]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100fra.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:793]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100fra.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:793]: Executing op:  
ComponentRegister(ComponentId={D57FEB33-5BFA-3C5F-92EF-C52A350A6751},KeyPath=C:\WINDOWS\SysWOW64\mfc100ita.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:793]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100ita.dll' folder path. (mask



argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:793]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100ita.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:793]: Executing op:  
ComponentRegister(ComponentId={72ED6979-0AAD-317C-A25C-AB9A121E6D30},KeyPath=C:\WINDOWS\SysWOW64\mfc100jpn.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:794]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100jpn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:794]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100jpn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:794]: Executing op:  
ComponentRegister(ComponentId={DDFFBEDE-4039-314B-AC8D-215FA275C8A3},KeyPath=C:\WINDOWS\SysWOW64\mfc100kor.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:794]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100kor.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:794]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100kor.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:794]: Executing op:  
ComponentRegister(ComponentId={5C1ED740-C5A7-3162-B9B5-0FB6D6D9FFF6},KeyPath=C:\WINDOWS\SysWOW64\mfc100rus.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:794]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100rus.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:794]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100rus.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:795]: Executing op:  
ComponentRegister(ComponentId={BD9EEBE8-E882-3AE3-B666-6BA11DE68644},KeyPath=C:\WINDOWS\SysWOW64\mfc100.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:795]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:795]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:795]: Executing op:  
ComponentRegister(ComponentId={22EC2346-6812-34C9-B77F-23604B1A4EB1},Key

Path=C:\WINDOWS\SysWOW64\mfc100u.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:795]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:795]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:795]: Executing op:

ComponentRegister(ComponentId={05731427-78B9-30A4-8688-44FB485481BF},KeyPath=C:\WINDOWS\SysWOW64\mfcm100.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:796]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:796]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:796]: Executing op:

ComponentRegister(ComponentId={692BDA22-6D55-3EA3-904B-3117FA2B2D9E},KeyPath=C:\WINDOWS\SysWOW64\mfcm100u.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:796]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm100u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:796]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm100u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:796]: Executing op:

ComponentRegister(ComponentId={CED7B6A0-2035-37FB-9F32-8C5C38AC6535},KeyPath=C:\WINDOWS\SysWOW64\vcomp100.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:797]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\vcomp100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:797]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\vcomp100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:797]: Executing op:

ComponentRegister(ComponentId={0835C947-D6D2-4E52-AF14-0231D04E88EA},KeyPath=C:\WINDOWS\SysWOW64\msvcr120.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:797]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvcr120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:797]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will

substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvcr120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:797]: Executing op:

ComponentRegister(ComponentId={74260D9F-D644-423B-B2D4-0291EA4BA8BE},KeyPath=C:\WINDOWS\SysWOW64\msvc120.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:797]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvc120.dll' folder path.

(mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:797]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvc120.dll' folder path.

(mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:798]: Executing op:

ComponentRegister(ComponentId={63B83B20-1AB9-4F49-B0B2-4489724CA96C},KeyPath=C:\WINDOWS\SysWOW64\vccorlib120.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:798]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\vccorlib120.dll' folder path.

(mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:798]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\vccorlib120.dll' folder path.

(mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:798]: Executing op:

ComponentRegister(ComponentId={8E4244B1-6F8F-4EA0-AC6A-346DE7CF79A0},KeyPath=C:\WINDOWS\SysWOW64\mf120cht.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:798]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mf120cht.dll' folder path.

(mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:798]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mf120cht.dll' folder path.

(mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:798]: Executing op:

ComponentRegister(ComponentId={BBB72240-8F6A-4A81-A4AB-B7F7FE2E94C6},KeyPath=C:\WINDOWS\SysWOW64\mf120chs.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:799]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mf120chs.dll' folder path.

(mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:799]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mf120chs.dll' folder path.

(mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:799]: Executing op:

ComponentRegister(ComponentId={96DA9037-C965-4C45-A27C-E762385411F2},KeyPath=C:\WINDOWS\SysWOW64\mf120enu.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:799]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120enu.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:799]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120enu.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:799]: Executing op:  
ComponentRegister(ComponentId={0EE7DAF6-6619-4F44-827B-9402EF53A24D},Key Path=C:\WINDOWS\SysWOW64\mfc120deu.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:799]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120deu.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:799]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120deu.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:800]: Executing op:  
ComponentRegister(ComponentId={C5403C4F-C052-463A-89BF-AC1027804359},Key Path=C:\WINDOWS\SysWOW64\mfc120esn.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:800]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120esn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:800]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120esn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:800]: Executing op:  
ComponentRegister(ComponentId={2CBFA0D1-BFFD-469F-9C66-BED1CAB51BA0},Key Path=C:\WINDOWS\SysWOW64\mfc120fra.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:800]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120fra.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:800]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120fra.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:800]: Executing op:  
ComponentRegister(ComponentId={9DD1063C-E422-495F-9AB6-7A149FB282B5},Key Path=C:\WINDOWS\SysWOW64\mfc120ita.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)

MSI (s) (34:C8) [13:43:44:801]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120ita.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:801]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120ita.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:44:801]: Executing op:  
ComponentRegister(ComponentId={0AB2312F-BBE0-4C27-A207-624C7889B4D6},KeyPath=C:\WINDOWS\SysWOW64\mfc120jpn.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:801]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120jpn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:801]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120jpn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:801]: Executing op:  
ComponentRegister(ComponentId={6DA3A901-E012-42E2-B819-DAF378BE4BEF},KeyPath=C:\WINDOWS\SysWOW64\mfc120kor.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:802]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120kor.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:802]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120kor.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:802]: Executing op:  
ComponentRegister(ComponentId={90DDD30E-9D04-441F-9803-694F80387AE8},KeyPath=C:\WINDOWS\SysWOW64\mfc120rus.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:802]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120rus.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:802]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120rus.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:802]: Executing op:  
ComponentRegister(ComponentId={7EA36934-F736-408F-BD04-A2A710E04773},KeyPath=C:\WINDOWS\SysWOW64\mfc120.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:802]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:802]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:803]: Executing op:  
ComponentRegister(ComponentId={B5B46CD9-9426-401F-9C3B-646807EFE00B},KeyPath=C:\WINDOWS\SysWOW64\mfc120u.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:803]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120u.dll' folder path. (mask

argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:803]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:803]: Executing op:  
ComponentRegister(ComponentId={D4263C2B-DA4A-4000-A8E0-4BE8E46A9A3C},KeyPath=C:\WINDOWS\SysWOW64\mfcm120.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:804]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:804]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:804]: Executing op:  
ComponentRegister(ComponentId={271E5C92-3536-4282-9ABF-449A91B8C2D7},KeyPath=C:\WINDOWS\SysWOW64\mfcm120u.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:804]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:804]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:804]: Executing op:  
ComponentRegister(ComponentId={1A7754D3-744B-439A-B284-BD7A1C24FCFA},KeyPath=C:\WINDOWS\SysWOW64\vcomp120.dll,State=3,,Disk=1,SharedDllRefCount=1,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:804]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\vcomp120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:804]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\vcomp120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:44:805]: Executing op:  
ComponentRegister(ComponentId={3B694B1F-4410-11D5-A54A-0090278A1BB8},,State=-7,,Disk=1,SharedDllRefCount=0,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:805]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:805]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:805]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:805]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:805]: Executing op:

RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:805]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:805]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:806]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:806]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:806]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:806]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:806]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:806]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:806]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:806]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:806]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:806]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:806]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:806]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:807]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:807]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:807]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:807]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:807]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:807]: Executing op:

ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:807]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:807]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:807]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:807]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:807]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:807]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:807]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:807]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:807]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:808]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:808]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:808]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:808]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:808]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:808]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)



MSI (s) (34:C8) [13:43:44:808]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:808]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:809]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:809]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:809]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:809]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:809]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:809]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:809]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:809]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:810]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:810]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:810]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:810]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:810]: Executing op:

RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:810]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:810]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:810]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:810]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:810]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:810]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:811]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:811]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:811]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:811]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:811]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:811]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:811]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:811]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:811]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:811]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:811]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:811]: Executing op:

ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:812]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:812]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:812]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:812]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:812]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:812]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:812]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:812]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:812]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:812]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:812]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:812]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:812]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:812]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:812]: Executing op:  
ProgressTotal(Total=1,Type=1,ByteEquivalent=13200)  
MSI (s) (34:C8) [13:43:44:813]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:44:813]: Executing op: ProgressTick()  
MSI (s) (34:C8) [13:43:44:813]: Executing op:  
ActionStart(Name=RemoveODBC,Description=Removing ODBC components,)  
MSI (s) (34:C8) [13:43:44:813]: Executing op: ODBCDriverManager(,BinaryType=0)  
MSI (s) (34:C8) [13:43:44:813]: Executing op: ODBCDriverManager(,BinaryType=1)  
MSI (s) (34:C8) [13:43:44:813]: Executing op:  
ActionStart(Name=CreateFolders,Description=Creating folders,Template=Folder: [1])  
MSI (s) (34:C8) [13:43:44:813]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Alerts\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:815]: Executing op: FolderCreate(Folder=C:\Program Files  
(x86)\Quicken\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:815]: Executing op: FolderCreate(Folder=C:\Program Files

(x86)\Quicken\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:816]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:816]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:816]: Executing op:  
FolderCreate(Folder=C:\ProgramData\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:817]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Features\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:817]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\fsconf\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:818]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Help\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:819]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Hprpm\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:820]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:821]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Pnf\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:822]: Executing op: FolderCreate(Folder=C:\Program Files  
(x86)\Quicken\Qsapi\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:823]: Executing op: FolderCreate(Folder=C:\Program Files  
(x86)\Quicken\Snap\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:824]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\Thumbs\,Foreign  
n=0,,)  
MSI (s) (34:C8) [13:43:44:825]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\,Foreign  
n=0,,)  
MSI (s) (34:C8) [13:43:44:826]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_Bi  
llPay\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:827]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_P  
rojectedBalances\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:828]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_U  
pcoming\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:829]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online  
\_Setup\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:831]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online  
\_Setup\_1\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:832]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Online

\_Setup\_2\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:833]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Overview\_UserDefinedView\_1\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:834]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Planning\_Budget\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:835]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountOverview\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:836]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quicken\_AccountTransactions\,Foreign=0,,)  
MSI (s) (34:C8) [13:43:44:837]: Executing op:  
ActionStart(Name=InstallFiles,Description=Copying new files,Template=File: [1],  
Directory: [9], Size: [6])  
MSI (s) (34:C8) [13:43:44:837]: Executing op:  
ProgressTotal(Total=405801631,Type=0,ByteEquivalent=1)  
MSI (s) (34:C8) [13:43:44:837]: Executing op: SetTargetFolder(Folder=C:\Program Files  
(x86)\Quicken\  
MSI (s) (34:C8) [13:43:44:838]: Executing op:  
SetSourceFolder(Folder=1\PROGRA~1\Quicken\|program files\Quicken\  
MSI (s) (34:C8) [13:43:44:838]: Executing op:  
ChangeMedia(MediaVolumeLabel=DISK1,MediaPrompt=Please insert the disk:  
,MediaCabinet=1\Data1.cab,BytesPerTick=65536,CopierType=1,,,SignatureRequired=0  
,,IsFirstPhysicalMedia=1)  
MSI (s) (34:C8) [13:43:44:838]: Executing op:  
FileCopy(SourceName=QCONNECT.DLL,SourceCabKey=QCONNECT.DLL,DestName=QCONNECT.DLL,Attributes=16384,FileSize=115696,PerTick=65536,,VerifyMedia=1,  
,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:838]: File: C:\Program Files (x86)\Quicken\QCONNECT.DLL;  
To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:838]: Source for file 'QCONNECT.DLL' is compressed  
MSI (s) (34:C8) [13:43:44:845]: Executing op:  
FileCopy(SourceName=QSHOWH~1.DLL|QShowHelp.dll,SourceCabKey=QShowHelp.dll,DestName=QShowHelp.dll,Attributes=16384,FileSize=62960,PerTick=65536,,VerifyMedia=1,  
,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,  
,,,,,)  
MSI (s) (34:C8) [13:43:44:845]: File: C:\Program Files (x86)\Quicken\QShowHelp.dll;  
To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:845]: Source for file 'QShowHelp.dll' is compressed  
MSI (s) (34:C8) [13:43:44:848]: Executing op:  
FileCopy(SourceName=Qsetup.dll,SourceCabKey=Qsetup.dll,DestName=Qsetup.dll,Attributes=16384,FileSize=141296,PerTick=65536,,VerifyMedia=1,  
,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:848]: File: C:\Program Files (x86)\Quicken\Qsetup.dll; To be

installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:848]: Source for file 'Qsetup.dll' is compressed  
MSI (s) (34:C8) [13:43:44:852]: Executing op:  
FileCopy(SourceName=bgt\_pnf.dll,SourceCabKey=bgt\_pnf.dll,DestName=bgt\_pnf.dll,Attributes=16384,FileSize=39920,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:852]: File: C:\Program Files (x86)\Quicken\bgt\_pnf.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:852]: Source for file 'bgt\_pnf.dll' is compressed  
MSI (s) (34:C8) [13:43:44:854]: Executing op:  
FileCopy(SourceName=calnote.dll,SourceCabKey=calnote.dll,DestName=calnote.dll,Attributes=16384,FileSize=28144,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:855]: File: C:\Program Files (x86)\Quicken\calnote.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:855]: Source for file 'calnote.dll' is compressed  
MSI (s) (34:C8) [13:43:44:857]: Executing op:  
FileCopy(SourceName=cashflow.dll,SourceCabKey=cashflow.dll,DestName=cashflow.dll,Attributes=16384,FileSize=485872,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:857]: File: C:\Program Files (x86)\Quicken\cashflow.dll;  
To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:857]: Source for file 'cashflow.dll' is compressed  
MSI (s) (34:C8) [13:43:44:863]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\Snap\  
MSI (s) (34:C8) [13:43:44:863]: Executing op:  
SetSourceFolder(Folder=1\PROGRA~1\Quicken\Snap\|program files\Quicken\Snap\  
MSI (s) (34:C8) [13:43:44:863]: Executing op:  
FileCopy(SourceName=cir\_ss.dll,SourceCabKey=cir\_ss.dll,DestName=cir\_ss.dll,Attributes=16384,FileSize=71664,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:863]: File: C:\Program Files (x86)\Quicken\Snap\cir\_ss.dll;  
To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:863]: Source for file 'cir\_ss.dll' is compressed  
MSI (s) (34:C8) [13:43:44:867]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\  
MSI (s) (34:C8) [13:43:44:867]: Executing op:  
SetSourceFolder(Folder=1\PROGRA~1\Quicken\|program files\Quicken\  
MSI (s) (34:C8) [13:43:44:867]: Executing op:  
FileCopy(SourceName=custprof.dll,SourceCabKey=custprof.dll,DestName=custprof.dll,Attributes=16384,FileSize=16880,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:867]: File: C:\Program Files (x86)\Quicken\custprof.dll;  
To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:867]: Source for file 'custprof.dll' is compressed  
MSI (s) (34:C8) [13:43:44:870]: Executing op:

FileCopy(SourceName=DLLAPP~1.DLL|dllapps\_dbtred.dll,SourceCabKey=dllapps\_dbtred.dll, DestName=dllapps\_dbtred.dll,Attributes=16384,FileSize=247792,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:870]: File: C:\Program Files (x86)\Quicken\dllapps\_dbtred.dll;  
To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:870]: Source for file 'dllapps\_dbtred.dll' is compressed

MSI (s) (34:C8) [13:43:44:874]: Executing op:

FileCopy(SourceName=DLLAPP~2.DLL|dllapps\_dedfnd.dll,SourceCabKey=dllapps\_dedfnd.dll, DestName=dllapps\_dedfnd.dll,Attributes=16384,FileSize=66544,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:874]: File: C:\Program Files (x86)\Quicken\dllapps\_dedfnd.dll;  
To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:874]: Source for file 'dllapps\_dedfnd.dll' is compressed

MSI (s) (34:C8) [13:43:44:877]: Executing op:

FileCopy(SourceName=DLLAPP~3.DLL|dllapps\_frcast.dll,SourceCabKey=dllapps\_frcast.dll, DestName=dllapps\_frcast.dll,Attributes=16384,FileSize=61936,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:877]: File: C:\Program Files (x86)\Quicken\dllapps\_frcast.dll;  
To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:877]: Source for file 'dllapps\_frcast.dll' is compressed

MSI (s) (34:C8) [13:43:44:881]: Executing op:

FileCopy(SourceName=DLLAPP~4.DLL|dllapps\_plan.dll,SourceCabKey=dllapps\_plan.dll, DestName=dllapps\_plan.dll,Attributes=16384,FileSize=115696,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:881]: File: C:\Program Files (x86)\Quicken\dllapps\_plan.dll;  
To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:881]: Source for file 'dllapps\_plan.dll' is compressed

MSI (s) (34:C8) [13:43:44:885]: Executing op:

FileCopy(SourceName=DLBE63~1.DLL|dllapps\_savgol.dll,SourceCabKey=dllapps\_savgol.dll, DestName=dllapps\_savgol.dll,Attributes=16384,FileSize=88560,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:885]: File: C:\Program Files (x86)\Quicken\dllapps\_savgol.dll;  
To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:885]: Source for file 'dllapps\_savgol.dll' is compressed

MSI (s) (34:C8) [13:43:44:889]: Executing op:

FileCopy(SourceName=graphs.dll,SourceCabKey=graphs.dll, DestName=graphs.dll,Attributes=16384,FileSize=118256,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:889]: File: C:\Program Files (x86)\Quicken\graphs.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:889]: Source for file 'graphs.dll' is compressed

MSI (s) (34:C8) [13:43:44:892]: Executing op:  
FileCopy(SourceName=lbtmngr.dll,SourceCabKey=lbtmngr.dll,DestName=lbtmngr.dll,Attributes=16384,FileSize=429552,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:892]: File: C:\Program Files (x86)\Quicken\lbtmngr.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:892]: Source for file 'lbtmngr.dll' is compressed

MSI (s) (34:C8) [13:43:44:898]: Executing op:  
FileCopy(SourceName=OFXSDK~1.DLL\ofxsdk\_qw.dll,SourceCabKey=ofxsdk\_qw.dll,DestName=ofxsdk\_qw.dll,Attributes=16384,FileSize=2822128,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:898]: File: C:\Program Files (x86)\Quicken\ofxsdk\_qw.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:898]: Source for file 'ofxsdk\_qw.dll' is compressed

MSI (s) (34:C8) [13:43:44:918]: Executing op:  
FileCopy(SourceName=OLBSER~1.DLL\olbservice.dll,SourceCabKey=olbservice.dll,DestName=olbservice.dll,Attributes=16384,FileSize=149488,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=5.1.0.100,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:918]: File: C:\Program Files (x86)\Quicken\olbservice.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:918]: Source for file 'olbservice.dll' is compressed

MSI (s) (34:C8) [13:43:44:922]: Executing op:  
FileCopy(SourceName=online.dll,SourceCabKey=online.dll,DestName=online.dll,Attributes=16384,FileSize=1496048,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:922]: File: C:\Program Files (x86)\Quicken\online.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:922]: Source for file 'online.dll' is compressed

MSI (s) (34:C8) [13:43:44:934]: Executing op:  
FileCopy(SourceName=onIncall.dll,SourceCabKey=onIncall.dll,DestName=onIncall.dll,Attributes=16384,FileSize=36848,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:934]: File: C:\Program Files (x86)\Quicken\onIncall.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:934]: Source for file 'onIncall.dll' is compressed

MSI (s) (34:C8) [13:43:44:937]: Executing op:  
FileCopy(SourceName=qaccess.dll,SourceCabKey=qaccess.dll,DestName=qaccess.dll,Attributes=16384,FileSize=2474992,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:938]: File: C:\Program Files (x86)\Quicken\qaccess.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:938]: Source for file 'qaccess.dll' is compressed

MSI (s) (34:C8) [13:43:44:958]: Executing op:  
FileCopy(SourceName=qcomutil.dll,SourceCabKey=qcomutil.dll,DestName=qcomutil.dll,Attributes=16384,FileSize=380400,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)



MSI (s) (34:C8) [13:43:44:958]: File: C:\Program Files (x86)\Quicken\qcomutil.dll;  
To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:958]: Source for file 'qcomutil.dll' is compressed  
MSI (s) (34:C8) [13:43:44:964]: Executing op:  
FileCopy(SourceName=qdapp.dll,SourceCabKey=qdapp.dll,DestName=qdapp.dll,Attributes=16384,FileSize=147952,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:964]: File: C:\Program Files (x86)\Quicken\qdapp.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:964]: Source for file 'qdapp.dll' is compressed  
MSI (s) (34:C8) [13:43:44:967]: Executing op:  
FileCopy(SourceName=qdappui.dll,SourceCabKey=qdappui.dll,DestName=qdappui.dll,Attributes=16384,FileSize=28144,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:968]: File: C:\Program Files (x86)\Quicken\qdappui.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:968]: Source for file 'qdappui.dll' is compressed  
MSI (s) (34:C8) [13:43:44:971]: Executing op:  
FileCopy(SourceName=qdb.dll,SourceCabKey=qdb.dll,DestName=qdb.dll,Attributes=16384,FileSize=673776,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:971]: File: C:\Program Files (x86)\Quicken\qdb.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:971]: Source for file 'qdb.dll' is compressed  
MSI (s) (34:C8) [13:43:44:978]: Executing op:  
FileCopy(SourceName=qindex.dll,SourceCabKey=qindex.dll,DestName=qindex.dll,Attributes=16384,FileSize=93168,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:978]: File: C:\Program Files (x86)\Quicken\qindex.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:978]: Source for file 'qindex.dll' is compressed  
MSI (s) (34:C8) [13:43:44:982]: Executing op:  
FileCopy(SourceName=qrep.dll,SourceCabKey=qrep.dll,DestName=qrep.dll,Attributes=16384,FileSize=180208,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:982]: File: C:\Program Files (x86)\Quicken\qrep.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:982]: Source for file 'qrep.dll' is compressed  
MSI (s) (34:C8) [13:43:44:986]: Executing op:  
FileCopy(SourceName=qreports.dll,SourceCabKey=qreports.dll,DestName=qreports.dll,Attributes=16384,FileSize=1327600,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:44:986]: File: C:\Program Files (x86)\Quicken\qreports.dll;  
To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:44:986]: Source for file 'qreports.dll' is compressed  
MSI (s) (34:C8) [13:43:44:999]: Executing op:

FileCopy(SourceName=qsac.dll,SourceCabKey=qsac.dll,DestName=qsac.dll,Attributes=16384,FileSize=133104,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:44:999]: File: C:\Program Files (x86)\Quicken\qsac.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:44:999]: Source for file 'qsac.dll' is compressed

MSI (s) (34:C8) [13:43:45:003]: Executing op:  
FileCopy(SourceName=qsapi.dll,SourceCabKey=qsapi.dll,DestName=qsapi.dll,Attributes=16384,FileSize=29680,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:003]: File: C:\Program Files (x86)\Quicken\qsapi.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:003]: Source for file 'qsapi.dll' is compressed

MSI (s) (34:C8) [13:43:45:006]: Executing op:  
FileCopy(SourceName=QSAPI\_~1.DLL|qsapi\_eng.dll,SourceCabKey=qsapi\_eng.dll,DestName=qsapi\_eng.dll,Attributes=16384,FileSize=31728,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:006]: File: C:\Program Files (x86)\Quicken\qsapi\_eng.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:006]: Source for file 'qsapi\_eng.dll' is compressed

MSI (s) (34:C8) [13:43:45:009]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\Qsapi\)

MSI (s) (34:C8) [13:43:45:009]: Executing op:  
SetSourceFolder(Folder=1\PROGRA~1\Quicken\Qsapi\|program files\Quicken\Qsapi\)

MSI (s) (34:C8) [13:43:45:009]: Executing op:  
FileCopy(SourceName=QSAPI\_~1.DLL|qsapi\_plan.dll,SourceCabKey=qsapi\_plan.dll,DestName=qsapi\_plan.dll,Attributes=16384,FileSize=21488,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:009]: File: C:\Program Files (x86)\Quicken\Qsapi\qsapi\_plan.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:009]: Source for file 'qsapi\_plan.dll' is compressed

MSI (s) (34:C8) [13:43:45:012]: Executing op:  
FileCopy(SourceName=QSAPI\_~2.DLL|qsapi\_xsel.dll,SourceCabKey=qsapi\_xsel.dll,DestName=qsapi\_xsel.dll,Attributes=16384,FileSize=35824,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:012]: File: C:\Program Files (x86)\Quicken\Qsapi\qsapi\_xsel.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:012]: Source for file 'qsapi\_xsel.dll' is compressed

MSI (s) (34:C8) [13:43:45:014]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\Snap\)

MSI (s) (34:C8) [13:43:45:014]: Executing op:  
SetSourceFolder(Folder=1\PROGRA~1\Quicken\Snap\|program files\Quicken\Snap\)

MSI (s) (34:C8) [13:43:45:014]: Executing op:  
FileCopy(SourceName=QSETUP~1.DLL|qsetup\_ss.dll,SourceCabKey=qsetup\_ss.dll,D

estName=qsetup\_ss.dll,Attributes=16384,FileSize=51184,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:015]: File: C:\Program Files (x86)\Quicken\Snap\qsetup\_ss.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:015]: Source for file 'qsetup\_ss.dll' is compressed

MSI (s) (34:C8) [13:43:45:018]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\)

MSI (s) (34:C8) [13:43:45:018]: Executing op: SetSourceFolder(Folder=1\PROGRA~1\Quicken\|program files\Quicken\)

MSI (s) (34:C8) [13:43:45:018]: Executing op: FileCopy(SourceName=qtax.dll,SourceCabKey=qtax.dll,DestName=qtax.dll,Attributes=16384,FileSize=338928,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:018]: File: C:\Program Files (x86)\Quicken\qtax.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:018]: Source for file 'qtax.dll' is compressed

MSI (s) (34:C8) [13:43:45:022]: Executing op: FileCopy(SourceName=qvault.dll,SourceCabKey=qvault.dll,DestName=qvault.dll,Attributes=16384,FileSize=930800,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:023]: File: C:\Program Files (x86)\Quicken\qvault.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:023]: Source for file 'qvault.dll' is compressed

MSI (s) (34:C8) [13:43:45:030]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\Snap\)

MSI (s) (34:C8) [13:43:45:030]: Executing op: SetSourceFolder(Folder=1\PROGRA~1\Quicken\Snap\|program files\Quicken\Snap\)

MSI (s) (34:C8) [13:43:45:030]: Executing op: FileCopy(SourceName=QW\_ACC~1.DLL|qw\_accts\_ss.dll,SourceCabKey=qw\_accts\_ss.dll,DestName=qw\_accts\_ss.dll,Attributes=16384,FileSize=69616,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:031]: File: C:\Program Files (x86)\Quicken\Snap\qw\_accts\_ss.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:031]: Source for file 'qw\_accts\_ss.dll' is compressed

MSI (s) (34:C8) [13:43:45:034]: Executing op: FileCopy(SourceName=QW\_ACT~1.DLL|qw\_actpg\_ss.dll,SourceCabKey=qw\_actpg\_ss.dll,DestName=qw\_actpg\_ss.dll,Attributes=16384,FileSize=67568,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:034]: File: C:\Program Files (x86)\Quicken\Snap\qw\_actpg\_ss.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:034]: Source for file 'qw\_actpg\_ss.dll' is compressed

MSI (s) (34:C8) [13:43:45:037]: Executing op:  
FileCopy(SourceName=QW\_OUS~1.DLL|qw\_ouss\_ss.dll,SourceCabKey=qw\_ouss\_ss.dll, DestName=qw\_ouss\_ss.dll, Attributes=16384, FileSize=100336, PerTick=65536, VerifyMedia=1,,,,, CheckCRC=0, Version=27.1.20.15, Language=1033, InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:037]: File: C:\Program Files (x86)\Quicken\Snap\qw\_ouss\_ss.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:037]: Source for file 'qw\_ouss\_ss.dll' is compressed

MSI (s) (34:C8) [13:43:45:041]: Executing op:  
FileCopy(SourceName=QW\_PAY~1.DLL|qw\_pay\_ss.dll,SourceCabKey=qw\_pay\_ss.dll, DestName=qw\_pay\_ss.dll, Attributes=16384, FileSize=77808, PerTick=65536, VerifyMedia=1,,,,, CheckCRC=0, Version=27.1.20.15, Language=1033, InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:041]: File: C:\Program Files (x86)\Quicken\Snap\qw\_pay\_ss.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:041]: Source for file 'qw\_pay\_ss.dll' is compressed

MSI (s) (34:C8) [13:43:45:043]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\)

MSI (s) (34:C8) [13:43:45:043]: Executing op:  
SetSourceFolder(Folder=1\PROGRA~1\Quicken\|program files\Quicken\)

MSI (s) (34:C8) [13:43:45:043]: Executing op:  
FileCopy(SourceName=qwapp.dll,SourceCabKey=qwapp.dll, DestName=qwapp.dll, Attributes=16384, FileSize=237552, PerTick=65536, VerifyMedia=1,,,,, CheckCRC=0, Version=27.1.20.15, Language=1033, InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:044]: File: C:\Program Files (x86)\Quicken\qwapp.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:044]: Source for file 'qwapp.dll' is compressed

MSI (s) (34:C8) [13:43:45:048]: Executing op:  
FileCopy(SourceName=qwcntr.dll,SourceCabKey=qwcntr.dll, DestName=qwcntr.dll, Attributes=16384, FileSize=80880, PerTick=65536, VerifyMedia=1,,,,, CheckCRC=0, Version=27.1.20.15, Language=1033, InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:048]: File: C:\Program Files (x86)\Quicken\qwcntr.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:048]: Source for file 'qwcntr.dll' is compressed

MSI (s) (34:C8) [13:43:45:051]: Executing op:  
FileCopy(SourceName=qwinet.dll,SourceCabKey=qwinet.dll, DestName=qwinet.dll, Attributes=16384, FileSize=111088, PerTick=65536, VerifyMedia=1,,,,, CheckCRC=0, Version=27.1.20.15, Language=1033, InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:051]: File: C:\Program Files (x86)\Quicken\qwinet.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:051]: Source for file 'qwinet.dll' is compressed

MSI (s) (34:C8) [13:43:45:054]: Executing op:  
FileCopy(SourceName=qwinver.dll,SourceCabKey=qwinver.dll, DestName=qwinver.dll, Attributes=16384, FileSize=81392, PerTick=65536, VerifyMedia=1,,,,, CheckCRC=0, Version=27.1.20.15, Language=1033, InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:054]: File: C:\Program Files (x86)\Quicken\qwilver.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:054]: Source for file 'qwilver.dll' is compressed  
MSI (s) (34:C8) [13:43:45:057]: Executing op:  
FileCopy(SourceName=qwonline.dll,SourceCabKey=qwonline.dll,DestName=qwonline.dll,Attributes=16384,FileSize=2694640,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:45:057]: File: C:\Program Files (x86)\Quicken\qwonline.dll;  
To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:057]: Source for file 'qwonline.dll' is compressed  
MSI (s) (34:C8) [13:43:45:078]: Executing op:  
FileCopy(SourceName=qwpr.dll,SourceCabKey=qwpr.dll,DestName=qwpr.dll,Attributes=16384,FileSize=357360,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:45:078]: File: C:\Program Files (x86)\Quicken\qwpr.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:078]: Source for file 'qwpr.dll' is compressed  
MSI (s) (34:C8) [13:43:45:083]: Executing op:  
FileCopy(SourceName=qwsnap.dll,SourceCabKey=qwsnap.dll,DestName=qwsnap.dll,Attributes=16384,FileSize=101360,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:45:083]: File: C:\Program Files (x86)\Quicken\qwsnap.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:083]: Source for file 'qwsnap.dll' is compressed  
MSI (s) (34:C8) [13:43:45:086]: Executing op:  
FileCopy(SourceName=qwsync.dll,SourceCabKey=qwsync.dll,DestName=qwsync.dll,Attributes=16384,FileSize=13808,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:45:087]: File: C:\Program Files (x86)\Quicken\qwsync.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:087]: Source for file 'qwsync.dll' is compressed  
MSI (s) (34:C8) [13:43:45:089]: Executing op:  
FileCopy(SourceName=qwutil.dll,SourceCabKey=qwutil.dll,DestName=qwutil.dll,Attributes=16384,FileSize=3749872,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:45:089]: File: C:\Program Files (x86)\Quicken\qwutil.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:090]: Source for file 'qwutil.dll' is compressed  
MSI (s) (34:C8) [13:43:45:111]: Executing op:  
FileCopy(SourceName=qwwin.dll,SourceCabKey=qwwin.dll,DestName=qwwin.dll,Attributes=16384,FileSize=1926640,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)  
MSI (s) (34:C8) [13:43:45:111]: File: C:\Program Files (x86)\Quicken\qwwin.dll; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:111]: Source for file 'qwwin.dll' is compressed  
MSI (s) (34:C8) [13:43:45:126]: Executing op:

FileCopy(SourceName=tcl85t.dll,SourceCabKey=tcl85t.dll,DestName=tcl85t.dll,Attributes=16384,FileSize=929264,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=8.5.2.13,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:126]: File: C:\Program Files (x86)\Quicken\tcl85t.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:126]: Source for file 'tcl85t.dll' is compressed

MSI (s) (34:C8) [13:43:45:136]: Executing op:

FileCopy(SourceName=ttaximp.dll,SourceCabKey=ttaximp.dll,DestName=ttaximp.dll,Attributes=16384,FileSize=2806256,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=2014.11.1.271,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:136]: File: C:\Program Files (x86)\Quicken\ttaximp.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:136]: Source for file 'ttaximp.dll' is compressed

MSI (s) (34:C8) [13:43:45:160]: Executing op:

FileCopy(SourceName=xmlparse.dll,SourceCabKey=xmlparse.dll,DestName=xmlparse.dll,Attributes=16384,FileSize=74736,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:160]: File: C:\Program Files (x86)\Quicken\xmlparse.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:160]: Source for file 'xmlparse.dll' is compressed

MSI (s) (34:C8) [13:43:45:163]: Executing op:

FileCopy(SourceName=XMLPAR~1.DLL\xmlparse\_tok.dll,SourceCabKey=xmlparse\_tok.dll,DestName=xmlparse\_tok.dll,Attributes=16384,FileSize=89072,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:163]: File: C:\Program Files (x86)\Quicken\xmlparse\_tok.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:163]: Source for file 'xmlparse\_tok.dll' is compressed

MSI (s) (34:C8) [13:43:45:168]: Executing op:

FileCopy(SourceName=xsell.dll,SourceCabKey=xsell.dll,DestName=xsell.dll,Attributes=16384,FileSize=35312,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=58982400,,,,,,)

MSI (s) (34:C8) [13:43:45:168]: File: C:\Program Files (x86)\Quicken\xsell.dll; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:168]: Source for file 'xsell.dll' is compressed

MSI (s) (34:C8) [13:43:45:171]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\ScreenShare\)

MSI (s) (34:C8) [13:43:45:171]: Executing op: SetSourceFolder(Folder=1\PROGRA~1\Quicken\SCREEN~1\program files\Quicken\ScreenShare\)

MSI (s) (34:C8) [13:43:45:171]: Executing op:

FileCopy(SourceName=cef.pak,SourceCabKey=cef.pak,DestName=cef.pak,Attributes=16384,FileSize=2197289,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,InstallMode=58982400,HashOptions=0,HashPart1=2039406786,HashPart2=896740215,HashPart3=324749002,HashPart4=790147859,,)

MSI (s) (34:C8) [13:43:45:171]: File: C:\Program Files

(x86)\Quicken\ScreenShare\cef.pak; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:171]: Source for file 'cef.pak' is compressed  
MSI (s) (34:C8) [13:43:45:184]: Executing op:  
FileCopy(SourceName=CEF\_10~1.PAK|cef\_100\_percent.pak,SourceCabKey=cef\_100\_percent.pak,DestName=cef\_100\_percent.pak,Attributes=16384,FileSize=296406,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1029008019,HashPart2=-1416218760,HashPart3=-1284310240,HashPart4=-2111507331,,)  
MSI (s) (34:C8) [13:43:45:185]: File: C:\Program Files  
(x86)\Quicken\ScreenShare\cef\_100\_percent.pak; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:185]: Source for file 'cef\_100\_percent.pak' is compressed  
MSI (s) (34:C8) [13:43:45:188]: Executing op:  
FileCopy(SourceName=CEF\_20~1.PAK|cef\_200\_percent.pak,SourceCabKey=cef\_200\_percent.pak,DestName=cef\_200\_percent.pak,Attributes=16384,FileSize=403210,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-756264567,HashPart2=-798978042,HashPart3=199220231,HashPart4=-65830551,,)  
MSI (s) (34:C8) [13:43:45:188]: File: C:\Program Files  
(x86)\Quicken\ScreenShare\cef\_200\_percent.pak; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:188]: Source for file 'cef\_200\_percent.pak' is compressed  
MSI (s) (34:C8) [13:43:45:194]: Executing op:  
FileCopy(SourceName=CEF\_EX~1.PAK|cef\_extensions.pak,SourceCabKey=cef\_extensions.pak,DestName=cef\_extensions.pak,Attributes=16384,FileSize=3873562,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=639124427,HashPart2=1235481469,HashPart3=689212239,HashPart4=2126560311,,)  
MSI (s) (34:C8) [13:43:45:194]: File: C:\Program Files  
(x86)\Quicken\ScreenShare\cef\_extensions.pak; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:194]: Source for file 'cef\_extensions.pak' is compressed  
MSI (s) (34:C8) [13:43:45:220]: Executing op:  
FileCopy(SourceName=CEFSCR~1.ILK|cefscreenshare.ilc,SourceCabKey=cefscreenshare.ilc,DestName=cefscreenshare.ilc,Attributes=16384,FileSize=11245504,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-2046200301,HashPart2=1070627787,HashPart3=1051474250,HashPart4=1077588903,,)  
MSI (s) (34:C8) [13:43:45:221]: File: C:\Program Files  
(x86)\Quicken\ScreenShare\cefscreenshare.ilc; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:221]: Source for file 'cefscreenshare.ilc' is compressed  
MSI (s) (34:C8) [13:43:45:273]: Executing op:  
FileCopy(SourceName=DEVTOO~1.PAK|devtools\_resources.pak,SourceCabKey=devtools\_resources.pak,DestName=devtools\_resources.pak,Attributes=16384,FileSize=440

5316,PerTick=65536,,VerifyMedia=1,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=2124315880,HashPart2=-782912045,HashPart3=1936992740,HashPart4=1597288020,,)

MSI (s) (34:C8) [13:43:45:273]: File: C:\Program Files (x86)\Quicken\ScreenShare\devtools\_resources.pak; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:273]: Source for file 'devtools\_resources.pak' is compressed

MSI (s) (34:C8) [13:43:45:298]: Executing op:

FileCopy(SourceName=icudtl.dat,SourceCabKey=icudtl.dat,DestName=icudtl.dat,Attributes=16384,FileSize=10206624,PerTick=65536,,VerifyMedia=1,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1998581865,HashPart2=-802092704,HashPart3=1963292240,HashPart4=2033609628,,)

MSI (s) (34:C8) [13:43:45:299]: File: C:\Program Files (x86)\Quicken\ScreenShare\icudtl.dat; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:299]: Source for file 'icudtl.dat' is compressed

MSI (s) (34:C8) [13:43:45:373]: Executing op:

FileCopy(SourceName=NATIVE~1.BIN\natives\_blob.bin,SourceCabKey=natives\_blob.bin,DestName=natives\_blob.bin,Attributes=16384,FileSize=410979,PerTick=65536,,VerifyMedia=1,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1467085351,HashPart2=-1543699611,HashPart3=322970628,HashPart4=1963822459,,)

MSI (s) (34:C8) [13:43:45:373]: File: C:\Program Files (x86)\Quicken\ScreenShare\natives\_blob.bin; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:373]: Source for file 'natives\_blob.bin' is compressed

MSI (s) (34:C8) [13:43:45:378]: Executing op:

FileCopy(SourceName=SNAPSH~1.BIN\snapshot\_blob.bin,SourceCabKey=snapshot\_blob.bin,DestName=snapshot\_blob.bin,Attributes=16384,FileSize=463528,PerTick=65536,,VerifyMedia=1,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-924782619,HashPart2=1838650482,HashPart3=30029700,HashPart4=-1210431528,,)

MSI (s) (34:C8) [13:43:45:378]: File: C:\Program Files (x86)\Quicken\ScreenShare\snapshot\_blob.bin; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:378]: Source for file 'snapshot\_blob.bin' is compressed

MSI (s) (34:C8) [13:43:45:384]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\ScreenShare\locales\)

MSI (s) (34:C8) [13:43:45:384]: Executing op:

SetSourceFolder(Folder=1\PROGRA~1\Quicken\SCREEN~1\locales\|program files\Quicken\ScreenShare\locales\)

MSI (s) (34:C8) [13:43:45:384]: Executing op:

FileCopy(SourceName=en-GB.pak,SourceCabKey=en\_gb.pak1,DestName=en-GB.pak,Attributes=16384,FileSize=20264,PerTick=65536,,VerifyMedia=1,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1309523756,HashPart2=1034812997,HashPart3=113368679,HashPart4=2058260030,,)

MSI (s) (34:C8) [13:43:45:384]: File: C:\Program Files



(x86)\Quicken\ScreenShare\locales\en-GB.pak; To be installed; Won't patch;  
No existing file  
MSI (s) (34:C8) [13:43:45:384]: Source for file 'en\_gb.pak1' is compressed  
MSI (s) (34:C8) [13:43:45:387]: Executing op:  
FileCopy(SourceName=en-US.pak,SourceCabKey=en\_us.pak1,DestName=en-US.pak,Attributes=16384,FileSize=20342,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1373354490,HashPart2=-1005883864,HashPart3=297786123,HashPart4=-2128466332,,)  
MSI (s) (34:C8) [13:43:45:388]: File: C:\Program Files  
(x86)\Quicken\ScreenShare\locales\en-US.pak; To be installed; Won't patch;  
No existing file  
MSI (s) (34:C8) [13:43:45:388]: Source for file 'en\_us.pak1' is compressed  
MSI (s) (34:C8) [13:43:45:390]: Executing op:  
SetTargetFolder(Folder=C:\ProgramData\Quicken\  
MSI (s) (34:C8) [13:43:45:390]: Executing op:  
SetSourceFolder(Folder=1\Common~1\Quicken\|CommonAppData\Quicken\  
MSI (s) (34:C8) [13:43:45:390]: Executing op:  
FileCopy(SourceName=client.wyc,SourceCabKey=client.wyc1,DestName=client.wyc,Attributes=16384,FileSize=12545,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1491221952,HashPart2=-635560570,HashPart3=-67597238,HashPart4=595456087,,)  
MSI (s) (34:C8) [13:43:45:390]: File: C:\ProgramData\Quicken\client.wyc; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:390]: Source for file 'client.wyc1' is compressed  
MSI (s) (34:C8) [13:43:45:393]: Executing op:  
SetTargetFolder(Folder=C:\ProgramData\Quicken\Config\  
MSI (s) (34:C8) [13:43:45:393]: Executing op:  
SetSourceFolder(Folder=1\Common~1\Quicken\Config\|CommonAppData\Quicken\Config\  
MSI (s) (34:C8) [13:43:45:393]: Executing op:  
FileCopy(SourceName=QREQST~1.DAT|qreqst\_vs7.dat,SourceCabKey=qreqst\_vs7.dat1,DestName=qreqst\_vs7.dat,Attributes=16384,FileSize=438,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=65535.0.0.0,,InstallMode=58982400,,,,,)  
MSI (s) (34:C8) [13:43:45:393]: File: C:\ProgramData\Quicken\Config\qreqst\_vs7.dat;  
To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:393]: Source for file 'qreqst\_vs7.dat1' is compressed  
MSI (s) (34:C8) [13:43:45:395]: Executing op:  
FileCopy(SourceName=wpr.ini,SourceCabKey=wpr.ini1,DestName=wpr.ini,Attributes=16384,FileSize=3618,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-21772607,HashPart2=1637472124,HashPart3=-1281699637,HashPart4=-2010915550,,)  
MSI (s) (34:C8) [13:43:45:395]: File: C:\ProgramData\Quicken\Config\wpr.ini; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:395]: Source for file 'wpr.ini1' is compressed  
MSI (s) (34:C8) [13:43:45:397]: Executing op: SetTargetFolder(Folder=C:\Program Files  
(x86)\Quicken\)

MSI (s) (34:C8) [13:43:45:397]: Executing op:  
SetSourceFolder(Folder=1\PROGRA~1\Quicken\|program files\Quicken\)

MSI (s) (34:C8) [13:43:45:397]: Executing op:  
FileCopy(SourceName=cef.pak,SourceCabKey=cef.pak1,DestName=cef.pak,Attributes=16384,FileSize=2749972,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1641945525,HashPart2=-942148513,HashPart3=1314372878,HashPart4=172531970,,)

MSI (s) (34:C8) [13:43:45:397]: File: C:\Program Files (x86)\Quicken\cef.pak; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:397]: Source for file 'cef.pak1' is compressed

MSI (s) (34:C8) [13:43:45:413]: Executing op:  
FileCopy(SourceName=CEF\_10~1.PAK|cef\_100\_percent.pak,SourceCabKey=cef\_100\_percent.pak1,DestName=cef\_100\_percent.pak,Attributes=16384,FileSize=146067,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1235465550,HashPart2=-1006457305,HashPart3=-762843283,HashPart4=-2132810989,,)

MSI (s) (34:C8) [13:43:45:414]: File: C:\Program Files (x86)\Quicken\cef\_100\_percent.pak; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:414]: Source for file 'cef\_100\_percent.pak1' is compressed

MSI (s) (34:C8) [13:43:45:417]: Executing op:  
FileCopy(SourceName=CEF\_20~1.PAK|cef\_200\_percent.pak,SourceCabKey=cef\_200\_percent.pak1,DestName=cef\_200\_percent.pak,Attributes=16384,FileSize=235262,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1913869528,HashPart2=1366659338,HashPart3=-1567900942,HashPart4=558360731,,)

MSI (s) (34:C8) [13:43:45:417]: File: C:\Program Files (x86)\Quicken\cef\_200\_percent.pak; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:417]: Source for file 'cef\_200\_percent.pak1' is compressed

MSI (s) (34:C8) [13:43:45:420]: Executing op:  
FileCopy(SourceName=CEF\_EX~1.PAK|cef\_extensions.pak,SourceCabKey=cef\_extensions.pak1,DestName=cef\_extensions.pak,Attributes=16384,FileSize=4409164,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1375353904,HashPart2=-2046807266,HashPart3=-515148770,HashPart4=1344566229,,)

MSI (s) (34:C8) [13:43:45:421]: File: C:\Program Files (x86)\Quicken\cef\_extensions.pak; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:421]: Source for file 'cef\_extensions.pak1' is compressed

MSI (s) (34:C8) [13:43:45:449]: Executing op:  
FileCopy(SourceName=client.wyc,SourceCabKey=client.wyc,DestName=client.wyc,Attributes=16384,FileSize=12541,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1241759524,HashPart2=316913435,HashPart3=131875219,HashPart4=-1565243666,,)

MSI (s) (34:C8) [13:43:45:449]: File: C:\Program Files (x86)\Quicken\client.wyc; To be

installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:449]: Source for file 'client.wyc' is compressed  
MSI (s) (34:C8) [13:43:45:450]: Executing op:  
FileCopy(SourceName=DEVTOO~1.PAK|devtools\_resources.pak,SourceCabKey=devtools\_resources.pak1,DestName=devtools\_resources.pak,Attributes=16384,FileSize=4740603,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-246372768,HashPart2=944784348,HashPart3=800730893,HashPart4=59258547,,)  
MSI (s) (34:C8) [13:43:45:450]: File: C:\Program Files (x86)\Quicken\devtools\_resources.pak; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:450]: Source for file 'devtools\_resources.pak1' is compressed  
MSI (s) (34:C8) [13:43:45:477]: Executing op:  
FileCopy(SourceName=icudtl.dat,SourceCabKey=icudtl.dat1,DestName=icudtl.dat,Attributes=16384,FileSize=10127152,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1299176560,HashPart2=-1447711715,HashPart3=1834339071,HashPart4=-519277240,,)  
MSI (s) (34:C8) [13:43:45:478]: File: C:\Program Files (x86)\Quicken\icudtl.dat; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:478]: Source for file 'icudtl.dat1' is compressed  
MSI (s) (34:C8) [13:43:45:549]: Executing op:  
FileCopy(SourceName=INSPEC~1.PAK|inspector.pak,SourceCabKey=inspector.pak,DestName=inspector.pak,Attributes=16384,FileSize=3942486,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=2019862719,HashPart2=-1846537617,HashPart3=-2141100297,HashPart4=188061196,,)  
MSI (s) (34:C8) [13:43:45:549]: File: C:\Program Files (x86)\Quicken\inspector.pak; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:549]: Source for file 'inspector.pak' is compressed  
MSI (s) (34:C8) [13:43:45:570]: Executing op:  
FileCopy(SourceName=NATIVE~1.BIN|natives\_blob.bin,SourceCabKey=natives\_blob.bin1,DestName=natives\_blob.bin,Attributes=16384,FileSize=415490,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1075379728,HashPart2=-1077801381,HashPart3=984320235,HashPart4=665990533,,)  
MSI (s) (34:C8) [13:43:45:570]: File: C:\Program Files (x86)\Quicken\natives\_blob.bin; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:570]: Source for file 'natives\_blob.bin1' is compressed  
MSI (s) (34:C8) [13:43:45:577]: Executing op:  
FileCopy(SourceName=pdf\_js.pak,SourceCabKey=pdf\_js.pak,DestName=pdf\_js.pak,Attributes=16384,FileSize=2871558,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=1237080733,HashPart2=1569712365,HashPart3=-1114483664,HashPart4=619832845,,)  
MSI (s) (34:C8) [13:43:45:577]: File: C:\Program Files (x86)\Quicken\pdf\_js.pak; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:577]: Source for file 'pdf\_js.pak' is compressed  
MSI (s) (34:C8) [13:43:45:598]: Executing op:  
FileCopy(SourceName=SNAPSH~1.BIN|snapshot\_blob.bin,SourceCabKey=snapshot\_

blob.bin1, DestName=snapshot\_blob.bin, Attributes=16384, FileSize=517972, PerTick=65536, VerifyMedia=1, CheckCRC=0, InstallMode=58982400, HashOptions=0, HashPart1=1718028948, HashPart2=209333281, HashPart3=1592083172, HashPart4=377053863,)

MSI (s) (34:C8) [13:43:45:598]: File: C:\Program Files (x86)\Quicken\snapshot\_blob.bin; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:598]: Source for file 'snapshot\_blob.bin1' is compressed

MSI (s) (34:C8) [13:43:45:605]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\PDFDrv\)

MSI (s) (34:C8) [13:43:45:605]: Executing op:

SetSourceFolder(Folder=1\PROGRA~1\Quicken\PDFDrv\program files\Quicken\PDFDrv\)

MSI (s) (34:C8) [13:43:45:605]: Executing op:

FileCopy(SourceName=acfpdf.txt, SourceCabKey=acfpdf.txt, DestName=acfpdf.txt, Attributes=16384, FileSize=109, PerTick=65536, VerifyMedia=1, CheckCRC=0, InstallMode=58982400, HashOptions=0, HashPart1=-1251869809, HashPart2=-1549290470, HashPart3=1990192107, HashPart4=-2125750767,)

MSI (s) (34:C8) [13:43:45:605]: File: C:\Program Files (x86)\Quicken\PDFDrv\acfpdf.txt; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:605]: Source for file 'acfpdf.txt' is compressed

MSI (s) (34:C8) [13:43:45:607]: Executing op:

FileCopy(SourceName=RESTOR~1.BAT|restorePdfDriver.bat, SourceCabKey=restorepdfdriver.bat, DestName=restorePdfDriver.bat, Attributes=16384, FileSize=179, PerTick=65536, VerifyMedia=1, CheckCRC=0, InstallMode=58982400, HashOptions=0, HashPart1=2064955751, HashPart2=1320023191, HashPart3=-1269023424, HashPart4=301628453,)

MSI (s) (34:C8) [13:43:45:607]: File: C:\Program Files

(x86)\Quicken\PDFDrv\restorePdfDriver.bat; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:607]: Source for file 'restorepdfdriver.bat' is compressed

MSI (s) (34:C8) [13:43:45:609]: Executing op:

SetTargetFolder(Folder=C:\ProgramData\Quicken\Inet\Common\Features\pwd\_remove r\)

MSI (s) (34:C8) [13:43:45:609]: Executing op:

SetSourceFolder(Folder=1\Common~1\Quicken\Inet\Common\Features\PWD\_RE~1\C ommonAppData\Quicken\Inet\Common\Features\pwd\_remove r\)

MSI (s) (34:C8) [13:43:45:609]: Executing op:

FileCopy(SourceName=PWD\_RE~1.XML|pwd\_remove\_r\_config.xml, SourceCabKey=pw d\_remove\_r\_config.xml, DestName=pwd\_remove\_r\_config.xml, Attributes=16384, FileSize=1103, PerTick=65536, VerifyMedia=1, CheckCRC=0, InstallMode=58982400, HashOptions=0, HashPart1=-106255277, HashPart2=-1574353537, HashPart3=411379106, HashPart4=-773871332,)

MSI (s) (34:C8) [13:43:45:609]: File:

C:\ProgramData\Quicken\Inet\Common\Features\pwd\_remove\_r\pwd\_remove\_r\_config.xml; To be installed; Won't patch; No existing file

MSI (s) (34:C8) [13:43:45:609]: Source for file 'pwd\_remover\_config.xml' is compressed  
MSI (s) (34:C8) [13:43:45:612]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\AnswerWorks\)  
MSI (s) (34:C8) [13:43:45:612]: Executing op:  
SetSourceFolder(Folder=1\PROGRA~1\Quicken\ANSWER~1\program files\Quicken\AnswerWorks\)  
MSI (s) (34:C8) [13:43:45:612]: Executing op:  
FileCopy(SourceName=aw5enrun.msi,SourceCabKey=aw5enrun.msi,DestName=aw5enrun.msi,Attributes=16384,FileSize=2907648,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=529521435,HashPart2=525569346,HashPart3=1599534146,HashPart4=1334369058,,)  
MSI (s) (34:C8) [13:43:45:612]: File: C:\Program Files (x86)\Quicken\AnswerWorks\aw5enrun.msi; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:612]: Source for file 'aw5enrun.msi' is compressed  
MSI (s) (34:C8) [13:43:45:622]: Executing op:  
FileCopy(SourceName=AW5ENRun.msm,SourceCabKey=aw5enrun.msm,DestName=AW5ENRun.msm,Attributes=16384,FileSize=2309632,PerTick=65536,,VerifyMedia=1,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=792084984,HashPart2=-458566148,HashPart3=1927589670,HashPart4=-1118824455,,)  
MSI (s) (34:C8) [13:43:45:622]: File: C:\Program Files (x86)\Quicken\AnswerWorks\AW5ENRun.msm; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:622]: Source for file 'aw5enrun.msm' is compressed  
MSI (s) (34:C8) [13:43:45:632]: Executing op:  
FileCopy(SourceName=AW5FRRun.msm,SourceCabKey=aw5frun.msm,DestName=AW5FRRun.msm,Attributes=16384,FileSize=2034176,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=-1437602780,HashPart2=974071291,HashPart3=1990040487,HashPart4=-629451106,,)  
MSI (s) (34:C8) [13:43:45:632]: File: C:\Program Files (x86)\Quicken\AnswerWorks\AW5FRRun.msm; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:632]: Source for file 'aw5frun.msm' is compressed  
MSI (s) (34:C8) [13:43:45:643]: Executing op:  
FileCopy(SourceName=AW5LAN~1.MSM|AW5LangIndRun.msm,SourceCabKey=aw5langindrun.msm,DestName=AW5LangIndRun.msm,Attributes=16384,FileSize=1017344,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,,,InstallMode=58982400,HashOptions=0,HashPart1=477838760,HashPart2=168227884,HashPart3=1280698918,HashPart4=-136050727,,)  
MSI (s) (34:C8) [13:43:45:643]: File: C:\Program Files (x86)\Quicken\AnswerWorks\AW5LangIndRun.msm; To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:643]: Source for file 'aw5langindrun.msm' is compressed  
MSI (s) (34:C8) [13:43:45:650]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\)  
MSI (s) (34:C8) [13:43:45:650]: Executing op:

SetSourceFolder(Folder=1\PROGRA~1\Quicken\program files\Quicken\  
MSI (s) (34:C8) [13:43:45:650]: Executing op:  
FileCopy(SourceName=BINDCO~1.EXE|BindContent.exe,SourceCabKey=BindContent  
.exe,DestName=BindContent.exe,Attributes=16384,FileSize=40944,PerTick=65536,,Ve  
rifyMedia=1,,,,,CheckCRC=0,Version=27.1.20.15,Language=1033,InstallMode=589824  
00,,,,,,)  
MSI (s) (34:C8) [13:43:45:650]: File: C:\Program Files (x86)\Quicken\BindContent.exe;  
To be installed; Won't patch; No existing file  
MSI (s) (34:C8) [13:43:45:650]: Source for file 'BindContent.exe' is compressed  
MSI (s) (34:C8) [13:43:45:651]: Note: 1: 1310 2: 0 3: C:\Program Files  
(x86)\Quicken\BindContent.exe  
MSI (s) (34:C8) [13:43:45:652]: Product: Quicken -- Error 1310.Error writing to file:  
C:\Program Files (x86)\Quicken\BindContent.exe. System error 0. Verify that you have  
access to that directory.

MSI (s) (34:C8) [13:43:45:660]: Note: 1: 2265 2: 3: -2147287035  
MSI (s) (34:C8) [13:43:45:660]: User policy value 'DisableRollback' is 0  
MSI (s) (34:C8) [13:43:45:660]: Machine policy value 'DisableRollback' is 0  
Action ended 13:43:45: InstallFinalize. Return value 3.  
MSI (s) (34:C8) [13:43:45:661]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:662]: Executing op:  
Header(Signature=1397708873,Version=500,Timestamp=1346137463,LangId=1033,PI  
atform=0,ScriptType=2,ScriptMajorVersion=21,ScriptMinorVersion=4,ScriptAttributes=1  
)  
MSI (s) (34:C8) [13:43:45:662]: Executing op: DialogInfo(Type=0,Argument=1033)  
MSI (s) (34:C8) [13:43:45:662]: Executing op: DialogInfo(Type=1,Argument=Quicken)  
MSI (s) (34:C8) [13:43:45:663]: Executing op:  
RollbackInfo(,RollbackAction=Rollback,RollbackDescription=Rolling back  
action.,RollbackTemplate=[1],CleanupAction=RollbackCleanup,CleanupDescription=Re  
moving backup files,CleanupTemplate=File: [1])  
MSI (s) (34:C8) [13:43:45:664]: Executing op:  
ActionStart(Name=InstallFiles,Description=Copying new files,Template=File: [1],  
Directory: [9], Size: [6])  
MSI (s) (34:C8) [13:43:45:664]: Executing op: SetTargetFolder(Folder=C:\Program Files  
(x86)\Quicken\  
MSI (s) (34:C8) [13:43:45:665]: Executing op:  
ProductInfo(ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},ProductName  
=Quicken,PackageName=Quicken.msi,Language=1033,Version=453050388,Assignme  
nt=1,ObsoleteArg=0,ProductIcon=ARPPRODUCTICON.exe,,PackageCode={8584ADB  
0-A6DB-4E44-A58A-0A5EE7B9C8A7},,,,InstanceType=0,LUASetting=0,RemoteURTIns  
talls=0,ProductDeploymentFlags=3)  
MSI (s) (34:C8) [13:43:45:665]: Executing op: FileRemove(,FileName=C:\Program Files  
(x86)\Quicken\BindContent.exe,,)  
MSI (s) (34:C8) [13:43:45:665]: Error 5 attempting to delete file BindContent.exe  
MSI (s) (34:C8) [13:43:45:665]: Executing op: SetTargetFolder(Folder=C:\Program Files  
(x86)\Quicken\AnswerWorks\)

MSI (s) (34:C8) [13:43:45:666]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\AnswerWorks\AW5LangIndRun.msm,,)

MSI (s) (34:C8) [13:43:45:666]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:667]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\AnswerWorks\AW5FRRun.msm,,)

MSI (s) (34:C8) [13:43:45:668]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:668]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\AnswerWorks\AW5ENRun.msm,,)

MSI (s) (34:C8) [13:43:45:669]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:669]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\AnswerWorks\aw5enrun.msi,,)

MSI (s) (34:C8) [13:43:45:670]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:671]: Executing op: SetTargetFolder(Folder=C:\ProgramData\Quicken\Inet\Common\Features\pwd\_remove r\)

MSI (s) (34:C8) [13:43:45:672]: Executing op: FileRemove(,FileName=C:\ProgramData\Quicken\Inet\Common\Features\pwd\_remover \pwd\_remover\_config.xml,,)

MSI (s) (34:C8) [13:43:45:672]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:674]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\PDFDrv\)

MSI (s) (34:C8) [13:43:45:674]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\PDFDrv\restorePdfDriver.bat,,)

MSI (s) (34:C8) [13:43:45:675]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:675]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\PDFDrv\acfpdf.txt,,)

MSI (s) (34:C8) [13:43:45:676]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:677]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\)

MSI (s) (34:C8) [13:43:45:678]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\snapshot\_blob.bin,,)

MSI (s) (34:C8) [13:43:45:679]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\pdf\_js.pak,,)

MSI (s) (34:C8) [13:43:45:680]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\natives\_blob.bin,,)

MSI (s) (34:C8) [13:43:45:681]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\inspector.pak,,)

MSI (s) (34:C8) [13:43:45:682]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\icudtl.dat,,)

MSI (s) (34:C8) [13:43:45:684]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\devtools\_resources.pak,,)

MSI (s) (34:C8) [13:43:45:685]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\client.wyc,,)

MSI (s) (34:C8) [13:43:45:686]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\cef\_extensions.pak,,)

MSI (s) (34:C8) [13:43:45:688]: Executing op: FileRemove(,FileName=C:\Program Files

(x86)\Quicken\cef\_200\_percent.pak,,)  
MSI (s) (34:C8) [13:43:45:689]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\cef\_100\_percent.pak,,)  
MSI (s) (34:C8) [13:43:45:690]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\cef.pak,,)  
MSI (s) (34:C8) [13:43:45:692]: Executing op: SetTargetFolder(Folder=C:\ProgramData\Quicken\Config\  
MSI (s) (34:C8) [13:43:45:692]: Executing op: FileRemove(,FileName=C:\ProgramData\Quicken\Config\wpr.ini,,)  
MSI (s) (34:C8) [13:43:45:693]: Executing op: FileRemove(,FileName=C:\ProgramData\Quicken\Config\qreqst\_vs7.dat,,)  
MSI (s) (34:C8) [13:43:45:694]: Executing op: SetTargetFolder(Folder=C:\ProgramData\Quicken\  
MSI (s) (34:C8) [13:43:45:694]: Executing op: FileRemove(,FileName=C:\ProgramData\Quicken\client.wyc,,)  
MSI (s) (34:C8) [13:43:45:695]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\ScreenShare\locales\  
MSI (s) (34:C8) [13:43:45:695]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\locales\en-US.pak,,)  
MSI (s) (34:C8) [13:43:45:696]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:696]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\locales\en-GB.pak,,)  
MSI (s) (34:C8) [13:43:45:697]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:697]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:698]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\ScreenShare\  
MSI (s) (34:C8) [13:43:45:698]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\snapshot\_blob.bin,,)  
MSI (s) (34:C8) [13:43:45:699]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:699]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\natives\_blob.bin,,)  
MSI (s) (34:C8) [13:43:45:700]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:700]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\licudtl.dat,,)  
MSI (s) (34:C8) [13:43:45:702]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:703]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\devtools\_resources.pak,,)  
MSI (s) (34:C8) [13:43:45:704]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:704]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\cefsscreenshare.ilc,,)  
MSI (s) (34:C8) [13:43:45:706]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:707]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\cef\_extensions.pak,,)  
MSI (s) (34:C8) [13:43:45:708]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:708]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\cef\_200\_percent.pak,,)



MSI (s) (34:C8) [13:43:45:709]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:710]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\cef\_100\_percent.pak,,)  
MSI (s) (34:C8) [13:43:45:711]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:711]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ScreenShare\cef.pak,,)  
MSI (s) (34:C8) [13:43:45:712]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:713]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\  
MSI (s) (34:C8) [13:43:45:714]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\xsell.dll,,)  
MSI (s) (34:C8) [13:43:45:715]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\xmlparse\_tok.dll,,)  
MSI (s) (34:C8) [13:43:45:716]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\xmlparse.dll,,)  
MSI (s) (34:C8) [13:43:45:717]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ttaximp.dll,,)  
MSI (s) (34:C8) [13:43:45:718]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\tcl85t.dll,,)  
MSI (s) (34:C8) [13:43:45:719]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qwwin.dll,,)  
MSI (s) (34:C8) [13:43:45:720]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qwutil.dll,,)  
MSI (s) (34:C8) [13:43:45:722]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qwsync.dll,,)  
MSI (s) (34:C8) [13:43:45:723]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qwsnap.dll,,)  
MSI (s) (34:C8) [13:43:45:724]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qwpr.dll,,)  
MSI (s) (34:C8) [13:43:45:725]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qwonline.dll,,)  
MSI (s) (34:C8) [13:43:45:726]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qwinver.dll,,)  
MSI (s) (34:C8) [13:43:45:727]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qwinet.dll,,)  
MSI (s) (34:C8) [13:43:45:728]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qwcnt.dll,,)  
MSI (s) (34:C8) [13:43:45:729]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qwapp.dll,,)  
MSI (s) (34:C8) [13:43:45:730]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\Snap\  
MSI (s) (34:C8) [13:43:45:730]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\Snap\qw\_pay\_ss.dll,,)  
MSI (s) (34:C8) [13:43:45:731]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\Snap\qw\_ouss\_ss.dll,,)  
MSI (s) (34:C8) [13:43:45:732]: Executing op: FileRemove(,FileName=C:\Program Files

(x86)\Quicken\Snap\qw\_actpg\_ss.dll,,)  
MSI (s) (34:C8) [13:43:45:733]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\Snap\qw\_accts\_ss.dll,,)  
MSI (s) (34:C8) [13:43:45:734]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\)  
MSI (s) (34:C8) [13:43:45:735]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qvault.dll,,)  
MSI (s) (34:C8) [13:43:45:736]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qtax.dll,,)  
MSI (s) (34:C8) [13:43:45:736]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\Snap\  
MSI (s) (34:C8) [13:43:45:737]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\Snap\qsetup\_ss.dll,,)  
MSI (s) (34:C8) [13:43:45:738]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\Qsapi\  
MSI (s) (34:C8) [13:43:45:739]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\Qsapi\qsapi\_xsel.dll,,)  
MSI (s) (34:C8) [13:43:45:740]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\Qsapi\qsapi\_plan.dll,,)  
MSI (s) (34:C8) [13:43:45:740]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\  
MSI (s) (34:C8) [13:43:45:741]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qsapi\_eng.dll,,)  
MSI (s) (34:C8) [13:43:45:742]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qsapi.dll,,)  
MSI (s) (34:C8) [13:43:45:743]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qsac.dll,,)  
MSI (s) (34:C8) [13:43:45:744]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qreports.dll,,)  
MSI (s) (34:C8) [13:43:45:745]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qrep.dll,,)  
MSI (s) (34:C8) [13:43:45:746]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qindex.dll,,)  
MSI (s) (34:C8) [13:43:45:747]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qdb.dll,,)  
MSI (s) (34:C8) [13:43:45:748]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qdappui.dll,,)  
MSI (s) (34:C8) [13:43:45:749]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qdapp.dll,,)  
MSI (s) (34:C8) [13:43:45:750]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qcomutil.dll,,)  
MSI (s) (34:C8) [13:43:45:751]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\qaccess.dll,,)  
MSI (s) (34:C8) [13:43:45:752]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\onlncall.dll,,)  
MSI (s) (34:C8) [13:43:45:753]: Executing op: FileRemove(,FileName=C:\Program Files

(x86)\Quicken\online.dll,,)  
MSI (s) (34:C8) [13:43:45:754]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\olbservice.dll,,)  
MSI (s) (34:C8) [13:43:45:755]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\ofxsdk\_qw.dll,,)  
MSI (s) (34:C8) [13:43:45:756]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\lbtmngn.dll,,)  
MSI (s) (34:C8) [13:43:45:758]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\graphs.dll,,)  
MSI (s) (34:C8) [13:43:45:758]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\dllapps\_savgol.dll,,)  
MSI (s) (34:C8) [13:43:45:760]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\dllapps\_plan.dll,,)  
MSI (s) (34:C8) [13:43:45:761]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\dllapps\_frcast.dll,,)  
MSI (s) (34:C8) [13:43:45:762]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\dllapps\_dedfnd.dll,,)  
MSI (s) (34:C8) [13:43:45:763]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\dllapps\_dbtred.dll,,)  
MSI (s) (34:C8) [13:43:45:764]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\custprof.dll,,)  
MSI (s) (34:C8) [13:43:45:765]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\Snap\  
MSI (s) (34:C8) [13:43:45:765]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\Snap\cir\_ss.dll,,)  
MSI (s) (34:C8) [13:43:45:766]: Executing op: SetTargetFolder(Folder=C:\Program Files (x86)\Quicken\  
MSI (s) (34:C8) [13:43:45:766]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\cashflow.dll,,)  
MSI (s) (34:C8) [13:43:45:767]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\calnote.dll,,)  
MSI (s) (34:C8) [13:43:45:768]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\bgt\_pnf.dll,,)  
MSI (s) (34:C8) [13:43:45:769]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\Qsetup.dll,,)  
MSI (s) (34:C8) [13:43:45:770]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\QShowHelp.dll,,)  
MSI (s) (34:C8) [13:43:45:772]: Executing op: FileRemove(,FileName=C:\Program Files (x86)\Quicken\QCONNECT.DLL,,)  
MSI (s) (34:C8) [13:43:45:773]: Executing op:  
ActionStart(Name=CreateFolders,Description=Creating folders,Template=Folder: [1])  
MSI (s) (34:C8) [13:43:45:773]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\inet\Common\Localweb\QCards\Quick en\_AccountTransactions\,Foreign=0)  
MSI (s) (34:C8) [13:43:45:773]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:774]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:774]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Quick  
en\_AccountOverview\Foreign=0)  
MSI (s) (34:C8) [13:43:45:775]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:775]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:776]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Plann  
ing\_Budget\Foreign=0)  
MSI (s) (34:C8) [13:43:45:776]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:777]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:777]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Over  
view\_UserDefinedView\_1\Foreign=0)  
MSI (s) (34:C8) [13:43:45:777]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:778]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:778]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Onlin  
e\_Setup\_2\Foreign=0)  
MSI (s) (34:C8) [13:43:45:779]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:779]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:780]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Onlin  
e\_Setup\_1\Foreign=0)  
MSI (s) (34:C8) [13:43:45:780]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:781]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:781]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Onlin  
e\_Setup\Foreign=0)  
MSI (s) (34:C8) [13:43:45:781]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:782]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:782]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_  
Upcoming\Foreign=0)  
MSI (s) (34:C8) [13:43:45:782]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:783]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:784]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_  
ProjectedBalances\Foreign=0)  
MSI (s) (34:C8) [13:43:45:784]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:784]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:785]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\Bills\_  
BillPay\Foreign=0)  
MSI (s) (34:C8) [13:43:45:785]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:786]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:45:786]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:787]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\QCards\,Foreign=0)

MSI (s) (34:C8) [13:43:45:787]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\Thumbs\,Foreign=0)

MSI (s) (34:C8) [13:43:45:787]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:788]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:789]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:789]: Executing op: FolderRemove(Folder=C:\Program Files (x86)\Quicken\Snap\,Foreign=0)

MSI (s) (34:C8) [13:43:45:790]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:790]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:791]: Executing op: FolderRemove(Folder=C:\Program Files (x86)\Quicken\Qsapi\,Foreign=0)

MSI (s) (34:C8) [13:43:45:791]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:792]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:792]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Pnf\,Foreign=0)

MSI (s) (34:C8) [13:43:45:793]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:793]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:794]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Localweb\,Foreign=0)

MSI (s) (34:C8) [13:43:45:794]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Hprpm\,Foreign=0)

MSI (s) (34:C8) [13:43:45:794]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:795]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Help\,Foreign=0)

MSI (s) (34:C8) [13:43:45:796]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:796]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\fsconf\,Foreign=0)

MSI (s) (34:C8) [13:43:45:797]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:797]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:798]: Executing op:  
FolderRemove(Folder=C:\ProgramData\Quicken\Inet\Common\Features\,Foreign=0)

MSI (s) (34:C8) [13:43:45:798]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:798]: Note: 1: 2318 2:

MSI (s) (34:C8) [13:43:45:799]: Executing op:  
FolderCreate(Folder=C:\ProgramData\,Foreign=0,SecurityDescriptor=BinaryData,)

MSI (s) (34:C8) [13:43:45:800]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\,Foreign=0,SecurityDescriptor=BinaryData,)

MSI (s) (34:C8) [13:43:45:801]: Executing op:  
FolderCreate(Folder=C:\ProgramData\Quicken\Inet\,Foreign=0,SecurityDescriptor=BinaryData,)

MSI (s) (34:C8) [13:43:45:801]: Executing op: FolderCreate(Folder=C:\Program Files



RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:807]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:808]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)

n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:809]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:810]: Executing op:  
RegOpenKey(Root=-2147483646,Key=SOFTWARE\Microsoft\Windows\CurrentVersio  
n\SharedDLLs,SecurityDescriptor=BinaryData,BinaryType=0,,)  
MSI (s) (34:C8) [13:43:45:811]: Executing op:  
ComponentUnregister(ComponentId={3B694B1F-4410-11D5-A54A-0090278A1BB8},Pr  
oductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:811]: Executing op:  
ComponentUnregister(ComponentId={1A7754D3-744B-439A-B284-BD7A1C24FCFA},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:811]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will  
substitute 20 characters in 'C:\WINDOWS\SysWOW64\vcomp120.dll' folder path.  
(mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:811]: Executing op:  
ComponentUnregister(ComponentId={271E5C92-3536-4282-9ABF-449A91B8C2D7},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)



MSI (s) (34:C8) [13:43:45:811]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:812]: Executing op:  
ComponentUnregister(ComponentId={D4263C2B-DA4A-4000-A8E0-4BE8E46A9A3C}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:812]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:812]: Executing op:  
ComponentUnregister(ComponentId={B5B46CD9-9426-401F-9C3B-646807EFE00B}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:812]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:812]: Executing op:  
ComponentUnregister(ComponentId={7EA36934-F736-408F-BD04-A2A710E04773}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:813]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:813]: Executing op:  
ComponentUnregister(ComponentId={90DDD30E-9D04-441F-9803-694F80387AE8}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:813]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120rus.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:813]: Executing op:  
ComponentUnregister(ComponentId={6DA3A901-E012-42E2-B819-DAF378BE4BEF}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:814]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120kor.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:814]: Executing op:  
ComponentUnregister(ComponentId={0AB2312F-BBE0-4C27-A207-624C7889B4D6}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:814]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120jpn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:814]: Executing op:  
ComponentUnregister(ComponentId={9DD1063C-E422-495F-9AB6-7A149FB282B5}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:814]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm120ita.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:815]: Executing op:

ComponentUnregister(ComponentId={2CBFA0D1-BFFD-469F-9C66-BED1CAB51BA0},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:815]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120fra.dll' folder path.  
(mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:815]: Executing op:  
ComponentUnregister(ComponentId={C5403C4F-C052-463A-89BF-AC1027804359},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:815]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120esn.dll' folder path.  
(mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:815]: Executing op:  
ComponentUnregister(ComponentId={0EE7DAF6-6619-4F44-827B-9402EF53A24D},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:816]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120deu.dll' folder path.  
(mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:816]: Executing op:  
ComponentUnregister(ComponentId={96DA9037-C965-4C45-A27C-E762385411F2},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:816]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120enu.dll' folder path.  
(mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:816]: Executing op:  
ComponentUnregister(ComponentId={BBB72240-8F6A-4A81-A4AB-B7F7FE2E94C6},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:817]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120chs.dll' folder path.  
(mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:817]: Executing op:  
ComponentUnregister(ComponentId={8E4244B1-6F8F-4EA0-AC6A-346DE7CF79A0},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:817]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc120cht.dll' folder path.  
(mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:817]: Executing op:  
ComponentUnregister(ComponentId={63B83B20-1AB9-4F49-B0B2-4489724CA96C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:817]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\vccorlib120.dll' folder path.  
(mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:818]: Executing op:  
ComponentUnregister(ComponentId={74260D9F-D644-423B-B2D4-0291EA4BA8BE},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:818]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvcpc120.dll' folder path.

(mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:818]: Executing op:

ComponentUnregister(ComponentId={0835C947-D6D2-4E52-AF14-0231D04E88EA},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:818]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvcr120.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:818]: Executing op:

ComponentUnregister(ComponentId={CED7B6A0-2035-37FB-9F32-8C5C38AC6535},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:819]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\vcomp100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:819]: Executing op:

ComponentUnregister(ComponentId={692BDA22-6D55-3EA3-904B-3117FA2B2D9E},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:819]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm100u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:819]: Executing op:

ComponentUnregister(ComponentId={05731427-78B9-30A4-8688-44FB485481BF},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:820]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfcm100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:820]: Executing op:

ComponentUnregister(ComponentId={22EC2346-6812-34C9-B77F-23604B1A4EB1},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:820]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100u.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:820]: Executing op:

ComponentUnregister(ComponentId={BD9EEBE8-E882-3AE3-B666-6BA11DE68644},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:820]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:821]: Executing op:

ComponentUnregister(ComponentId={5C1ED740-C5A7-3162-B9B5-0FB6D6D9FFF6},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:821]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100rus.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).

MSI (s) (34:C8) [13:43:45:821]: Executing op:

ComponentUnregister(ComponentId={DDFFBEDE-4039-314B-AC8D-215FA275C8A3},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:822]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100kor.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:822]: Executing op:  
ComponentUnregister(ComponentId={72ED6979-0AAD-317C-A25C-AB9A121E6D30}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:822]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100jpn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:822]: Executing op:  
ComponentUnregister(ComponentId={D57FEB33-5BFA-3C5F-92EF-C52A350A6751}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:823]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100ita.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:823]: Executing op:  
ComponentUnregister(ComponentId={8D777564-3D2C-3705-8DB9-E36585E8F210}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:823]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100fra.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:823]: Executing op:  
ComponentUnregister(ComponentId={425FAFC8-F15C-310A-9DA8-0F7373BC8836}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:823]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100esn.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:824]: Executing op:  
ComponentUnregister(ComponentId={42C6981D-DB47-3C2F-91EA-F7B4C6E226A8}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:824]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100deu.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:824]: Executing op:  
ComponentUnregister(ComponentId={653DE356-DFD3-3229-A5DE-EBC634D40A41}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:824]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100enu.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:824]: Executing op:  
ComponentUnregister(ComponentId={D80A1213-61AA-3E66-A736-F947E77545C5}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:825]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100chs.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:825]: Executing op:

ComponentUnregister(ComponentId={927EF971-7B89-3C4B-91DA-51CE0F7D982A}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:825]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\mfc100cht.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:825]: Executing op:  
ComponentUnregister(ComponentId={529D0A60-398C-38A2-97EF-82FAFA798A06}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:825]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\atl100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:826]: Executing op:  
ComponentUnregister(ComponentId={E822F933-C70D-3CF4-A92D-7263B8ACCF30}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:826]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvc100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:826]: Executing op:  
ComponentUnregister(ComponentId={9983C931-37BE-3C6E-AD32-8B6E789B6881}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:826]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\msvcr100.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:826]: Executing op:  
ComponentRegister(ComponentId={3207D1B1-80E5-11D2-B95D-006097C4DE24}, KeyPath=C:\WINDOWS\SysWOW64\comcat.dll, State=3, ProductKey={00000000-0000-0000-0000-000000000000}, SharedDllRefCount=1, BinaryType=0)  
MSI (s) (34:C8) [13:43:45:827]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\comcat.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:827]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\comcat.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:827]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\comcat.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:827]: Executing op:  
ComponentUnregister(ComponentId={3207D1B1-80E5-11D2-B95D-006097C4DE24}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:827]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32\' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\comcat.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:827]: Executing op:  
ComponentUnregister(ComponentId={0A156734-4711-8D60-AA9F-9A477CD79FB9}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:828]: Executing op:

ComponentUnregister(ComponentId={E6F00FD2-2F16-1ACB-9DDD-6C3D5ADFE225}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:829]: Executing op:  
ComponentUnregister(ComponentId={B62C0145-5A2F-3539-A34A-8CE63BE40BED}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:829]: Executing op:  
ComponentUnregister(ComponentId={1523B9CC-CCD3-6387-6E23-892D7BD5744A}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:830]: Executing op:  
ComponentUnregister(ComponentId={A9141AEC-CFF2-37F3-B7EE-32A1283B7340}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:831]: Executing op:  
ComponentUnregister(ComponentId={EDEB7D96-6605-F18D-E7BD-1288EE04B9DD}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:831]: Executing op:  
ComponentUnregister(ComponentId={993B539F-F12E-5562-C098-B97061C1F7A8}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:832]: Executing op:  
ComponentUnregister(ComponentId={01AA70E2-2F49-56CD-F112-9E7522AB8839}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:833]: Executing op:  
ComponentUnregister(ComponentId={5B10D173-3427-6CF3-9AA1-BFB4E79545DB}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:833]: Executing op:  
ComponentUnregister(ComponentId={EC64F2EF-F046-CF74-268B-07630DBB2E1F}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:834]: Executing op:  
ComponentUnregister(ComponentId={A0187334-4538-D0F1-8D07-A6B40142787F}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:835]: Executing op:  
ComponentUnregister(ComponentId={39EB4C45-56B7-852B-D453-3540F5580176}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:835]: Executing op:  
ComponentUnregister(ComponentId={F8FE8567-7991-0C39-C53C-9229C75D98DF}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:836]: Executing op:  
ComponentUnregister(ComponentId={A9B5FEF9-95BF-8BBD-DE89-6A851AAC13CD}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:837]: Executing op:  
ComponentUnregister(ComponentId={52723A86-6F16-B3E8-0C54-9DE733036DF6}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:837]: Executing op:  
ComponentUnregister(ComponentId={CAEFA7FE-EA60-A275-C55A-9784E49CE9E9}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:838]: Executing op:  
ComponentUnregister(ComponentId={640E445F-FA9E-7CA3-2F0A-7A806673E334}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:838]: Executing op:  
ComponentUnregister(ComponentId={0862BF64-4AE5-C82E-BA46-81242B0C75CF},P  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:839]: Executing op:  
ComponentUnregister(ComponentId={B2AAE736-6655-0CB1-B04F-060651D1FB76},P  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:840]: Executing op:  
ComponentUnregister(ComponentId={1095560D-D863-D1FB-D823-944C0868429D},P  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:840]: Executing op:  
ComponentUnregister(ComponentId={95BB0710-09D8-6CA4-5F17-C952534701BD},P  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:841]: Executing op:  
ComponentUnregister(ComponentId={C2991C26-60EA-CE42-0699-B1E22EC30A08},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:842]: Executing op:  
ComponentUnregister(ComponentId={042609B2-2462-0B40-FB60-E1AE6585B250},Pr  
oductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:842]: Executing op:  
ComponentUnregister(ComponentId={51F4423A-AF31-7337-D423-6176D07C3BE7},Pr  
oductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:843]: Executing op:  
ComponentUnregister(ComponentId={AE3FDF90-0AD6-94EB-883F-3542BCF5E903},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:844]: Executing op:  
ComponentUnregister(ComponentId={997D5C4F-F8AA-CBA9-5EC6-029B71EE9CA7},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:844]: Executing op:  
ComponentUnregister(ComponentId={66FA6FF0-0FC0-11F6-CA5B-21DE0176C444},P  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:845]: Executing op:  
ComponentUnregister(ComponentId={22BC6E91-1DDB-6BC9-7191-EFB0BF5CD9D1},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:846]: Executing op:  
ComponentUnregister(ComponentId={463E0F28-8349-D8D6-95DB-708357446E24},Pr  
oductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:846]: Executing op:  
ComponentUnregister(ComponentId={E236D835-54F9-DF8C-1C77-CFF7D72C64B3},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:847]: Executing op:  
ComponentUnregister(ComponentId={8FB0D31F-F269-D724-F292-3CCC1617FB93},P  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:848]: Executing op:  
ComponentUnregister(ComponentId={4A73D2B7-7FF4-DFEF-D5C5-1CC62B76E234},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:848]: Executing op:  
ComponentUnregister(ComponentId={EBFEAC58-8800-CA85-7159-902E2BCE4130},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:849]: Executing op:  
ComponentUnregister(ComponentId={26EB364D-D481-FA70-08FE-6C7FA3FCFFF9},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:850]: Executing op:  
ComponentUnregister(ComponentId={63892D69-962A-CB5C-F02A-728809730B97},Pr  
oductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:850]: Executing op:  
ComponentUnregister(ComponentId={E4433837-7FA8-7182-6E06-2FFCC80828A5},Pr  
oductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:851]: Executing op:  
ComponentUnregister(ComponentId={D0CF37B0-037F-27EA-1CD8-B2EED81764B7},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:852]: Executing op:  
ComponentUnregister(ComponentId={D6E0FE4B-B2CD-3C2C-5BB4-3D6B9C76B405},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:853]: Executing op:  
ComponentUnregister(ComponentId={7B9ECEBC-C4A3-A081-09EB-1928500637FE},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:853]: Executing op:  
ComponentUnregister(ComponentId={F1210260-05B5-D16D-F9DC-7FC16B3011E1},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:854]: Executing op:  
ComponentUnregister(ComponentId={58B9166B-BF06-0376-09F0-276C58854E08},Pr  
oductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:855]: Executing op:  
ComponentUnregister(ComponentId={FB801222-2E1D-6A22-FD12-26A49844ADE8},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:856]: Executing op:  
ComponentUnregister(ComponentId={7BF61913-3E55-D1B5-F58E-0C24A77ADA1C},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:856]: Executing op:  
ComponentUnregister(ComponentId={2675520B-B844-5851-C273-ABF1CAC2F645},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:857]: Executing op:  
ComponentUnregister(ComponentId={9F4DCD3D-D518-1273-8FDF-EB90722CF2FA},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:858]: Executing op:  
ComponentUnregister(ComponentId={1AC01E4B-BB35-FF31-0764-B739407F661C},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:858]: Executing op:  
ComponentUnregister(ComponentId={381D29CC-C11F-95FC-7AA9-6F36C43BF412},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:859]: Executing op:



ComponentUnregister(ComponentId={D534B19D-D0C0-41ED-B9F9-7F8C1A6C8895}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:859]: Executing op:  
ComponentUnregister(ComponentId={11B11E66-69AF-34C6-0F28-3BAB59686D65}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:860]: Executing op:  
ComponentUnregister(ComponentId={4174DAF0-0F42-1380-9CCC-FA9D765F7A6A}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:860]: Executing op:  
ComponentUnregister(ComponentId={CE815433-327F-5012-1021-1EBE84D6410A}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:861]: Executing op:  
ComponentUnregister(ComponentId={A0256745-50D4-291A-F5D3-8A04A413EC47}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:861]: Executing op:  
ComponentUnregister(ComponentId={9AF1363D-DE82-EECB-DB7C-13B0222DF12B}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:862]: Executing op:  
ComponentUnregister(ComponentId={35FC0923-32E7-7CA7-DB68-21BF7F5A3530}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:862]: Executing op:  
ComponentUnregister(ComponentId={C2F9FDD4-4083-9C2D-C89D-4BCF37D7C547}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:863]: Executing op:  
ComponentUnregister(ComponentId={1306E5F6-6A0A-9259-4A1B-3DF625BE7581}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:863]: Executing op:  
ComponentUnregister(ComponentId={27569E66-62DC-165E-BAC4-6478DC4C3933}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:864]: Executing op:  
ComponentUnregister(ComponentId={FD704D0E-ED15-E792-4157-3C52AC173C7F}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:864]: Executing op:  
ComponentUnregister(ComponentId={671565F8-89F5-64D4-7448-704684A8F5BD}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:865]: Executing op:  
ComponentUnregister(ComponentId={468D6AB0-07FB-9B88-717B-05169D47C169}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:866]: Executing op:  
ComponentUnregister(ComponentId={C2E61288-8A2F-1806-24E8-AF798C705F33}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:866]: Executing op:  
ComponentUnregister(ComponentId={C13ED0C7-74E9-568C-34F3-51BEC3CD6E88}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:867]: Executing op:  
ComponentUnregister(ComponentId={EB1E74B9-9E50-2450-EEA5-4A1B09DCB342},

ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:867]: Executing op:  
ComponentUnregister(ComponentId={60869A51-11CD-9432-3E8F-A927C14D8D32},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:868]: Executing op:  
ComponentUnregister(ComponentId={371752BB-B1E1-AA8B-AD18-A52561536CC6},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:868]: Executing op:  
ComponentUnregister(ComponentId={7FD94DF2-22B4-96FC-319F-771F088B44B1},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:869]: Executing op:  
ComponentUnregister(ComponentId={1DE1FFCE-EC35-4DF8-0561-82F17B6580ED},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:870]: Executing op:  
ComponentUnregister(ComponentId={660006C1-1ADC-20F3-162C-E3D05811BA2E},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:871]: Executing op:  
ComponentUnregister(ComponentId={FDD7F1EB-B9CD-5E33-0EB9-C9B07F715FFA},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:872]: Executing op:  
ComponentUnregister(ComponentId={D9FB80F3-3418-57C2-9DCB-21B9225243B6},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:873]: Executing op:  
ComponentUnregister(ComponentId={852A4499-93E9-6673-131A-FDD7748A176C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:873]: Executing op:  
ComponentUnregister(ComponentId={BEF26DA6-676A-83EA-BA97-BB7E000AF6F0},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:874]: Executing op:  
ComponentUnregister(ComponentId={C082D564-4DD1-0240-9EAB-B5E026E53C11},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:875]: Executing op:  
ComponentUnregister(ComponentId={89EDE4EC-CCAC-225B-6FD6-96E7DE7D91A0},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:875]: Executing op:  
ComponentUnregister(ComponentId={CF2B9D29-9D44-FEAC-E82E-6BDFB3786D6F},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:876]: Executing op:  
ComponentUnregister(ComponentId={BBC5410D-DDD4-259B-5CFE-053031CC9199},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:877]: Executing op:  
ComponentUnregister(ComponentId={E1365F0B-BF42-5816-FACB-F6A897C47D77},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:878]: Executing op:  
ComponentUnregister(ComponentId={23B7270A-AB3C-519E-2642-E5BA273B9811},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:878]: Executing op:  
ComponentUnregister(ComponentId={C7063661-183E-79E5-A4D3-7A208093B0B1},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:879]: Executing op:  
ComponentUnregister(ComponentId={1971390D-DB53-855D-41E0-442E443145D9},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:880]: Executing op:  
ComponentUnregister(ComponentId={1A9492A3-3664-385D-0FB3-8EFFB65EE8A2},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:881]: Executing op:  
ComponentUnregister(ComponentId={12897011-1403-E2ED-C08D-2FCA9B691E16},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:881]: Executing op:  
ComponentUnregister(ComponentId={1852510C-C0FD-F614-B232-3A2F7FC4F3FA},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:882]: Executing op:  
ComponentUnregister(ComponentId={B578D18E-E2EB-7107-7CA8-E032ADBCAD19},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:883]: Executing op:  
ComponentUnregister(ComponentId={5D566D0B-B624-A0F6-4C94-DD2CE6177FBB},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:884]: Executing op:  
ComponentUnregister(ComponentId={F2BDB910-09E3-031C-3A07-2AB46BA513FE},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:885]: Executing op:  
ComponentUnregister(ComponentId={DA4595D7-7F7F-554D-4F7B-6811713ED2A0},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:886]: Executing op:  
ComponentUnregister(ComponentId={B9BDED0C-C9CB-86B5-373F-E1E67442A74C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:886]: Executing op:  
ComponentUnregister(ComponentId={CEE96908-89B2-EB58-2AE2-7128402F58B1},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:887]: Executing op:  
ComponentUnregister(ComponentId={0EC58387-79BE-4C58-34D9-AC65DF905229},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:888]: Executing op:  
ComponentUnregister(ComponentId={6BABC60B-B6B9-2D71-15A5-654BA84CA787},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:889]: Executing op:  
ComponentUnregister(ComponentId={1708F60E-E56C-86C1-EAF6-1509BB6DB908},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:890]: Executing op:  
ComponentUnregister(ComponentId={A9CADE02-262F-817B-DFF4-F55D3427DD17},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:890]: Executing op:

ComponentUnregister(ComponentId={B9D5B603-3BD7-41DE-0DBA-587A491B8F55}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:891]: Executing op:  
ComponentUnregister(ComponentId={1B82B70C-C760-8240-770D-D60415814D2C}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:892]: Executing op:  
ComponentUnregister(ComponentId={AA4508D3-3CFD-C687-D797-9A6B629A62E7}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:893]: Executing op:  
ComponentUnregister(ComponentId={8254D768-8A3A-F537-371C-94410E3AE0E2}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:893]: Executing op:  
ComponentUnregister(ComponentId={D16C7F76-67E4-4333-0FEE-DEA77CBFA11C}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:894]: Executing op:  
ComponentUnregister(ComponentId={FC2F7232-217B-D9C4-5162-114632BFA1AE}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:895]: Executing op:  
ComponentUnregister(ComponentId={ECA28C04-4431-9677-7C08-8CFC4D4DF9C8}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:896]: Executing op:  
ComponentUnregister(ComponentId={6DE5557F-FE3A-8959-9336-5D9798398C68}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:896]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\UserProfileManager.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:896]: Executing op:  
ComponentUnregister(ComponentId={293ADC00-0621-7DE7-A64D-60F15F13D19A}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:897]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Mixpanel.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:897]: Executing op:  
ComponentUnregister(ComponentId={9385C7F9-A59C-4A69-98BA-870ADC140CCA}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:898]: Executing op:  
ComponentUnregister(ComponentId={771D2ACF-0123-4C2E-BAD8-7E34A0D3963A}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:898]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\xmlite64.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:899]: Executing op:  
ComponentUnregister(ComponentId={46E0A0FC-4946-4F94-826E-0B4C88F7B633}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:899]: Executing op:  
ComponentUnregister(ComponentId={F2AAF905-9C9E-4A0F-AACF-34D0D1D2C889},

ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:899]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xinput9\_1\_0.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:900]: Executing op:  
ComponentUnregister(ComponentId={91230B57-46B4-4BC6-8353-D8133D735DF9},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:900]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\widevinecdmadapter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:901]: Executing op:  
ComponentUnregister(ComponentId={50C14056-A681-4F47-952F-A27C41DED82E},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:901]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\widevinecdmadapter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:902]: Executing op:  
ComponentUnregister(ComponentId={D877AF7D-DF69-43DC-BDC5-ED40318C8304},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:902]: Executing op:  
ComponentUnregister(ComponentId={3F2FB9E1-C4F3-4BCA-9DF3-EE5D5D35586E},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:902]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\txstuff.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:903]: Executing op:  
ComponentUnregister(ComponentId={F0856FE8-3150-4364-9AF9-26241823A09D},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:903]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\techhelp.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:904]: Executing op:  
ComponentUnregister(ComponentId={B4BB5932-FB21-4320-9ACE-2BDB6EF5F3E4},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:904]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\sport.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:905]: Executing op:  
ComponentUnregister(ComponentId={1016A667-C185-4C37-A191-B96DD647DA42},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:905]: Executing op:  
ComponentUnregister(ComponentId={EA67DE11-4D67-4EC3-B2DA-230CCB47A01C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:906]: Executing op:  
ComponentUnregister(ComponentId={34BB42DA-B08C-486D-ABDA-438D9C78A9D5},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:906]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwxmlparse\_tok.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:906]: Executing op:  
ComponentUnregister(ComponentId={EF1C6135-2572-43DA-A1B5-BE22C7FD260D}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:907]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwxmlparse.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:907]: Executing op:  
ComponentUnregister(ComponentId={2D61E8CD-AADB-4D84-9855-6AA31203B3C1}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:907]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwutilnet.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:908]: Executing op:  
ComponentUnregister(ComponentId={679571A9-9D7A-439F-BD31-848B8AB47CD8}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:908]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwul.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:908]: Executing op:  
ComponentUnregister(ComponentId={6E34A0E5-87EC-4FB6-A191-8F2E8E623A3D}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:909]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qwplan\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:909]: Executing op:  
ComponentUnregister(ComponentId={AC575431-1B1C-47F8-A4AE-6D184E95AB53}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:910]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwplan.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:910]: Executing op:  
ComponentUnregister(ComponentId={C4ADFDB5-FB83-4B5E-B554-BE357EB99309}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:910]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwonlineFeatures.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:911]: Executing op:  
ComponentUnregister(ComponentId={CD13CDAB-A63C-46A8-8CA5-F0C2F4C8F0F2}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:911]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwmain.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:912]: Executing op:

ComponentUnregister(ComponentId={5B25994A-F5FE-4928-BAED-FB33B8B26EC3}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:912]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwipa.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:912]: Executing op:  
ComponentUnregister(ComponentId={1A67B1A9-5443-4FF3-BE98-B5C38C70ED33}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:913]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwalert.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:913]: Executing op:  
ComponentUnregister(ComponentId={988D2C36-602A-4594-A284-2AAFB87E248C}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:914]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_weblinks\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:914]: Executing op:  
ComponentUnregister(ComponentId={4E3FDEEE-F185-4F55-8226-8622EF8D1C2C}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:914]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwSubprocess.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:915]: Executing op:  
ComponentUnregister(ComponentId={474B7ADE-CE5C-4884-B970-B8D25129BD6C}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:915]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwManagedLayer.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:915]: Executing op:  
ComponentUnregister(ComponentId={6D8A9955-7279-4FE5-886C-285049C79AE4}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:916]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwManagedInterop.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:916]: Executing op:  
ComponentUnregister(ComponentId={6E85DD21-CC28-40E8-A6A5-2583FB6750DA}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:916]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwDataFileSanitizer.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:917]: Executing op:  
ComponentUnregister(ComponentId={B9EB7765-32AF-4F50-A57A-BA452070B9EE}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:917]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qw.exe' folder had been blocked by the 1 mask argument (the

folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:918]: Executing op:

ComponentUnregister(ComponentId={66E624FC-C308-42B1-944C-2ABD19D31C51}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:918]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\quickenutil.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:918]: Executing op:

ComponentUnregister(ComponentId={BA97635D-D67B-4045-BD33-DF40033CF178}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:919]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\quickenPatch.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:919]: Executing op:

ComponentUnregister(ComponentId={C0591DBC-B9D8-4288-BA1D-F7C2C3286DD7}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:919]: Executing op:

ComponentUnregister(ComponentId={EC46C26E-C3F6-48D8-9DAB-486315CA059A}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:920]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qnet.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:920]: Executing op:

ComponentUnregister(ComponentId={32602E24-9183-448F-B4A8-3212B6B534B5}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:921]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qcon32.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:921]: Executing op:

ComponentUnregister(ComponentId={A2DA5791-CF22-4DD5-9812-DCDB8CCA8C51}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:922]: Executing op:

ComponentUnregister(ComponentId={1EE7D8EF-DC68-4E1A-A966-565CA6DD2948}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:922]: Executing op:

ComponentUnregister(ComponentId={3473387B-494F-4A37-B89C-70D7F8AC8098}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:922]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\printenv.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:923]: Executing op:

ComponentUnregister(ComponentId={52CCCFA2-7FE5-404F-B730-83C100D8CB8C}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:45:923]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\patchw32.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).



MSI (s) (34:C8) [13:43:45:924]: Executing op:  
ComponentUnregister(ComponentId={792F6FBB-6D56-41F8-98A4-614C752E7D4D},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:924]: Executing op:  
ComponentUnregister(ComponentId={AC5213FC-751F-4824-AE9C-B1C3B6E39540},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:925]: Executing op:  
ComponentUnregister(ComponentId={785BA725-8EA6-43D7-A889-DE34A3D03BD4},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:925]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\libcef.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:925]: Executing op:  
ComponentUnregister(ComponentId={6E67E3D5-DF35-41E1-A56C-94E84253AF4A},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:926]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\libcef.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:926]: Executing op:  
ComponentUnregister(ComponentId={0D9B2ED1-579C-45D1-BFAD-74BF7F3CD91A},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:926]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\libGLESv2.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:927]: Executing op:  
ComponentUnregister(ComponentId={64224C89-A244-4219-9FAE-DFA7BBFC8005},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:927]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\libGLESv2.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:928]: Executing op:  
ComponentUnregister(ComponentId={3912A06A-B323-4102-822A-6A00AC4F622A},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:928]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\libEGL.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:928]: Executing op:  
ComponentUnregister(ComponentId={67445F59-E4E1-4693-A620-E847F7B859EF},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:929]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\libEGL.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:929]: Executing op:  
ComponentUnregister(ComponentId={330686D5-DEE4-4DA9-8155-DC4BEE206F6C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:929]: WIN64DUALFOLDERS: Substitution in 'C:\Program

Files (x86)\Quicken\lbt\_webrequest.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:930]: Executing op:

ComponentUnregister(ComponentId={4F5B8C42-8D6B-4C14-AD16-4556EC084141},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:930]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_ux.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:931]: Executing op:

ComponentUnregister(ComponentId={14EB7C4B-60D6-48E0-8D4A-A086CCFE8350},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:931]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_rte.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:931]: Executing op:

ComponentUnregister(ComponentId={D7361E67-75CD-4D45-A917-596EB33A9365},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:932]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_qupddir.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:932]: Executing op:

ComponentUnregister(ComponentId={92ECABE9-BBA1-4235-9943-9E85B546A969},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:932]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_qplus.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:933]: Executing op:

ComponentUnregister(ComponentId={BBC07C98-17A1-444B-87FB-2125FCC53843},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:933]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_pvsync.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:934]: Executing op:

ComponentUnregister(ComponentId={4AB972D1-FB9E-4CC6-BDA8-2D2DBCA085FA},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:934]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_excite.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:934]: Executing op:

ComponentUnregister(ComponentId={E9025BDE-0633-4277-AB02-7B17E2DB0808},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:935]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_decompression.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:935]: Executing op:

ComponentUnregister(ComponentId={4DFD8B6D-44AD-4BDB-9420-31039DDB10A0},

ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:935]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt\_customerCentral.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:936]: Executing op:  
ComponentUnregister(ComponentId={7BC30318-E698-4F48-AF76-4DC4C8CE69ED}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:936]: Executing op:  
ComponentUnregister(ComponentId={69EBF0A6-0BFD-4CCD-B6CF-F2884FCD32E3}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:937]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbt.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:937]: Executing op:  
ComponentUnregister(ComponentId={7A3A7C30-F56B-485B-BFF5-3C8E617B51BD}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:938]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\launch32.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:938]: Executing op:  
ComponentUnregister(ComponentId={DB494011-FED2-4C98-BBF7-3000BF6AF797},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:938]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\jsoncpp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:939]: Executing op:  
ComponentUnregister(ComponentId={42D54BF8-AC88-4964-9F6E-E1FB0951B99C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:939]: Executing op:  
ComponentUnregister(ComponentId={7D3396B3-A855-4777-BEDC-CE1B7A64CED3}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:940]: WIN64DUALFOLDERS: 'C:\WINDOWS\system32' will substitute 20 characters in 'C:\WINDOWS\SysWOW64\inetclnt.dll' folder path. (mask argument = 1, the folder pair's iSwapAttrib member = 1).  
MSI (s) (34:C8) [13:43:45:940]: Executing op:  
ComponentUnregister(ComponentId={3C864822-E0AF-456D-A803-97B23FA7948E},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:940]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\inetclnt.chm' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:941]: Executing op:  
ComponentUnregister(ComponentId={C7FD345E-85C5-442A-A082-6FDAF2F60B38},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:941]: Executing op:  
ComponentUnregister(ComponentId={4A2F892B-AA7C-45C3-B486-4044E1FEBF1A}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:942]: Executing op:  
ComponentUnregister(ComponentId={A30CFC25-253C-453E-8DD7-8EB2F0BDD6D0},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:942]: Executing op:  
ComponentUnregister(ComponentId={C89FB3D7-1F4C-441C-B354-89D47BAD9815},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:942]: Executing op:  
ComponentUnregister(ComponentId={4484DE66-6B20-4732-B6AD-5B4623E92013},Pr  
oductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:943]: Executing op:  
ComponentUnregister(ComponentId={F88285E1-4D61-436A-8570-7B9DB7BD7C25},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:943]: Executing op:  
ComponentUnregister(ComponentId={2B79CE23-701A-49A1-8E6B-88EB9C576FFB},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:944]: Executing op:  
ComponentUnregister(ComponentId={E50BB128-540B-41F9-AAA7-09CABBB31E1B},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:944]: Executing op:  
ComponentUnregister(ComponentId={023DF075-4A39-4F2F-93F8-E5CFCA6039BB},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:945]: Executing op:  
ComponentUnregister(ComponentId={FFAEEB9F-3976-4FA0-8E06-6CC1DF1BD151},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:945]: Executing op:  
ComponentUnregister(ComponentId={A326D132-3AE4-440A-AD0A-7142DE26E89B},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:945]: Executing op:  
ComponentUnregister(ComponentId={F6C528C6-BFF4-4A4D-BB49-411C3D77B79F},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:946]: Executing op:  
ComponentUnregister(ComponentId={2F6C4BE1-62BF-4EE6-9DFC-0D52DFD8D7CC}  
,ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:947]: Executing op:  
ComponentUnregister(ComponentId={B06431C0-EF93-4A7C-80DF-6024829FB1C6},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:947]: Executing op:  
ComponentUnregister(ComponentId={A8C12C12-3E34-4036-BE1E-8AA702DDE674},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:948]: Executing op:  
ComponentUnregister(ComponentId={B2F684E4-C3A9-4734-A19A-9967FE99CD5E},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:948]: Executing op:  
ComponentUnregister(ComponentId={7A2DE35A-8845-40D7-884C-B7EDB5A4C811},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:949]: Executing op:

ComponentUnregister(ComponentId={839CD682-950E-437B-A001-C30778F140BA},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:949]: Executing op:  
ComponentUnregister(ComponentId={B13F4068-4852-446C-8543-71D66DA2062A},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:950]: Executing op:  
ComponentUnregister(ComponentId={50699B8A-E6EC-4F90-9AF4-0A7B7AB77EF5},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:950]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\gdipapi.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:951]: Executing op:  
ComponentUnregister(ComponentId={24F61C09-7B5B-414F-815C-A427C3B35900},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:951]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\err\_rep.chm' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:952]: Executing op:  
ComponentUnregister(ComponentId={308C7850-E37C-4C6E-A872-4264DCB5B1AA},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:952]: Executing op:  
ComponentUnregister(ComponentId={9E87CB90-AF68-4F86-8506-346CE72E0C48},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:952]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dellid.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:954]: Executing op:  
ComponentUnregister(ComponentId={B69DEC94-A3F2-440E-897F-77CA5DBADEE8},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:954]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\decapi.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:955]: Executing op:  
ComponentUnregister(ComponentId={79649B97-8F04-4F24-BDA6-F1DF733E702F},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:955]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dbghelp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:956]: Executing op:  
ComponentUnregister(ComponentId={2CA05CEB-8A54-4D3B-8581-1C2E69C7C337},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:956]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\d3dcompiler\_47.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:957]: Executing op:  
ComponentUnregister(ComponentId={19FCAB87-790E-4D8E-B711-B98C68A8D55E},

ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:957]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\d3dcompiler\_47.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:957]: Executing op:  
ComponentUnregister(ComponentId={7DAFFA97-78C6-4C4B-A496-B2131C6A7CC9}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:958]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\d3dcompiler\_43.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:959]: Executing op:  
ComponentUnregister(ComponentId={FA75D499-AAD1-4E42-9805-F76DCD1ECD97}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:959]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\d3dcompiler\_43.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:959]: Executing op:  
ComponentUnregister(ComponentId={EAAF3928-02B5-4436-8B24-FE1D49347C77},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:960]: Executing op:  
ComponentUnregister(ComponentId={4A093800-F737-4BF4-A9F1-FBDA3995D231},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:960]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ScreenShare\cefscreenshare.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:960]: Executing op:  
ComponentUnregister(ComponentId={43D27F03-1A95-4C24-988B-3D4DC8E5ED14}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:962]: Executing op:  
ComponentUnregister(ComponentId={5CB0D7AB-F411-4436-857D-E3986C132368},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:962]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PDFDrv\cdintf64.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:962]: Executing op:  
ComponentUnregister(ComponentId={01A64C95-D3C5-4428-88B9-DE168E8D4EFC}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:963]: Executing op:  
ComponentUnregister(ComponentId={8FBC0888-A506-4AE9-933A-B2AB0E361D36},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:963]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\cashgen.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:964]: Executing op:  
ComponentUnregister(ComponentId={D9D53C87-401B-48DE-815A-2656E611FE0F},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:964]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\billmind\_qwrmnd.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:964]: Executing op:  
ComponentUnregister(ComponentId={25DF9F52-7922-4D3F-A51F-EEFA29CA8B88},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:965]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\billmind\_alrtpkg.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:965]: Executing op:  
ComponentUnregister(ComponentId={4920C790-49E0-42A9-80BB-5FB58A0B50B0},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:965]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\billmind.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:966]: Executing op:  
ComponentUnregister(ComponentId={53B749DD-3FE0-4F9E-8D98-B1AD0E1B2883},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:966]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\bgt.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:967]: Executing op:  
ComponentUnregister(ComponentId={BBB96749-8296-4818-875B-1C6521155418},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:967]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\bagent.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:967]: Executing op:  
ComponentUnregister(ComponentId={93BAA074-5E7B-44AB-AF69-0FC712E29021},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:968]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\avutil-51.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:968]: Executing op:  
ComponentUnregister(ComponentId={19C6D7DC-E7EB-4F09-A623-580627032CBE},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:968]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\avformat-53.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:969]: Executing op:  
ComponentUnregister(ComponentId={A818BF07-5FD6-45D7-B25D-BF94C6E9491F},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:969]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\avcodec-53.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:970]: Executing op:

ComponentUnregister(ComponentId={658482DD-66E5-43AF-8563-D826DAA1E733},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:970]: Executing op:  
ComponentUnregister(ComponentId={16DFDEB9-87F4-4DC0-BA6C-9FDCD0704AE2},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:970]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\assist.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:971]: Executing op:  
ComponentUnregister(ComponentId={208D3366-895D-4B7A-8F24-429DDA624B93},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:971]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Common Files\Quicken\Internet Client\assist.chm' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:972]: Executing op:  
ComponentUnregister(ComponentId={B95CC899-6A3C-4A92-A70D-5EA001C9A022},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:973]: Executing op:  
ComponentUnregister(ComponentId={A5A54D4C-37E2-4CAF-A4CA-C183FAD75D67},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:973]: Executing op:  
ComponentUnregister(ComponentId={1C6F3F2D-2A0E-436E-9CE7-12D96419FAC2},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:974]: Executing op:  
ComponentUnregister(ComponentId={DC5B6203-01D7-4520-AA5C-897C721C42D3},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:974]: Executing op:  
ComponentUnregister(ComponentId={BC1A8F14-1F47-4712-AD34-4E614CA46DF5},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:974]: Executing op:  
ComponentUnregister(ComponentId={E22EEDBD-CD12-4A99-8FD2-433C65DA3F10},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:975]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\\_qw.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:975]: Executing op:  
ComponentUnregister(ComponentId={A7E999F0-FE35-4C6F-9B67-DCFD62DB6E1C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:975]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Xceed.Wpf.Toolkit.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:976]: Executing op:  
ComponentUnregister(ComponentId={FC13ABCF-A63C-46A8-8CA5-F0C2F4C8F0F2},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:976]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Windows8.cjstyles' folder had been blocked by the 1 mask



argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:977]: Executing op:

ComponentUnregister(ComponentId={10F27DC3-94D4-41EE-A471-9BD1CB616FFA},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:977]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\UpdateContent.dll' folder had been blocked by the 1 mask

argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:978]: Executing op:

ComponentUnregister(ComponentId={CD13ABCD-A63C-46A8-8CA5-F0C2F4C8F0F2},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:978]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\ToolkitPro1720vc100.dll' folder had been blocked by the 1 mask

argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:978]: Executing op:

ComponentUnregister(ComponentId={8DC2304E-B6B6-4484-BA46-8F9757480986},Pr  
oductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:979]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\System.Windows.Interactivity.dll' folder had been blocked by the 1

mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:979]: Executing op:

ComponentUnregister(ComponentId={6ABA27A2-5C39-49C2-926D-7313A5B74E6E},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:979]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\System.Windows.Controls.DataVisualization.Toolkit.dll' folder had

been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:980]: Executing op:

ComponentUnregister(ComponentId={35F54B6C-09C1-4CDE-994B-AC5EFDFA7C12},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:980]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\System.Data.SQLite.dll' folder had been blocked by the 1 mask

argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:981]: Executing op:

ComponentUnregister(ComponentId={00CFC52E-5200-4105-ABB1-8F55B2A4C450},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:981]: Executing op:

ComponentUnregister(ComponentId={88FBBD8F8-3391-48BB-A523-AA3337C7D73F},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:982]: Executing op:

ComponentUnregister(ComponentId={8A0D569B-1450-4788-A27B-D022ED3CBF84},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:982]: Executing op:

ComponentUnregister(ComponentId={47E206EC-E6DC-447A-911F-C09BD3DFAAD4},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:982]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\SQLite.Interop.dll' folder had been blocked by the 1 mask argument

(the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:983]: Executing op:  
ComponentUnregister(ComponentId={47EEF0D3-1831-4AC4-9D3C-25BC62295181},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:983]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\RestartExe.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:983]: Executing op:  
ComponentUnregister(ComponentId={139E832D-084C-47AA-8145-C8B51B003457},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:984]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\RestSharp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:984]: Executing op:  
ComponentUnregister(ComponentId={5A2E3114-FCCC-44CC-AB18-9CF8FC278372},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:985]: Executing op:  
ComponentUnregister(ComponentId={56230074-95B5-44D1-BD9D-267713F3F626},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:985]: Executing op:  
ComponentUnregister(ComponentId={BC3A22DC-20A9-49B1-BADB-7389D1B919A7},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:986]: Executing op:  
ComponentUnregister(ComponentId={EC9E1BAB-6CC5-455C-A9FC-C07BC1814D26},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:986]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenWindow.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:987]: Executing op:  
ComponentUnregister(ComponentId={23CEAA5E-FCC4-4300-970B-D8ACDBAB74C0},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:987]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenUseCases.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:987]: Executing op:  
ComponentUnregister(ComponentId={2C4AE7EC-D294-4EB5-B470-4DCE5B57BF23},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:988]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenTurboTaxImporter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:988]: Executing op:  
ComponentUnregister(ComponentId={53F9421E-1A36-4AC2-AA0A-DAC8B15EB2D8},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:989]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenServices.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:989]: Executing op:

ComponentUnregister(ComponentId={3CC3F282-F02E-41E2-B1C6-4AF9D45872A4},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:990]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenOLBackupLauncher.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:990]: Executing op:  
ComponentUnregister(ComponentId={1B690AF8-AD7A-4976-A921-F44233CF80BC},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:990]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenMap.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:991]: Executing op:  
ComponentUnregister(ComponentId={4F588FC6-0A84-4EEF-90FD-13B6FA55B1FF},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:991]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenInterop.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:992]: Executing op:  
ComponentUnregister(ComponentId={1D5562B1-D1A0-4663-840E-1868CF8CD5BF},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:992]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenInterfaces.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:993]: Executing op:  
ComponentUnregister(ComponentId={EB0DAD51-F82F-40CA-BB41-15144AC4180A},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:993]: Executing op:  
ComponentUnregister(ComponentId={79F063DF-E829-4DE4-A65C-3C08B564204E},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:993]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenFeatures.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:994]: Executing op:  
ComponentUnregister(ComponentId={BA8F5998-CE82-4143-8277-6B83200C031C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:994]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenBillPresentment.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:45:994]: Executing op:  
ComponentUnregister(ComponentId={EC60B8C2-5890-4ECA-B29E-EE75307AE888},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:995]: Executing op:  
ComponentUnregister(ComponentId={3A8628E2-4679-4430-87DE-9B38C579334A},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:45:995]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QWVER.DLL' folder had been blocked by the 1 mask argument

(the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:996]: Executing op:

ComponentUnregister(ComponentId={41E80796-9B53-4312-8A16-32E757BBD229},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:996]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QWInstrumentation.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:996]: Executing op:

ComponentUnregister(ComponentId={734431FC-2568-447A-823D-E54B10B74480},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:997]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QuickenHomeInventory.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:997]: Executing op:

ComponentUnregister(ComponentId={7F5C8914-DF20-4434-862C-FA08DDB2644F},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:997]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QCustomAction.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:998]: Executing op:

ComponentUnregister(ComponentId={7ED69155-3A27-49B7-9C15-E2EC0FBFF28B},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:998]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QAM.Authorization.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:998]: Executing op:

ComponentUnregister(ComponentId={F7E47318-6E47-43FE-B423-65C845EBC7B8},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:999]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\PhoneHomeMgr.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:45:999]: Executing op:

ComponentUnregister(ComponentId={CCA64FE0-A3DA-40EA-9928-5DCCC346C922},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:45:999]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Newtonsoft.Json.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:000]: Executing op:

ComponentUnregister(ComponentId={742D85C3-55E1-4505-90B0-426D4C3D5FAE},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:000]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\MoneyFileReader.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:000]: Executing op:

ComponentUnregister(ComponentId={0BEA68A8-C4B0-4FDC-AA43-D772E01E6331},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:001]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\MoneyFileConverter.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:001]: Executing op:

ComponentUnregister(ComponentId={47637BA7-3EFD-4DAA-AAD4-800D814FEBE5}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:001]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Microsoft.Expression.Interactions.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:002]: Executing op:

ComponentUnregister(ComponentId={9A09FE9F-8F03-4C36-97FA-02A432D10C67}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:002]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Ionic.Zip.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:003]: Executing op:

ComponentUnregister(ComponentId={4B3A6F76-8883-429F-B3C2-97F2578F318B}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:003]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Intuit.Ctg.Wte.TaxContainer.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:003]: Executing op:

ComponentUnregister(ComponentId={563324F0-153B-49E8-B8CA-D5A676EA16E5}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:004]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Intuit.Ctg.Wte.AppShellFramework.Core.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:004]: Executing op:

ComponentUnregister(ComponentId={0D386BDE-961A-44EA-A060-69AADAA14AF4}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:004]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Intuit.Ctg.Wte.AppShellFramework.Capabilities.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:005]: Executing op:

ComponentUnregister(ComponentId={F3242037-6C52-4BBB-9E68-EFB0E0EDE2CE}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:005]: Executing op:

ComponentUnregister(ComponentId={1A262E42-75E1-4F64-8BCC-B4297465B4B2}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:006]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\InetTools.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:006]: Executing op:

ComponentUnregister(ComponentId={04457B81-7670-45CA-B3E8-C6F866AAFE3F}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:006]: WIN64DUALFOLDERS: Substitution in 'C:\Program

Files (x86)\Common Files\Quicken\Internet Client\Certs\ofxca-g2.crt' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:007]: Executing op:  
ComponentUnregister(ComponentId={FE9A1C0B-BE6E-42C9-9782-8EE2E117106F}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:007]: Executing op:  
ComponentUnregister(ComponentId={634B3697-AE07-4315-A747-CE34A9EBBA2A}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:007]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EmergencyRecordsOrganizer.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:008]: Executing op:  
ComponentUnregister(ComponentId={B707087B-3AF5-46FE-AFEC-0C673C7730BE}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:008]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.WebEngine.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:009]: Executing op:  
ComponentUnregister(ComponentId={58246F05-3570-4787-8102-D56EDE09F909}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:009]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.WebBrowser.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:010]: Executing op:  
ComponentUnregister(ComponentId={0BC08A2E-448F-4947-9E03-A1DCBC3C81FF}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:010]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.WebBrowser.Wpf.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:010]: Executing op:  
ComponentUnregister(ComponentId={24C72550-116A-4E57-9985-2D7DEDABEF3F}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:011]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\EO.Base.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:011]: Executing op:  
ComponentUnregister(ComponentId={7D100882-60F6-4467-AEA4-363932A026FE}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:011]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\DocumentFormat.OpenXml.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:012]: Executing op:  
ComponentUnregister(ComponentId={E77AC945-49D2-459A-A5D5-7CBFCBDF2616}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:012]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\DPInfo.exe' folder had been blocked by the 1 mask argument (the

folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:012]: Executing op:

ComponentUnregister(ComponentId={879BF187-8F30-4B08-A42D-114702C98E4C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:013]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\CreditScoreRestWebRequest.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:013]: Executing op:

ComponentUnregister(ComponentId={DBAE8AF6-52B7-42AE-9F64-548CB0AE325C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:013]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ClosedXML.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:014]: Executing op:

ComponentUnregister(ComponentId={5C7F65AE-B7F7-43D1-960C-46408E95602B},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:014]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\CalendarSync.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:015]: Executing op:

ComponentUnregister(ComponentId={EAD32D7C-8B8D-40AC-A934-ED8B3F5ED145},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:015]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\CEFBrowser.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:015]: Executing op:

ComponentUnregister(ComponentId={B5D5E24D-B72F-478A-80C6-C2AEE91DC0D7},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:016]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BugSplatRc.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:016]: Executing op:

ComponentUnregister(ComponentId={55059C5C-0224-4BAC-A2BA-28DBD6029411},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:016]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BugSplat.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:017]: Executing op:

ComponentUnregister(ComponentId={C2D70214-D262-4E49-953F-8BAF5149DA41},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:017]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BsSndRpt.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:017]: Executing op:

ComponentUnregister(ComponentId={FA2C0FD2-15A3-4696-BD7E-6739D01A17D4},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:018]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\BindContent.exe' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:018]: Executing op:

ComponentUnregister(ComponentId={8A6A91E5-DE48-4F8C-8913-C5B544CC0343}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:018]: Executing op:

ComponentUnregister(ComponentId={9899EB4A-0812-473D-B914-125DC65D4F9D}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:019]: Executing op:

ComponentUnregister(ComponentId={E8A948EC-4508-44C7-916D-CE8E27EEA984}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:019]: Executing op:

ComponentUnregister(ComponentId={CA791C5E-F34E-4BAE-9094-32B9489849B1}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:020]: Executing op:

ComponentUnregister(ComponentId={113D7412-BDAE-4C8F-BB96-DE470C57457F}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:020]: Executing op:

ComponentUnregister(ComponentId={59E43359-EB46-406B-B89C-2AB2CE3C716F}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:021]: Executing op:

ComponentUnregister(ComponentId={E96A7B77-E14F-470C-ADDD-04D10B83DFE5}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:021]: Executing op:

ComponentUnregister(ComponentId={825B142A-57F1-46DE-8EEE-FF56F5F6758F}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:022]: Executing op:

ComponentUnregister(ComponentId={F7C48F27-8EE1-4358-ADA8-8B44F2673542}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:022]: Executing op:

ComponentUnregister(ComponentId={C6B8DEF2-ACC1-4E61-9B55-449D04EA8844}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:022]: Executing op:

ComponentUnregister(ComponentId={69EDA83F-84A0-4811-8D5C-C76E294980F9}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:023]: Executing op:

ComponentUnregister(ComponentId={45E0F899-06D6-4A82-973D-6507C3CC45B1}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:023]: Executing op:

ComponentUnregister(ComponentId={A8C250E1-D209-4025-A382-2E08CFBDF7BB}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:024]: Executing op:

ComponentUnregister(ComponentId={18D221E8-A0CD-4252-A9D5-0FFEC2700A37}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:024]: Executing op:



ComponentUnregister(ComponentId={484AD5B1-CADE-42AE-9098-7412CF519B74}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:024]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xsell.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:025]: Executing op:

ComponentUnregister(ComponentId={B3689F21-DD67-49E6-90EB-77DAFF4336EA}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:025]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xmlparse\_tok.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:025]: Executing op:

ComponentUnregister(ComponentId={EC3F0C46-0CC7-4755-8B94-04C60E08B489}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:026]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\xmlparse.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:026]: Executing op:

ComponentUnregister(ComponentId={E2662F7D-9C53-4A83-AA24-96643A895765}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:026]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ttaximp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:027]: Executing op:

ComponentUnregister(ComponentId={EACBF1E2-376B-4541-B40E-046FEF4E34BD}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:027]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\tcl85t.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:027]: Executing op:

ComponentUnregister(ComponentId={7280E4AD-FAF0-444B-8C30-98E09C6DDB07}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:028]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwwin.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:028]: Executing op:

ComponentUnregister(ComponentId={8E86C43E-58F7-40DC-BDE2-5F764CF12C36}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:028]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwutil.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:029]: Executing op:

ComponentUnregister(ComponentId={915181F1-D45A-4890-820F-61A754C0EF67}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:029]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwsync.dll' folder had been blocked by the 1 mask argument (the

folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:029]: Executing op:

ComponentUnregister(ComponentId={424F021C-48F5-4FCA-A1D4-BC993884A9B7},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:030]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwsnap.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:030]: Executing op:

ComponentUnregister(ComponentId={789041FB-C502-42D2-A7CA-38059D47E0D4},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:030]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwpr.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:030]: Executing op:

ComponentUnregister(ComponentId={1F03EB42-00AD-4682-9387-02FB17D975B4},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:030]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwonline.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:031]: Executing op:

ComponentUnregister(ComponentId={F857A784-13D0-4EDD-A8CB-E7BA16B0A60D},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:031]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwinver.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:031]: Executing op:

ComponentUnregister(ComponentId={EE05B276-BACE-4059-BAEC-0344E56C7E0A},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:032]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwinet.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:032]: Executing op:

ComponentUnregister(ComponentId={80E61BF2-7EAF-4D44-A8FF-43E08DCE439F},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:032]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwcncr.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:033]: Executing op:

ComponentUnregister(ComponentId={7D40D7FA-866D-4966-9E25-599ED8024FB3},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:033]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qwapp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:033]: Executing op:

ComponentUnregister(ComponentId={F9E483CC-3C8B-4086-B98F-09D3735A1209},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:034]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_pay\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:034]: Executing op:  
ComponentUnregister(ComponentId={19B7E6D7-8A34-4E14-8E0C-AD8F377BC936}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:034]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_ouss\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:035]: Executing op:  
ComponentUnregister(ComponentId={48B105D1-00FD-4A6C-B156-F0D88BF46620}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:035]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_actpg\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:035]: Executing op:  
ComponentUnregister(ComponentId={6AC29DA8-0130-4CE0-BF61-C4B40791D0D4}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:036]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qw\_accts\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:036]: Executing op:  
ComponentUnregister(ComponentId={7D3A67FF-FBD1-4995-915C-611C2488F993}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:036]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qvault.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:037]: Executing op:  
ComponentUnregister(ComponentId={E2309A8C-D157-43CB-8D62-902415A12273}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:037]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qtax.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:037]: Executing op:  
ComponentUnregister(ComponentId={0A9B568A-929E-49D3-9743-ABB12CB5741E}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:038]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\qsetup\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:038]: Executing op:  
ComponentUnregister(ComponentId={DE01D6BC-D837-4D8A-89A8-27957C6AD8CE}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:038]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Qsapi\qsapi\_xsel.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:039]: Executing op:

ComponentUnregister(ComponentId={CD62DE8B-8927-4DF3-9520-38F6303FA4E0},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:039]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Qsapi\qsapi\_plan.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:040]: Executing op:  
ComponentUnregister(ComponentId={5C56894F-1CF0-4386-953B-7657D8EA4071},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:040]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qsapi\_eng.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:040]: Executing op:  
ComponentUnregister(ComponentId={7628DFA7-D436-4C2A-8D38-C1AEDFB5B16C},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:041]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qsapi.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:041]: Executing op:  
ComponentUnregister(ComponentId={005F5B28-A266-4234-A8EB-2C8D22800AAF},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:041]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qsac.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:042]: Executing op:  
ComponentUnregister(ComponentId={1B58F9E3-550C-469C-8B04-9AA4288828BD},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:042]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qreports.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:042]: Executing op:  
ComponentUnregister(ComponentId={194FA616-ACAC-4574-A264-F87F302E0E0B},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:043]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qrep.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:043]: Executing op:  
ComponentUnregister(ComponentId={B7F397AB-2CFD-4161-A0D6-D92F2F027E18},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:043]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qindex.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:044]: Executing op:  
ComponentUnregister(ComponentId={EF27AB52-41A3-44B6-B135-F5909AEE3E21},ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:044]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\qdb.dll' folder had been blocked by the 1 mask argument (the folder

pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:044]: Executing op:

ComponentUnregister(ComponentId={7B73E43C-7A5F-4F61-BD13-EA103DD3A99E},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:045]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\qdappui.dll' folder had been blocked by the 1 mask argument (the  
folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:045]: Executing op:

ComponentUnregister(ComponentId={E2542DAC-5D74-4CEA-BA33-838292718A6D},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:045]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\qdapp.dll' folder had been blocked by the 1 mask argument (the  
folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:046]: Executing op:

ComponentUnregister(ComponentId={2D36A42F-6AC1-45FD-9951-FDBE4D1EA0F5},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:046]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\qcomutil.dll' folder had been blocked by the 1 mask argument (the  
folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:046]: Executing op:

ComponentUnregister(ComponentId={A5F9E0F4-C0A0-417E-B800-ABCB47B77488},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:047]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\qaccess.dll' folder had been blocked by the 1 mask argument (the  
folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:047]: Executing op:

ComponentUnregister(ComponentId={C01A5C07-4DE0-4086-A271-E82A094BB0C2},  
ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:047]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\onlncall.dll' folder had been blocked by the 1 mask argument (the  
folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:048]: Executing op:

ComponentUnregister(ComponentId={0A5870D1-F19A-4F98-922B-7677639297C7},Pr  
oductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:048]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\online.dll' folder had been blocked by the 1 mask argument (the  
folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:048]: Executing op:

ComponentUnregister(ComponentId={0F0CCD4C-783A-4546-841E-63E9160D759B},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:049]: WIN64DUALFOLDERS: Substitution in 'C:\Program  
Files (x86)\Quicken\olbservice.dll' folder had been blocked by the 1 mask argument (the  
folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:049]: Executing op:

ComponentUnregister(ComponentId={BD6C52C9-F356-4FD4-8472-0688249E7C2C},P  
roductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3},BinaryType=0,)

MSI (s) (34:C8) [13:43:46:049]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\ofxsdk\_qw.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:050]: Executing op:

ComponentUnregister(ComponentId={540BC575-C1C4-4D86-A951-5A3E2DC4870B}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:050]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\lbtmgr.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:051]: Executing op:

ComponentUnregister(ComponentId={355DB1C5-E588-4437-B1D6-EDD933D40E0D}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:051]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\graphs.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:051]: Executing op:

ComponentUnregister(ComponentId={E30E475A-35CD-4048-83CE-02AC89C5257F}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:052]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_savgol.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:052]: Executing op:

ComponentUnregister(ComponentId={F73CE450-D515-4A54-9718-4DC35A80DBBB}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:052]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_plan.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:053]: Executing op:

ComponentUnregister(ComponentId={50E99502-1731-4234-A32A-E5B71896601C}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:053]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_frcast.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:054]: Executing op:

ComponentUnregister(ComponentId={BC64B552-A03D-4428-8A02-EB9DD28E3E67}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:054]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_dedfnd.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:055]: Executing op:

ComponentUnregister(ComponentId={CD16B1E4-001C-4F43-AB67-E942681762E1}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)

MSI (s) (34:C8) [13:43:46:055]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\dlapps\_dbtred.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).

MSI (s) (34:C8) [13:43:46:056]: Executing op:

ComponentUnregister(ComponentId={D9101E2B-C46C-4F81-B154-DB06E61A818E}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:056]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\custprof.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:056]: Executing op:  
ComponentUnregister(ComponentId={413FDC5B-5677-418C-B41D-B5815CF55B88}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:057]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Snap\cir\_ss.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:057]: Executing op:  
ComponentUnregister(ComponentId={7C6D014F-C190-40F4-B02B-17F4D733F020}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:057]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\cashflow.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:058]: Executing op:  
ComponentUnregister(ComponentId={DF7409A6-256C-4995-B6E8-7137863F97F8}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:058]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\calnote.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:058]: Executing op:  
ComponentUnregister(ComponentId={44D94DFA-00C3-4113-88F2-4F6C94449512}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:059]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\bgt\_pnf.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:059]: Executing op:  
ComponentUnregister(ComponentId={4593E12D-E533-48D5-9391-C08C3FA0E076}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:059]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\Qsetup.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:060]: Executing op:  
ComponentUnregister(ComponentId={428EFBAA-92AB-40B4-9BB1-50CEC56423D8}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:060]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QShowHelp.dll' folder had been blocked by the 1 mask argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:061]: Executing op:  
ComponentUnregister(ComponentId={91890130-F743-4681-868F-BBF4B27ACC84}, ProductKey={62D93E3E-2F8E-42BD-9343-896F4F0031D3}, BinaryType=0,)  
MSI (s) (34:C8) [13:43:46:061]: WIN64DUALFOLDERS: Substitution in 'C:\Program Files (x86)\Quicken\QCONNECT.DLL' folder had been blocked by the 1 mask

argument (the folder pair's iSwapAttrib member = 0).  
MSI (s) (34:C8) [13:43:46:061]: Executing op:  
End(Checksum=0,ProgressTotalHDWord=0,ProgressTotalLDWord=0)  
MSI (s) (34:C8) [13:43:46:061]: Error in rollback skipped. Return: 5  
MSI (s) (34:C8) [13:43:46:065]: Note: 1: 2318 2:  
MSI (s) (34:C8) [13:43:46:066]: No System Restore sequence number for this installation.  
MSI (s) (34:C8) [13:43:46:066]: Unlocking Server  
MSI (s) (34:C8) [13:43:46:069]: PROPERTY CHANGE: Deleting UpdateStarted property. Its current value is '1'.  
Action ended 13:43:46: INSTALL. Return value 3.  
MSI (s) (34:C8) [13:43:46:071]: Note: 1: 1708  
MSI (s) (34:C8) [13:43:46:071]: Product: Quicken -- Installation operation failed.

MSI (s) (34:C8) [13:43:46:071]: Windows Installer installed the product. Product Name: Quicken. Product Version: 27.1.20.15. Product Language: 1033. Manufacturer: Quicken. Installation success or error status: 1603.

MSI (s) (34:C8) [13:43:46:076]: Deferring clean up of packages/files, if any exist  
MSI (s) (34:C8) [13:43:46:076]: MainEngineThread is returning 1603  
MSI (s) (34:08) [13:43:46:079]: RESTART MANAGER: Session closed.  
MSI (s) (34:08) [13:43:46:079]: No System Restore sequence number for this installation.  
=== Logging stopped: 1/28/2020 13:43:46 ===  
MSI (s) (34:08) [13:43:46:082]: User policy value 'DisableRollback' is 0  
MSI (s) (34:08) [13:43:46:082]: Machine policy value 'DisableRollback' is 0  
MSI (s) (34:08) [13:43:46:082]: Incrementing counter to disable shutdown. Counter after increment: 0  
MSI (s) (34:08) [13:43:46:082]: Note: 1: 1402 2:  
HKEY\_LOCAL\_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\Rollback\Scripts 3: 2  
MSI (s) (34:08) [13:43:46:082]: Note: 1: 1402 2:  
HKEY\_LOCAL\_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\Rollback\Scripts 3: 2  
MSI (s) (34:08) [13:43:46:083]: Decrementing counter to disable shutdown. If counter >= 0, shutdown will be denied. Counter after decrement: -1  
MSI (s) (34:08) [13:43:46:083]: Destroying RemoteAPI object.  
MSI (s) (34:30) [13:43:46:083]: Custom Action Manager thread ending.  
MSI (c) (FC:0C) [13:43:46:085]: Decrementing counter to disable shutdown. If counter >= 0, shutdown will be denied. Counter after decrement: -1  
MSI (c) (FC:0C) [13:43:46:086]: MainEngineThread is returning 1603  
=== Verbose logging stopped: 1/28/2020 13:43:46 ===