

Model Cleanliness

A guide to optimize and clean-up as you build



Rob Marshall

Director – Operational Excellence Group

/anaplan

CPX  **/anaplan**

Techniques for Model Cleanliness

Benefits of clean model



Performance: Removing unneeded objects for faster startup and calculation



Scalability: Increasing functionality with focused architecture



Maintenance: Facilitating the onboarding and adoption of the model

4 Golden Rule Rules

- Delete objects that are no longer needed

SYS00 Time Settings	System
SYS01 Time Settings by Month	System
SYS02 User Filter	System
SYS03 User Account Filter	System
SYS04 User Country Filter	System
SYS05 GS3 Filter	System
SYS05 User Sales Rep Filter	System
SYS99 Lookups	System
T01 Target Assumptions	Data
T02 Detailed Sales Targets	Targets
T03 Account Review	Targets
T05 Company Account Calculation - DEL	Targets
T06 Final Sales Targets - DEL	Targets
T07 Country Segment Review - DEL	Targets

4 Golden Rule Rules

- Delete objects that are no longer needed

Open Insert... Delete... Reorder... Export... Refresh Q		
	Referenced in Applies To	Referenced as Format
Length of Service	'Q04 Length of Service Details', 'Q05 Tenure Calculation'	'H05 Sales Rep Details'.Length of Service List
Role	'Q02 Quota Assumptions'	'H05 Sales Rep Details'.Role
Tenure	'Q02 Quota Assumptions', 'Q03 Tenure Thresholds', 'Q05 Tenure Calculation'	'H05 Sales Rep Details'.Tenure, 'Q05 Tenure Calculation'.Tenure List
--- Hierarchies ---		
A1 Accounts	'AD01 Access Drivers - Accounts', 'H01 Account Details', 'Q06 Account Assignment', 'Q07 Account Ass	'H04 Account>Product Details'.A1 Account, 'Q01 Territory Account Details'.Account, 'G4/
A2 Account>Product#	'D01 PY Sales', 'D02 PY Sales - CY', 'H04 Account>Product Details', 'T02 Detailed Sales Targets'	
G1 Region		'H02 Territory Details'.Region
G2 Country	'D03 Sales Targets', 'SYS04 User Country Filter', 'T01 Target Assumptions', 'T05 Company Account Ca	'H01 Account Details'.Country, 'H02 Territory Details'.Country, 'H03 Location Flat Details'.
G3T Territory	'H02 Territory Details'	'Q01 Territory Account Details'.Territory, 'Q06 Account Assignment'.Territory, 'Q07 Accoun
G3S Sales Reps#	'H06 GS3 Sales Rep Details', 'Q08 Sales Rep Target Review', 'Q09 Sales Rep Commissions', 'Q10 Co	'H05 Sales Rep Details'.G3S Sales Rep#, 'Q06 Account Assignment'.Sales Rep
G4A Territory>Account#	'Q01 Territory Account Details'	
P1 Product Family	'D03 Sales Targets'	'H04 Account>Product Details'.P1 Product Family'
P2 Product		'H04 Account>Product Details'.P2 Product'
--- Flat Lists ---		
Segment	'T07 Country Segment Review'	'H01 Account Details'.Segment, 'Q06 Account Assignment'.Segment, 'SYS02 User Filter'.
Country Flat		
Geography Flat		
Location Flat	'H03 Location Flat Details'	'H01 Account Details'.Location
Product Flat		'H04 Account>Product Details'.Product Flat, 'A2 Account>Product#.Display Name
Sales Reps Flat#	'H05 Sales Rep Details'	'G3S Sales Reps#.Display Name
--- Subsets ---		

4 Golden Rule Rules

- Delete objects that are no longer needed
- Use Section Dividers to break up objects

DAT04 US Geo Codes Details from US GEO Codes.csv	Import into 'DAT04 US Geo Codes Details'
Product Sale Transactions from transaction_final_us.csv***	Import into Product Sale Transactions
Product Sales Transaction Stag from transaction_final_us.csv	Import into 'DAT01 Product Sales Transaction Stagir
---GEO Hierachy---	Import into Headliner
L1 Super Territory from Data HUB - DEV / 'DAT04 US Geo Codes	Import into 'L1 Super Territory'
L2 Global/Terr Desc from Data HUB - DEV / 'DAT04 US Geo Code	Import into 'L2 Global/Terr Desc'
L3 Sub Territory from Data HUB - DEV / 'DAT04 US Geo Codes D	Import into 'L3 Sub Territory'
L4 Country from Data HUB - DEV / 'DAT04 US Geo Codes Details	Import into 'L4 Country'
L5 State from Data HUB - DEV / 'DAT04 US Geo Codes Details'	Import into 'L5 State'
L6 Postal Prefix from Data HUB - DEV / 'DAT04 US Geo Codes D	Import into 'L6 Postal Prefix'
---Geo Hierachy v2---	Import into Headliner
Finance Geo Code flat from Finance and Geo Codes Combined.cs	Import into Finance Geo Code flat
Country Flat List from Finance and Geo Codes Combined.csv	Import into Country Flat List
State Flat from Data HUB - DEV / 'DAT04 v2 Geo Code Details'	Import into State Flat
DAT04 v2 Geo Code Details from Finance and Geo Codes Combin	Import into 'DAT04 v2 Geo Code Details'

4 Golden Rule Rules

- Delete objects that are no longer needed
- Use Section Dividers to break up objects
- Use Notes to document that object

	Action	Notes
Processes		
Imports		
Load Trans Data List	Import into Trans Data	Load Trans Data List from Contact_Events_UniqueID_Properties.csv
Load Trans Data module	Import into 'DATA: Trans Data'	Load Trans Data Module from Contact_Events_UniqueID_Properties.csv
Load Cost Center Flat	Import into Cost Center Flat	Load Cost Center Flat list from Cost Center Flat.csv
Update ss Servicing CC (v)	Import into Cost Center Flat	Update ss Servicing CC subset from SYS: Trans Data Properties.Update CC Subset
Build L1 Company	Import into 'L1 Company'	Build L1 Company from view SYS: Trans Data Properties.Build L1 Company
Build L2 Credit	Import into 'L2 Credit'	Build L2 Credit from SYS: Trans Data Properties.Build L2 Credit
Build L3 DQ	Import into 'L3 DQ'	Build L3 DQ from SYS: Trans Data Properties.Build L3 DQ
Build L4 FICO	Import into 'L4 FICO'	Build L4 FICO from SYS: Trans Data Properties.Build L4 FICO
Build L5 Method	Import into 'L5 Method'	Build L5 Method from SYS: Trans Data Properties.Build L5 Method
Build L6 Result	Import into 'L6 Result'	Build L6 Result from SYS: Trans Data Properties.Build L6 Result

4 Golden Rule Rules

- Delete objects that are no longer needed
- Use Section Dividers to break up objects
- Use Notes to document that object
- Develop a Naming Convention for:
 - Actions (Build vs Load)
 - Modules (shorter the better)
 - Line Items (Text vs. List vs Boolean)
 - Best Practice article:
https://help.anaplan.com/anapedia/Content/Modeling/Good_Practice/Good_Practice_Naming_Conventions.html

Actions

- Group Actions of a process together

1. Create G1 Region	Import into 'G1 Region'
2. Create G2 Country	Import into 'G2 Country'
3. Import G2 Country Details	Import into 'G2 Country'
4. Create G3T Territory	Import into 'G3T Territory'
5. Create G3S Sales Reps#	Import into 'G3S Sales Reps#'
1. Create P1 Product Family	Import into 'P1 Product Family'
2. Create P2 Product	Import into 'P2 Product'
1. Create Sales Reps Flat#	Import into Sales Reps Flat#
2. Import Sales Rep Details	Import into 'H05 Sales Rep Details'
1. Create A1 Accounts	Import into 'A1 Accounts'
2. Import Account Details	Import into 'H01 Account Details'
1. Create Accounts>Products#	Import into 'A2 Account>Product#'
2. Import Account Product Details	Import into 'H04 Account>Product Details'
3. Import Prior Year Data	Import into 'D01 PY Sales'

Actions

- Group Actions of a process together
- Source should be View or File

Actions

Actions	Imports	Import Data Sources				
View ▾	Run...	Edit...	Delete...	Reorder...	Refresh	Q ▾
	Source Label	Source Object	Source Type	Target Object	Target Type	Prod
Load Trans Data List	Contact_Events_UniqueID_Pr	-	FILE	Trans Data	LIST	
Load Trans Data module	Trans Data.csv	-	FILE	DATA: Trans Data	MODULE	
Load Cost Center Flat	Cost Center Flat.csv	-	FILE	Cost Center Flat	LIST	
Update ss Servicing CC (v)	Update CC Subset	Filter Trans Data by Users /	SAVED VIEW	Cost Center Flat	LIST	
Build L1 Company	SYS: Trans Data Properties."E	Filter Trans Data by Users /	SAVED VIEW	L1 Company	LIST	
Build L2 Credit	SYS: Trans Data Properties."B	Filter Trans Data by Users /	SAVED VIEW	L2 Credit	LIST	
Build L3 DQ	SYS: Trans Data Properties."B	Filter Trans Data by Users /	SAVED VIEW	L3 DQ	LIST	
Build L4 FICO	SYS: Trans Data Properties."B	Filter Trans Data by Users /	SAVED VIEW	L4 FICO	LIST	
Build L5 Method	SYS: Trans Data Properties."B	Filter Trans Data by Users /	SAVED VIEW	L5 Method	LIST	
Build L6 Result	SYS: Trans Data Properties."B	Filter Trans Data by Users /	SAVED VIEW	L6 Result	LIST	

Actions

- Group Actions of a process together
- Source should be View or File
- Green Checks

Import Completed



Success! Import complete.

Result Summary

Details


> Expand all items

✓ Build L1 Company

L1 Company

Imports

- Clean up Source Label description



Imports

- Clean up Source Label description



Actions			Actions		
Imports			Import Data Sources		
View	Run...	Edit...	Delete...	Reorder...	Refresh
			New Source	Edit...	Delete...
			Reorder...	Refresh	Q
Source Label	Source Model	Source Type	Source		
Load Trans Data List	Contact_Events_UniqueID_Pr	-	Contact_Events_UniqueID_Properties.csv	FILE	-
Load Trans Data module	Trans Data.csv	-	Cost Center Flat.csv	FILE	-
Load Cost Center Flat	Cost Center Flat.csv	-	Update CC Subset	SAVED VIEW	'SYS: Trans I
Update ss Servicing CC (v)	Update CC Subset	'SYS: Tra	Build L1 Company (v)	SAVED VIEW	'SYS: Trans I
Build L1 Company	Build L1 Company (v)	'SYS: Tra	Build L2 Credit (v)	SAVED VIEW	'SYS: Trans I
Build L2 Credit	Build L2 Credit (v)	'SYS: Tra	Build L3 DQ (v)	SAVED VIEW	'SYS: Trans I
Build L3 DQ	Build L3 DQ (v)	'SYS: Tra	Build L4 FICO (v)	SAVED VIEW	'SYS: Trans I
Build L4 FICO	Build L4 FICO (v)	'SYS: Tra	Build L5 Method (v)	SAVED VIEW	'SYS: Trans I
Build L5 Method	Build L5 Method (v)	'SYS: Tra	Build L6 Result (v)	SAVED VIEW	'SYS: Trans I
Build L6 Result	Build L6 Result (v)	'SYS: Tra	Trans Data.csv	FILE	-
			Filter Trans Data by Users / 'SYS: Cost Center Prop	SAVED VIEW	'SYS: Cost C

Imports

- Clean up Source Label description
- Create views with only the line items needed


Import: 1. Create P1 Product Family

Mapping

Source	Property in List
Column 2: Product Family	→ P1 Product Family
	→ Parent
Column 3: Product Family Code	→ Code
(Column Headers)	
Column 1: SKUs Flat	
Column 2: Product Family	
Column 3: Product Family Code	

Lists

- Production Data vs. Non-Production Data



	Top Level	Parent Hierarchy	Selective Access	Production Data	M
Trans Data	All Members		<input type="checkbox"/>	<input checked="" type="checkbox"/>	
L1 Company	All Members		<input type="checkbox"/>	<input checked="" type="checkbox"/>	
L2 Credit		L1 Company	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
L3 DQ		L2 Credit	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
L4 FICO		L3 DQ	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
L5 Method		L4 FICO	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
L6 Result		L5 Method	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Company	All Companies		<input type="checkbox"/>	<input type="checkbox"/>	
Scorebands	All Scorebands		<input type="checkbox"/>	<input type="checkbox"/>	
Decision Tier Flat	All Tiers		<input type="checkbox"/>	<input type="checkbox"/>	
DQ Flat	All DQ		<input type="checkbox"/>	<input type="checkbox"/>	
FICO Flat	All FICO		<input type="checkbox"/>	<input type="checkbox"/>	
Contact Results Flat	All Results		<input type="checkbox"/>	<input type="checkbox"/>	
Contact Method Flat	All Methods		<input type="checkbox"/>	<input type="checkbox"/>	
Cost Center Flat	All Cost Centers		<input type="checkbox"/>	<input type="checkbox"/>	
Contact Who	All Contact Who		<input type="checkbox"/>	<input type="checkbox"/>	

Lists

- Production Data vs. Non-Production Data
- Is 'Time' part of the key/list member?

List	# of Records		
	Original	After	% Reduction
Revenue Actuals	168,198	636	99.6%
TE Actuals	110,941	6,170	94%
Actual Total Cost	119,242	32,036	73%
Total Model Size (mb)	607	43.9	93%
Total cells (million)	56	3.1	94%
Model Open Time	1.193	0.667	44%
Memory Size (GB)	0.71	0.05	93%
String References	6,831,739	257,010	96%

Lists

- Production Data vs. Non-Production Data
- Is 'Time' part of the key/list member?
- Does the list have Properties?

SYS: FICO by Users	Structure
SYS: Methods by Users	Structure
SYS: Cost Centers by Users	Structure
-- SYS Properties --	
SYS: L6 Properties	Structure
SYS: Trans Data Properties	Data
SYS: Company Properties	Structure
SYS: Credit Tier Properties	Structure
SYS: DQ Properties	Structure
SYS: FICO Properties	Structure
SYS: Contact Method Properties	Structure
SYS: Cost Center Properties	
SYS: Contact Result Properties	Structure
SYS: Cost Center Properties	Structure

Modules

- Name the modules with the correct prefix: SYS, DAT, CALC, REP, etc.

User mapping	
REP01: Results	Out
REP01: Results - New	Out
CALC: Company x Results x Users x CC	Calc
CALC: Company x Results x Users x CC - New	Calc
INP: Dashboard Input	Input
CALC: L6 by Input	Calc
CALC: L6 by Input - New	Calc
CALC: L6 by CC - Volume	Calc
DATA: Trans Data	Data
--- User Filters ---	
SYS: Credit Tier by Users	System
SYS: DQ Tier by Users	System
SYS: FICO by Users	System
SYS: Methods by Users	System
SYS: Cost Centers by Users	System
-- SYS Properties --	
SYS: L6 Properties	System
SYS: Trans Data Properties	Data
SYS: Company Properties	System
SYS: Credit Tier Properties	System
SYS: DQ Properties	System
SYS: FICO Properties	System

Modules

- Name the modules with the correct prefix: SYS, DAT, CALC, REP, etc.
- Find the largest modules and review the line items

Users List	Cell Count
Show All Users: On	28
Show All Users: On	43,316
Show All Users: On	43,316
Show All Users: On	2,685,592
Show All Users: On	2,685,592
Show All Users: On	15
Show All Users: On	1,676,700
Show All Users: On	1,687,200
Show All Users: On	204,557,400
Show All Users: On	23,173,872
Show All Users: On	0
Show All Users: On	67
Show All Users: On	60

Modules

- Name the modules with the correct prefix: SYS, DAT, CALC, REP, etc.
- Find the largest modules and review the line items
- Set up a consistent order in the Applies To
 - <https://community.anaplan.com/t5/Best-Practices/Dimension-Order/ta-p/32934>



Community > Platform > Best Practices > Dimension Order

Dimension Order

Dimension Order Affects Calculation Performance

Ensuring consistency in the order of dimensions will help improve the performance of your models. This controls the order of individual line items. Why does the order matter? Anaplan creates and uses indexes to perform calculations. The index number given to the intersection of dimensions is given an index number.

Here are two simple modules dimensioned by Customer and Product. In the first module, Product comes first and Customer is second. In the second module, Customer is first and Product is second.

Applies to: Product, Customer

Line Items

- Create Dividers (formatted as No Data) for different sections

	Formula	Parent	Is Summary	Format	
Repo Ind	FINDITEM(Repo ID, Repo Ind Code)		<input type="checkbox"/>	Repo ID	-
Anaplan Calc			<input type="checkbox"/>	No Data	-
Link to L6 Results	FINDITEM("L6 Result", 'Code for L6')		<input type="checkbox"/>	L6 Result	-
List Item Name	NAME(ITEM(Trans Data))		<input type="checkbox"/>	Text	-
Text Strings			<input type="checkbox"/>	No Data	-
Channel Code	LEFT(List Item Name, '1st Group' - 1)		<input type="checkbox"/>	Text	-
Score Band Code	RIGHT(LEFT(List Item Name, '2nd Group' - 1), '2nd Group' - '1st Group' - 1)		<input type="checkbox"/>	Text	-
Credit Tier Code	RIGHT(LEFT(List Item Name, '3rd Group' - 1), '3rd Group' - '2nd Group' - 1)		<input type="checkbox"/>	Text	-
DQ Bucket Code	RIGHT(LEFT(List Item Name, '4th Group' - 1), '4th Group' - '3rd Group' - 1)		<input type="checkbox"/>	Text	-
Fico Bucket Code	RIGHT(LEFT(List Item Name, '5th Group' - 1), '5th Group' - '4th Group' - 1)		<input type="checkbox"/>	Text	-
Result Code	RIGHT(LEFT(List Item Name, '6th Group' - 1), '6th Group' - '5th Group' - 1)		<input type="checkbox"/>	Text	-
Method Code	RIGHT(LEFT(List Item Name, '7th Group' - 1), '7th Group' - '6th Group' - 1)		<input type="checkbox"/>	Text	-
Cost Center Code	RIGHT(LEFT(List Item Name, '8th Group' - 1), '8th Group' - '7th Group' - 1)		<input type="checkbox"/>	Text	-
Who Code	RIGHT(LEFT(List Item Name, '9th Group' - 1), '9th Group' - '8th Group' - 1)		<input type="checkbox"/>	Text	-
Loc Code	RIGHT(LEFT(List Item Name, '10th Group' - 1), '10th Group' - '9th Group' - 1)		<input type="checkbox"/>	Text	-
Bankrupt Ind Code	RIGHT(LEFT(List Item Name, '11th Group' - 1), '11th Group' - '10th Group' - 1)		<input type="checkbox"/>	Text	-
Repo Ind Code	RIGHT(List Item Name, '12th Group' - '11th Group')		<input type="checkbox"/>	No Data	-
Traversing the Key			<input type="checkbox"/>	No Data	-
1st Group	FIND("_", List Item Name)		<input type="checkbox"/>	Number	-
2nd Group	FIND("_", List Item Name, '1st Group' + 1)		<input type="checkbox"/>	Number	-

Line Items

- Create Dividers (formatted as No Data) for different sections
- Repetition of functions?

Text Strings	
Channel Code	LEFT(NAME(ITEM(Trans Data)), '1st Group' - 1)
Score Band Code	RIGHT(LEFT(NAME(ITEM(Trans Data)), '2nd Group' - 1), '2nd Group' - '1st Group')
Credit Tier Code	RIGHT(LEFT(NAME(ITEM(Trans Data)), '3rd Group' - 1), '3rd Group' - '2nd Group')
DQ Bucket Code	RIGHT(LEFT(NAME(ITEM(Trans Data)), '4th Group' - 1), '4th Group' - '3rd Group')
Fico Bucket Code	RIGHT(LEFT(NAME(ITEM(Trans Data)), '5th Group' - 1), '5th Group' - '4th Group')
Result Code	RIGHT(LEFT(NAME(ITEM(Trans Data)), '6th Group' - 1), '6th Group' - '5th Group')
Method Code	RIGHT(LEFT(NAME(ITEM(Trans Data)), '7th Group' - 1), '7th Group' - '6th Group')
Cost Center Code	RIGHT(LEFT(NAME(ITEM(Trans Data)), '8th Group' - 1), '8th Group' - '7th Group')
Who Code	RIGHT(LEFT(NAME(ITEM(Trans Data)), '9th Group' - 1), '9th Group' - '8th Group')
Loc Code	RIGHT(LEFT(NAME(ITEM(Trans Data)), '10th Group' - 1), '10th Group' - '9th Group')
Bankrupt Ind Code	RIGHT(LEFT(NAME(ITEM(Trans Data)), '11th Group' - 1), '11th Group' - '10th Group')
Repo Ind Code	RIGHT(NAME(ITEM(Trans Data)), '12th Group' - '11th Group')

Line Items

- Create Dividers (formatted as No Data) for different sections
- Repetition of functions?

List Item Name	NAME(ITEM(Trans Data))
Text Strings	
Channel Code	LEFT(List Item Name, '1st Group' - 1)
Score Band Code	RIGHT(LEFT(List Item Name, '2nd Group' - 1), '2nd Group' - '1st Group' - 1)
Credit Tier Code	RIGHT(LEFT(List Item Name, '3rd Group' - 1), '3rd Group' - '2nd Group' - 1)
DQ Bucket Code	RIGHT(LEFT(List Item Name, '4th Group' - 1), '4th Group' - '3rd Group' - 1)
Fico Bucket Code	RIGHT(LEFT(List Item Name, '5th Group' - 1), '5th Group' - '4th Group' - 1)
Result Code	RIGHT(LEFT(List Item Name, '6th Group' - 1), '6th Group' - '5th Group' - 1)
Method Code	RIGHT(LEFT(List Item Name, '7th Group' - 1), '7th Group' - '6th Group' - 1)
Cost Center Code	RIGHT(LEFT(List Item Name, '8th Group' - 1), '8th Group' - '7th Group' - 1)
Who Code	RIGHT(LEFT(List Item Name, '9th Group' - 1), '9th Group' - '8th Group' - 1)
Loc Code	RIGHT(LEFT(List Item Name, '10th Group' - 1), '10th Group' - '9th Group' - 1)
Bankrupt Ind Code	RIGHT(LEFT(List Item Name, '11th Group' - 1), '11th Group' - '10th Group' - 1)
Repo Ind Code	RIGHT(List Item Name, '12th Group' - '11th Group')

Line Items

- Create Dividers (formatted as No Data) for different sections
- Repetition of functions?
- Subsidiary views usually equals new module!

	Formula	Parent	Is Summary	Format	Applies To
CALC: L6 by Input - New					L6 Result, Fake Users
Credit?	IF NOT 'SYS: Credit Tier by Users'.Select one or Multiple[SELECT: Decision Tier		<input type="checkbox"/>	Boolean	-
DQ?	'SYS: DQ Tier by Users'.Member Selected[LOOKUP: 'SYS: L6 Properties'.DQ] = '		<input type="checkbox"/>	Boolean	-
FICO?	'SYS: FICO by Users'.Member Selected[LOOKUP: 'SYS: L6 Properties'.FICO] = 'S		<input type="checkbox"/>	Boolean	-
Method?	'SYS: Methods by Users'.Member Selected[LOOKUP: 'SYS: L6 Properties'.Metho		<input type="checkbox"/>	Boolean	-
Final Result	IF Credit? AND DQ? AND FICO? AND Method? THEN 'L6 Result'.Display Name E		<input type="checkbox"/>	Contact Results	-
Anaplan Calcs			<input type="checkbox"/>	No Data	
L5 Member	PARENT(ITEM('L6 Result'))		<input type="checkbox"/>	L5 Method	L6 Result
L4 Member	PARENT('L5 Member')		<input type="checkbox"/>	L4 FICO	L6 Result
L3 Member	PARENT('L4 Member')		<input type="checkbox"/>	L3 DQ	L6 Result
L2 Member	PARENT('L3 Member')		<input type="checkbox"/>	L2 Credit	L6 Result
L1 Member	PARENT('L2 Member')		<input type="checkbox"/>	L1 Company	L6 Result


Line Items

- Create Dividers (formatted as No Data) for different sections
- Repetition of functions?
- Subsidiary views usually equals new module!
- Can the formulas be improved?
 - SUM/Lookup combination
 - Early Exits
 - No hardcoding
- Summary Settings – set to None if you can



Continuous improvement

- When should this be done?
- Download the guide!



A decorative graphic in the bottom-left corner of the slide, consisting of a grid of squares in various shades of blue, green, and purple, arranged in a pattern that resembles a staircase or a corner.

Thank you!

**CONNECTED
PLANNING
XPERIENCE**

The Anaplan logo, which is a stylized green arrow pointing upwards and to the right.

Anaplan